DAKOTA PRODUCT DATA SHEET



Test Result



Available Sizes 600x300x8mm

	Up to 20%	
Range	Dakota	
Category	Stone	
Collection	Select Collection	
Short Code	DAK02A	
Colour	Pebble	
Finish	Matt	
Wall Suitability	Internal Only	
Floor Suitability	-	
Wet Barefoot	-	
Material	Glazed Ceramic	
Classificiation	BIII	
Light Reflectance Value	54.00	
CSV	V2	

	Length/Width EN ISO 10545-2	±0.5%≤ ± 2mm	±0.25%
$\begin{array}{ c c }\hline \downarrow \\ \hline \uparrow \\ \hline \end{array}$	Thickness EN ISO 10545-2	±10%≤±0.5mm	±2.5%
+	Straightness of Sides EN ISO 10545-2	±0.3% ≤ ± 1.5mm	± 0.15%
-	Rectangularity EN ISO 10545-2	±0.5% ≤ ± 2mm	± 0.4%
$\begin{array}{ c c }\hline \downarrow \\ \hline \uparrow \uparrow \\ \end{array}$	Surface Flatness EN ISO 10545-2	±0.5% ≤ ± 2mm	±0.2%
	Water Absorption EN ISO 10545-3	10% to 20%	15% to 17%
	Modulus of Rupture EN ISO 10545-4	Ave I5N/mm²	25N/mm²
*	Frost Resistance Not Applicable	N/A	Not suitable
	Chemical Resistance EN ISO 10545-13	Min Class B	Class A-B (better)
	Stain Resistance EN ISO 10545-14	Min Class 3	Class 3 (better)
	Fire Rating		Class A I Non Combustible
kσ	Weight/m ²		
المحادثة المحادث المحادثة المحادثة المحادث المحادث المحادث المحادث المحادث	Thickness 8mm		14.85kg

Requirement

Physical Properties
Test / Standard

Samples Service

Tel: +44 (0) | 782 524 043 Fax: +44 (0) | 782 577 379

Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | | Fax: +44 (0) | 782 577 379

Email: techadvice@johnson-tiles.com

www.johnson-tiles.com



