
CONTOUR PRODUCT DATA SHEET



arnothing Recycled Content	Up to 80%
Range	Contour
Category	Colour, Structure
Collection	Absolute Collection
Short Code	CNT05D
Colour	Teal
Finish	Matt - 3D Strips
Wall Suitability	Internal Only
Floor Suitability	-
Wet Barefoot	-
Material	Glazed Ceramic
Classificiation	BIII
Light Reflectance Value	35.00
CSV	VI

Length/Width ±0.5%≤ ± 2mm EN ISO 10545-2 $\stackrel{\vee}{\stackrel{|}}$ Thickness ±10%≤±0.5mm EN ISO 10545-2 Straightness of Sides ±0.3% ≤ ± 1.5mm EN ISO 10545-2 Rectangularity -]+ $\pm 0.5\% \leq \pm 2mm$ EN ISO 10545-2 Surface Flatness ±0.5% ≤ ± 2mm $\uparrow \uparrow$ EN ISO 10545-2 Water Absorption 10% to 20% EN ISO 10545-3 **Modulus of Rupture** /Ave 15N/mm² EN ISO 10545-4 Thermal Shock 潮 Pass EN ISO 10545-9 Frost Resistance N/A Not Applicable **Chemical Resistance** Æ Min Class B EN ISO 10545-13 Stain Resistance Min Class 3 EN ISO 10545-14

Fire Rating

Weight/m²

Thickness 8mm

3D Transition

3D Strips

kg

Physical Properties Test / Standard

Requirement

Available Sizes 300x75x15.5mm

Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | Fax: +44 (0) | 782 577 379 Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential, 25 - 35 signifies a moderate stip contail and 36+ represents a low slip potential. All rights reserved. No. 15600452. © 2025 Johnson Tiles. All rights reserved.





Test Result

±0.5%

Pass

Pass

Pass

Pass

>10%

Pass

≥15N/mm²

Not suitable

Class A

Class 5

14.6kg

17.1kg

18.9kg

Class A1 Non

Combustible