IMPERIAL PRODUCT DATA SHEET



	Collection	Select Collection
	Short Code	IMP0 I P
	Colour	lvory
	Finish	Polished
	Wall Suitability	Internal & External
	Floor Suitability	Internal Only
	Wet Barefoot	-
Available Sizes	Material	Un-glazed Porcelain
595x595x9.5mm 595x295x9.5mm	Classificiation	Bla
	Light Reflectance Value	70.00
	CSV	V2
	PTV (96)	Wet 0-24 Dry 36+
	PTV (55)	-
Samples Service	R Value	-
Tel: +44 (0)1782 524 043 Fax: +44 (0)1782 577 379	Wet Ramp	-
Email: samples@johnson-tiles.com	PEI	-
Technical Helpline Tel: +44 (0)1782 524 111	Traffic	Commercial
Fax: +44 (0) 1782 577 379 Email: techadvice@johnson-tiles.com		

 \varnothing Recycled Content

Range

Category

Up to 90%

Imperial

Stone, Floor Tiles

est / Stanc	lard	Requirement	Test Result
-	th/Width 60 10545-2	±0.6%≤ ± 2mm	±0.2%
	kness 60 10545-2	±5%≤ ± 0.5mm	±5%
- +	ghtness of Sides 6O 10545-2	±0.5% ≤ ± 1.5mm	±0.2%
- +	angularity 60 10545-2	±0.5% ≤ ± 2mm	±0.25%
	a ce Flatness 60 10545-2	±0.5% ≤ ± 2mm	±0.2%
	page 60 10545-2	±0.5%≤ ± 2mm	0.2%
()	er Absorption 6O 10545-3	≤0.5%	≤0.1%
/ \	ulus of Rupture 6O 10545-4	≥35N/mm²	≥40N/mm²
(0) I	sion Resistance 60 10545-6	< 175mm³	< 145mm³
713	mal Shock 60 10545-9	Pass	Pass
A.	t Resistance 60 10545-12	Resistant	Resistant
A)	mical Resistance	Min Class B	Class A
	Resistance 60 10545-14	Min Class 3	Class 4
	Colour Resistance		Unaffected by light
(23)	Rating Applicable	N/A	Class A I FL Non Combustible
rg -	ght/m² kness: 9.5mm		21.12kg

www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential, 25 - 35 signifies a moderate slip potential and 36r represents a low slip potential. All figures are accurate at the time of this data sheets creation (17/05/2025). Johnson Tiles Limited, Harewood Street, Tunstall, Stoke-on-Trent. ST6 5JZ. Registered in England No. 15600432. © 2025 Johnson Tiles. All rights reserved.



