## MILANO PRODUCT DATA SHEET



	Short Code	MIL06N
	Colour	Basalt
	Finish	Natural
	Wall Suitability	Internal & External
	Floor Suitability	Internal Only
Available Sizes	Wet Barefoot	-
125x125x8.5mm 62x62x8.5mm	Material	Porcelain
250x125x8.5mm 250x250x8.5mm	Classificiation	Bla
250x250x8.5mm 125x62x8.5mm	Light Reflectance Value	15.00
	CSV	V2
	PTV (96)	Wet 36+ Dry 36+
Samples Service	PTV (55)	-
Tel: +44 (0)1782 524 043 Fax: +44 (0)1782 577 379	R Value	10
Email: samples@johnson-tiles.com	Wet Ramp	-
<b>Technical Helpline</b> Tel: +44 (0)1782 524 111	PEI	-
Fax: +44 (0)1782 577 379 Fax: +44 (0)1782 577 379 Email: techadvice@johnson-tiles.com	Traffic	Commercial

 $\mathcal{O}$  Recycled Content

Range Category

Collection

Up to 80%

Colour, Floor Tiles, PTV

Absolute Collection

Milano

36+ Tiles

Physical Properties		
Test / Standard	Requirement	Test Result
Length/Width EN ISO 10545-2	±0.6%≤ ± 2mm	Pass
Thickness EN ISO 10545-2	±5%≤ ± 0.5mm	Pass
Straightness of Sides EN ISO 10545-2	±0.5% ≤ ± 1.5mm	Pass
Rectangularity EN ISO 10545-2	±0.5% ≤ ± 2mm	Pass
↓Surface Flatness↑ ↑EN ISO 10545-2	±0.5% ≤ ± 2mm	Pass
Water Absorption EN ISO 10545-3	≤0.5%	Pass
Modulus of Rupture EN ISO 10545-4	≥35N/mm²	Pass
Frost Resistance EN ISO 10545-12	Resistant	Resistant
Chemical Resistance EN ISO 10545-13	Min Class B	Class A
Stain Resistance EN ISO 10545-14	Min Class 3	Min Class 3
Fire Rating   Not Applicable	N/A	Class A I FL Non Combustible
kg Weight/m <sup>2</sup> Thickness:8.5mm		19.18kg

## www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential, 25 - 35 signifies a moderate slip potential and 36r represents a low slip potential. All rights reserved. No. 15600452. © 2025 Johnson Tiles. All rights reserved.



