SOUTH BANK PRODUCT DATA SHEET





Available Sizes 245x75x8mm

Up to 20%
South Bank
Colour, Made in the UK
Select Collection
SBK05A
Dove
Gloss
Internal Only
-
-
Glazed Ceramic
BIII
26.00
V3

Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379

Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | | Fax: +44 (0) | 782 577 379

Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Physical Properties				
Test / Standard		Requirement	Test Result	
	Length/Width EN ISO 10545-2	±0.5%≤ ± 2mm	±0.25%	
	Thickness EN ISO 10545-2	±10%≤±0.5mm	±2.5%	
- +	Straightness of Sides EN ISO 10545-2	±0.3% ≤ ± 1.5mm	± 0.15%	
	Rectangularity EN ISO 10545-2	±0.5% ≤ ± 2mm	± 0.4%	
	Surface Flatness EN ISO 10545-2	±0.5% ≤ ± 2mm	±0.2%	
	Water Absorption EN ISO 10545-3	10% to 20%	15% to 17%	
/ \	Modulus of Rupture EN ISO 10545-4	Ave I5N/mm²	25N/mm²	
34K	Frost Resistance Not Applicable	N/A	Not suitable	
A = A = A	Chemical Resistance EN ISO 10545-13	Min Class B	Class A-B (better)	
	Stain Resistance EN ISO 10545-14	Min Class 3	Class 3 (better)	
	Fire Rating		Class A1 Non Combustible	
	Weight/m² Thickness 8mm		16.5kg	



