## **ZODIAC** PRODUCT DATA SHEET



Zodiac Range Stone, Structure, Mosaic Category Collection Absolute Collection Short Code ZOD2MM Colour Aluminium **Mixed - Mixed Mosaic** Finish Wall Suitability Internal & External Floor Suitability -Wet Barefoot -Material Glazed Porcelain Classificiation Bla Light Reflectance Value 54.00 V2 CSV

Up to 30%

 $\mathcal{O}$  Recycled Content

## **Physical Properties** Test / Standard Requirement Test Result Length/Width ≤**0.4%** ±0.6%≤ ± 2mm EN ISO 10545-2 Thickness ±3% ±5%≤ ± 0.5mm EN ISO 10545-2 Straightness of Sides ±0.5% ≤ ± 1.5mm ≤0.4% EN ISO 10545-2 Rectangularity -]+ $\pm 0.5\% \leq \pm 2mm$ ≤**0.4%** EN ISO 10545-2 Surface Flatness ±0.5% ≤ ± 2mm ≤**0.4%** $\uparrow \uparrow$ EN ISO 10545-2 Water Absorption ≤0.5% ≤**0**.1% EN ISO 10545-3 Modulus of Rupture ≥35N/mm² ≥45N/mm<sup>2</sup> EN ISO 10545-4 Thermal Shock Pass Pass EN ISO 10545-9 Frost Resistance × Resistant Resistant EN ISO 10545-12 **Chemical Resistance** Æ Min Class B Min Class B EN ISO 10545-13 Stain Resistance Min Class 3 Min Class 3 EN ISO 10545-14 Class A I FL Non Fire Rating N/A Not Applicable Combustible Weight/m<sup>2</sup> kg Thickness: 10.5mm 22.3kg

Available Sizes 600x600x10.5mm 890x300x10.5mm

## Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

**Technical Helpline** 

Tel: +44 (0) | 782 524 | | | Fax: +44 (0) | 782 577 379 Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential. 25 - 35 signifies a moderate slip potential and 36+ represents a low slip potential. All rights reserved. No. 15600452.0 2025 Johnson Tiles. All rights reserved.



