
BIANCO PRODUCT DATA SHEET





Available Sizes 600x600x10mm

Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) 1782 524 111 Fax: +44 (0) 1782 577 379

Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Recycled Content	Up to 50%
Range	Bianco
Category	Marble, Floor Tiles
Collection	Select Collection
Short Code	BIA02F
Colour	Taupe Marble
Finish	Matt
Wall Suitability	Internal & External
Floor Suitability	Internal Only
Wet Barefoot	-
Material	Glazed Porcelain
Classificiation	Bla
Light Reflectance Value	62.00
CSV	V2
PTV (4S)	Wet 25-35 Dry 36+
PTV (TRL)	-
R Value	-
Wet Ramp	-
PEI	IV
Гraffic	Commercial

Physical Properties			
Requirement	Test Result		
±0.6%≤ ± 2mm	±0.6%		
±5%≤ ± 0.5mm	±5%		
±0.5% ≤ ± 1.5mm	±0.5%		
±0.5% ≤ ± 2mm	± 0.6%		
±0.5% ≤ ± 2mm	±0.5%		
≤0.5%	≤0.6%		
≥35N/mm²	≥35N/mm²		
Pass	Pass		
Resistant	Resistant		
Min Class B	Pass		
Min Class 3	Min Class 3		
	Unaffected by light		
N/A	Class A I FL Non Combustible		
	23.17kg		
	±0.6%≤ ± 2mm ±5%≤ ± 0.5mm ±0.5% ≤ ± 1.5mm ±0.5% ≤ ± 2mm ±0.5% ≤ ± 2mm ≤0.5% ≥35N/mm² Pass Resistant Min Class B Min Class 3		

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential, 25 - 35 signifies a moderate slip potential and 36+ represents a low slip potential. All figures are accurate at the time of this data sheets creation (21/03/2021). Johnson Tiles is a division of Norcros Group (Holdings) Limited, Ladyfield House, Station Road, Wilmslow, Cheshire, SK9 IBU. Registed in England No. 566694. Johnson Tiles, Johnson, Absolute and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R lobbers of Tiles, 41 lights reserved.

