JUNIPER PRODUCT DATA SHEET



Juniper Range Category Stone Collection Select Collection Short Code JUNP2A Colour Pumice Finish Matt Wall Suitability Internal Only Floor Suitability -Wet Barefoot -Material Glazed Ceramic Classificiation BIII 53.00 Light Reflectance Value V2 CSV

Up to 17%

 \mathcal{O} Recycled Content

Physical Properties Test / Standard Requirement Test Result Length/Width ±0.5%≤ ± 2mm Pass EN ISO 10545-2 Thickness ±10%≤±0.5mm Pass EN ISO 10545-2 Straightness of Sides ±0.3% ≤ ± 1.5mm Pass EN ISO 10545-2 Rectangularity $\pm 0.5\% \leq \pm 2mm$ Pass EN ISO 10545-2 Surface Flatness ±0.5% ≤ ± 2mm Pass $\uparrow \uparrow$ EN ISO 10545-2 Water Absorption 10% to 20% Pass EN ISO 10545-3 Modulus of Rupture Ave 15N/mm² Pass EN ISO 10545-4 Frost Resistance 業 N/A Not suitable Not Applicable **Chemical Resistance** Æ Min Class B Pass EN ISO 10545-13 Stain Resistance Min Class 3 Pass EN ISO 10545-14 Class A1 Non Fire Rating Combustible Weight/m² kg Thickness 7.5mm 12.58kg Thickness 8mm 14.85kg

Available Sizes 450x250x7.5mm

Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | Fax: +44 (0) | 782 577 379 Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and testing and production value. Please note, inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential, 25 - 35 significant reduction the and 36+ represents a low slip potential. All rights reserved. No. 15600452.0 2025 Johnson Tiles. All rights reserved.



