
KERASTAR PRODUCT DATA SHEET



Short Code KHR501 Colour Chalk Finish Natural - Hexagon Internal & External Wall Suitability Floor Suitability Internal Only Wet Barefoot -Material **Un-glazed Porcelain** Classificiation Bla Light Reflectance Value 70.00 CSV ٧I PTV (96) Wet 36+ Dry 36+ PTV (55) -Tel: +44 (0)1782 524 043 R Value 10 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com Wet Ramp -PEI -Tel: +44 (0)1782 524 111 Fax: +44 (0) 1782 577 379 Traffic Commercial Email: techadvice@johnson-tiles.com

 \varnothing Recycled Content

Range Category

Collection

Up to 6%

Kerastar

PTV 36+ Tiles Intro Collection

Colour, Shape, Floor Tiles,

Physical Properties			
Test / Standard		Requirement	Test Result
	Length/Width EN ISO 10545-2	±0.6%≤ ± 2mm	±0.3%
$\stackrel{\flat}{\stackrel{\frown}{\stackrel{\frown}{\stackrel{\frown}{\stackrel{\frown}{\stackrel{\frown}{\stackrel{\frown}{\stackrel{\frown}{$	Thickness EN ISO 10545-2	±5%≤ ± 0.5mm	±3%
+	Straightness of Sides EN ISO 10545-2	±0.5% ≤ ± 1.5mm	±0.3%
	Rectangularity EN ISO 10545-2	±0.5% ≤ ± 2mm	±0.3%
$\stackrel{\checkmark}{}{}{}{}{}{}{}$	Surface Flatness EN ISO 10545-2	±0.5% ≤ ± 2mm	± 0.3%
	Water Absorption EN ISO 10545-3	≤0.5%	≤0.1%
	Modulus of Rupture EN ISO 10545-4	≥35N/mm²	≥45N/mm²
	Thermal Shock EN ISO 10545-9	Pass	Pass
*	Frost Resistance EN ISO 10545-12	Resistant	Resistant
B	Chemical Resistance EN ISO 10545-13	No Visible Effect	Pass
	Stain Resistance EN ISO 10545-14		≥Class 2
	Fire Rating Not Applicable	N/A	Class A I FL Non Combustible
kg	Weight/m ² Thickness: 7.6mm Thickness: 8.3mm Thickness: 8.5mm Thickness: 9.2mm Thickness: 9.8mm Thickness: 10.5mm Thickness: 14mm		16.78kg 18.56kg 19.12kg 21.67kg 21.12kg 24.37kg 31.39kg

www.johnson-tiles.com

Available Sizes 200x228x8.3mm

Samples Service

Technical Helpline

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in sip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, inadequate cleaning and maintenance will lead to a significant reduction i the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential. Z5 - 35 signifies a moderate slip potentia and 36r represents a low slip potential. All rightre sereved. No. 15600432. © 2023 Johnson Tiles. All rights reserved.

JOHNSON