## MELFORD MARBLE PRODUCT DATA SHEET



	Range	Melford Marble
	Category	Marble, Floor Tiles
	Collection	Intro Collection
	Short Code	MEL02F
1	Colour	Dark Grey
1-	Finish	Matt
	Wall Suitability	Internal & External
	Floor Suitability	Internal Only
and the second s	Wet Barefoot	-
	Material	Glazed Porcelain
	Classificiation	Bla
	Light Reflectance Value	42.00
	CSV	V2
	PTV (4S)	Wet 0-24 Dry 36+
	PTV (TRL)	-
	R Value	-
	Wet Ramp	-
	PEI	ш
	Traffic	Light Commercial

Up to 10%

Physical Properties					
Test / Standard		Requirement	Test Result		
	Length/Width EN ISO 10545-2	±0.6%≤ ± 2mm	Pass		
$[] \rightarrow [] \land$	Thickness EN ISO 10545-2	±5%≤ ± 0.5mm	Pass		
-	Straightness of Sides EN ISO 10545-2	±0.5% ≤ ± 1.5mm	Pass		
+	Rectangularity EN ISO 10545-2	±0.5% ≤ ± 2mm	Pass		
$\overset{\checkmark}{\overbrace{\land\uparrow\uparrow}}$	Surface Flatness EN ISO 10545-2	±0.5% ≤ ± 2mm	Pass		
	Water Absorption EN ISO 10545-3	≤0.5%	≤0.5%		
	Modulus of Rupture EN ISO 10545-4	≥35N/mm²	≥35N/mm²		
	Thermal Shock EN ISO 10545-9	Pass	Pass		
*	Frost Resistance EN ISO 10545-12	Resistant	Resistant		
Ð	Chemical Resistance EN ISO 10545-13	Min Class B	Class A		
	Stain Resistance EN ISO 10545-14	Min Class 3	Class 3		
	<b>Fire Rating</b> Not Applicable	N/A	Class A I FL Non Combustible		
kg	<b>Weight/m²</b> Thickness: 10mm		21.2kg		

Available Sizes	
495x495x10mm	

## Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

## Technical Helpline

Tel: +44 (0) | 782 524 | | | Fax: +44 (0) | 782 577 379 Email: techadvice@johnson-tiles.com

## www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a line slip protection in a supervision of the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a line slip potential. All figures are accurate at the time of this data sheets creation (21/03/2021). Johnson Tiles is a division of Norcros Group (Holdings) Limited, Ladyfield House, Station Road, Wilmslow, Cheshire, SK9 IBU. Registed in England ho. 566694. Johnson Tiles. Johnson Tiles. © 2021 Johnson Tiles. All rights reserved.

