SANTORINI PRODUCT DATA SHEET



Santorini Range Marble Category Collection Select Collection Short Code SANTIA Colour White Marble Finish Satin Wall Suitability Internal Only Floor Suitability -Wet Barefoot -Material Glazed Ceramic Classificiation BIII

V2

Up to 37%

 \mathcal{O} Recycled Content

CSV

Test / Standard Requirement Length/Width ±0.5%≤ ± 2mm EN ISO 10545-2 Straightness of Sides ±0.3% ≤ ± 1.5mm EN ISO 10545-2 Rectangularity $\pm 0.5\% \leq \pm 2mm$ EN ISO 10545-2 Surface Flatness $\pm 0.5\% \leq \pm 2mm$ EN ISO 10545-2 Warpage ±0.5%≤ ± 2mm EN ISO 10545-2 \bigcirc Water Absorption 10% to 20% EN ISO 10545-3 Modulus of Rupture Ave 15N/mm² EN ISO 10545-4 Frost Resistance * N/A

Physical Properties

Pass Pass Pass Pass Not suitable Not Applicable **Chemical Resistance** Æ Min Class B Pass EN ISO 10545-13 Stain Resistance Min Class 3 Pass EN ISO 10545-14 **Crazing Resistance** Pass Pass EN ISO 10545-11 **UV Colour Resistance** Unaffected by light Class A1 Non B Fire Rating Combustible Weight/m² kg Thickness 7mm 12.35kg

Samples Service

600x300x7mm

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379 Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0)1782 524 111 Fax: +44 (0) 1782 577 379 Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction the slip resistance of any tiles. The pendulum test results are displayed in line with The Health & Safety Executive guidelines whereby 0 - 24 represents a high slip potential. 25 - 35 signifies a moderate slip potenti and 36+ represents a low slip potential. All rights reserved. No. 15600452.0 2025 Johnson Tiles. All rights reserved.



Test Result

Pass

Pass

Pass