TONES PRODUCT DATA SHEET





Available Sizes 400x150x10mm

$oldsymbol{arrho}$ Recycled Content	Up to 20%	
Range	Tones	
Category	Colour, Structure, Made in	
	the UK	
Collection	Select Collection	
Short Code	TNS2W	
Colour	Cream	
Finish	Satin - Wave Structure	
Wall Suitability	Internal Only	
Floor Suitability	-	
Wet Barefoot	-	
Material	Glazed Ceramic	
Classificiation	BIII	
Light Reflectance Value	70.00	
CSV	VI	

Samples Service

Tel: +44 (0) 1782 524 043 Fax: +44 (0) 1782 577 379

Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | | Fax: +44 (0) | 782 577 379

Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

Physical Properties			
Test / Standard		Requirement	Test Result
Length/Wid		±0.5%≤ ± 2mm	±0.25%
Straightnes EN ISO 1054		±0.3% ≤ ± 1.5mm	± 0.15%
Rectangula EN ISO 1054	•	±0.5% ≤ ± 2mm	± 0.4%
Surface Flat The image is a surface Flat Th		±0.5% ≤ ± 2mm	±0.2%
Warpage EN ISO 1054	15-2	±0.5%≤ ± 2mm	0.30%
Water Abso EN ISO 1054	=	10% to 20%	15% to 17%
Modulus of EN ISO 1054	•	Ave I5N/mm²	25N/mm²
Frost Resist Not Applica		N/A	Not suitable
Chemical R EN ISO 1054		Min Class B	Class A-B (better)
Stain Resist EN ISO 1054		Min Class 3	Class 3 (better)
Crazing Res		Pass	Pass
UV Colour F	Resistance		Unaffected by light
Scratch Har BS6431:Part		≥3	4
Fire Rating			Class A I Non Combustible
kg Weight/m² Thickness: I	0mm		17kg

Tile colours shown of the tile product on this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. The slip resistance values provided are accurate at the time of testing and represent the standard production value. Please note, Inadequate cleaning and maintenance will lead to a significant reduction in the slip resistance of any tiles. The pendulum test results are displayed in line with The Hutha Safety Executive guidelines whereby 0 - 24 represents a line by all potential, 25 - 35 signifies a moderate slip potential and 36+ represents a low slip potential. All figures are accurate at the time of this data sheets creation (21/03/2021). Johnson Tiles is a division of Norcros Group (Holdings) Limited, Ladyfield House, Station Road, Wilmstow, Cheshire, SK9 IBU. Registed in England No. 566694. Johnson Tiles, Johnson, Aboulte and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R Johnson Tiles Limited and licensed to Norcros Group (Holdings) Limited trading as Johnson Tiles. © 2021 Johnson Tiles. All rights reserved.

