KERASTAR

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR SPECKLE INTRO

epd

UP TO 40% RECYCLED CONTENT

36+ PTV (4S) RATING

36+ PTV (TRL) RATING

LARGE COLOUR PALETTE

JOHNSON · TILES

MADE IN THE UK SINCE 1901

KERASTAR

11 SIZES 43 COLOURS 4 FINISHES

Developed specifically for the commercial interiors market, Kerastar features an impressive 43 colours, spanning the entire spectrum. Choose from architecturally inspired tones of Linen and Ivory or try bolder shades of Mustard and Siena for an injection of primary colour. Or, mix and match for a design scheme that showcases creative freedom.

This un-glazed porcelain collection is versatile in its offering, with 11 sizes from dynamic small-formats of 100x100mm and 150x75mm up to minimalistic large-formats of 890x890mm and 1190x600mm, along with stylish Hexagons for added visual interest. Combine commercial elegance and high slip resistance with the Textured Rocktop, Triface and Suretread Hexagon structures, all achieving a PTV slip resistance rating of 36+ in both dry and wet areas.

Fittings within this range include battiscopa and cove skirtings along with steptreads, making Kerastar the ideal flooring solution for commercial specifications.



Bronze Natural 1190x600x10.5mm - KER537
Night Natural 1190x600x10.5mm - KER508

Siena Natural 200mm Hexagon - KHR540
Metal Natural 200mm Hexagon - KHR530

Clay Textured Triface 200x200x8.3mm - KET506

Marine Natural 600x600x10.5mm - KER544
Denim Natural 600x600x10.5mm - KER542

Chalk Natural 890x890x10.5mm - KER501
Night Natural 890x890x10.5mm - KER508

Khaki Natural 890x890x10.5mm - KER539
Clay Natural 890x890x10.5mm - KER506

Chalk Matt 150x75x8.3mm - KEM501
Siena Matt 150x75x8.3mm - KEM540
Metal Natural 300x300x8.3mm - KER530

Platinum Speckle Natural 300x300x8.3mm - KER560
Sage Speckle Natural 300x300x8.3mm - KER565
Night Speckle Natural 300x300x8.3mm - KER516

Chalk Natural 200mm Hexagon - KHR501
Amber Natural 200mm Hexagon - KHR538
Bronze Natural 200mm Hexagon - KHR537

Linen Natural 300x300x8.3mm - KER502
Linen Natural Tactile Lines 300x300x14mm - KLR502
Night Natural Tactile Dots 300x300x14mm - KDR508
Night Natural Tactile Lines 300x300x14mm - KLR508

Linen Matt 300x300x14mm - KEE502
Clay Matt 300x300x14mm - KEE506

Size Formats
Sizing & Packing Information



#	Size	Thickness	Finish	Structure	Colour Availability	Pcs / Box	M2 / Box	Kg / Box
1	1190x600mm	10.5mm	(N) Natural	-	See Availability Chart	1 Tile	0.71m²	17.40kg
2	890x890mm	10.5mm	(N) Natural	-	See Availability Chart	1 Tile	0.79m²	19.40kg
3	600x600mm	14mm	(M) Matt	-	See Availability Chart	2 Tiles	0.72m²	22.60kg
		10.5mm	(N) Natural	-	See Availability Chart	3 Tiles	1.08m²	24.40kg
		9.8mm	(P) Polished	-	See Availability Chart	3 Tiles	1.08m²	22.80kg
4	600x300mm	9.2mm	(N) Natural	-	See Availability Chart	5 Tiles	0.90m²	19.50kg
		8.5mm	(P) Polished	-	See Availability Chart	6 Tiles	1.08m²	20.60kg
5	300x300mm	14mm	(M) Matt	-	See Availability Chart	8 Tiles	0.72m²	22.60kg
			(N) Natural	Dots & Lines Tactile	See Availability Chart	8 Tiles	0.72m²	22.60kg
		8.3mm	(M) Matt	-	See Availability Chart	13 Tiles	1.17m²	21.60kg
			(N) Natural	-	See Availability Chart	13 Tiles	1.17m²	21.60kg
			(T) Textured	Rocktop	See Availability Chart	13 Tiles	1.17m²	21.30kg
			(T) Textured	Triface	See Availability Chart	13 Tiles	1.17m²	21.00kg
		7.8mm	(P) Polished	-	See Availability Chart	15 Tiles	1.35m²	22.60kg
6	200x200mm	8.3mm	(M) Matt	-	See Availability Chart	31 Tiles	1.24m²	22.50kg
			(N) Natural	-	See Availability Chart	31 Tiles	1.24m²	22.50kg
			(T) Textured	Triface	See Availability Chart	31 Tiles	1.24m²	21.90kg
7	200mm Hexagon	8.3mm	(N) Natural	-	See Availability Chart	23 Tiles	0.72m²	14.70kg
8	150x150mm	8.3mm	(N) Natural	-	See Availability Chart	35 Tiles	0.78m²	14.30kg
9	150x75mm	8.3mm	(M) Matt	-	See Availability Chart	74 Tiles	0.83m²	14.66kg
10	100x100mm	8.3mm	(M) Matt	-	See Availability Chart	63 Tiles	0.63m²	11.20kg
			(N) Natural	-	See Availability Chart	63 Tiles	0.63m²	11.20kg
11	100mm Hexagon	8.3mm	(M) Matt	-	See Availability Chart	50 Tiles	0.39m²	7.40kg
			(T) Textured	Suretread	See Availability Chart	50 Tiles	0.39m²	7.40kg

#	Fitting	Thickness	Finish	Structure	Colour Availability	Pcs / Box	M2 / Box	Kg / Box
12	300x95mm Steptread	8.3mm	(N) Natural	-	See Availability Chart	34 Tiles	10.20lm	18.00kg
13	600x95mm Battiscopa Skirting	9.2mm	(N) Natural	-	See Availability Chart	18 Tiles	10.80lm	23.80kg
		8.5mm	(P) Polished	-	See Availability Chart	19 Tiles	11.40lm	23.00kg
14	300x95mm Battiscopa Skirting	8.3mm	(N) Natural	-	See Availability Chart	34 Tiles	10.20lm	18.00kg
		7.6mm	(P) Polished	-	See Availability Chart	36 Tiles	10.80lm	16.30kg
15	300x100mm Cove Skirting	8.3mm	(N) Natural	-	See Availability Chart	34 Tiles	10.20lm	18.00kg
16	200x100mm Cove Skirting	8.3mm	(N) Natural	-	See Availability Chart	50 Tiles	10.00lm	18.00kg
17	100x25mm Cove Skirting Internal	8.3mm	(N) Natural	-	See Availability Chart	1 Tile	-	0.14kg
18	100x25mm Cove Skirting External	8.3mm	(N) Natural	-	See Availability Chart	1 Tile	-	0.14kg

Note: All sizes indicated are metric modular. All sizes shown are nominal. (R) Rectified Edge.
For full size, colour and finish availability, please refer to the availability chart on page 16 and 17 or visit our website - www.johnson-tiles.com.

Colours & Product Codes

V1: Low Shade Variation



NIGHT LRV: 08

Product Codes: M KEE508 (14mm Thick)
M KEM508 + N KER508 + P KEP508



NIGHT LRV: 08

Hexagon Product Code:
M KHM508 + N KHR508

NIGHT LRV: 08

Rocktop Product Code:
T KEK508



NIGHT LRV: 08

Triface Product Code:
T KET508

NIGHT LRV: 08

Suretread Hexagon Product Code:
T KHS508



NIGHT LRV: 08

Tactile Dots Product Code:
N KDR508



NIGHT LRV: 08

Tactile Lines Product Code:
N KLR508

NIGHT SPECKLE LRV: 08

Product Code:
N KER516

NIGHT SPECKLE LRV: 08

Rocktop Product Code:
T KEK516



NIGHT SPECKLE LRV: 08

Triface Product Code:
T KET516

METAL LRV: 15

Product Codes:
M KEM530 + N KER530 + P KEP530



METAL LRV: 15

Hexagon Product Code:
M KHM530 + N KHR530

Colours & Product Codes

V1: Low Shade Variation

METAL LRV: 15

Suretread Hexagon Product Code:

T KHS530

METAL SPECKLE LRV: 15

Product Code:

N KER557



CLAY LRV: 21

Product Codes: M KEE506 (14mm Thick)

M KEM506 + N KER506 + P KEP506



CLAY LRV: 21

Hexagon Product Code:

M KHM506

CLAY LRV: 21

Rocktop Product Code:

T KEK506



CLAY LRV: 21

Triface Product Code:

T KET506



CLAY LRV: 21

Suretread Hexagon Product Code:

T KHS506



CLAY LRV: 21

Tactile Dots Product Code:

N KDR506



CLAY LRV: 21

Tactile Lines Product Code:

N KLR506

CLAY SPECKLE LRV: 21

Product Code:

N KER558

CLAY SPECKLE LRV: 21

Rocktop Product Code:

T KEK558



CLAY SPECKLE LRV: 21

Triface Product Code:

T KET558

Colours & Product Codes

V1: Low Shade Variation



ZINC LRV: 39

Product Codes:

M KEM533 + N KER533 + P KEP533



ZINC LRV: 39

Hexagon Product Code:

M KHM533 + N KHR533

ZINC LRV: 39

Rocktop Product Code:

T KEK533

ZINC LRV: 39

Suretread Hexagon Product Code:

T KHS533

ZINC SPECKLE LRV: 38

Product Code:

N KER559

ZINC SPECKLE LRV: 38

Rocktop Product Code:

T KEK559



PLATINUM LRV: 45

Product Codes:

M KEM534 + N KER534 + P KEP534

PLATINUM SPECKLE LRV: 39

Product Code:

N KER560

IVORY LRV: 72

Product Codes:

M KEM545 + N KER545 + P KEP545

CHALK LRV: 70

Product Codes: M KEE501 (14mm Thick)

M KEM501 + N KER501 + P KEP501



CHALK LRV: 70

Hexagon Product Code:

M KHM501 + N KHR501

CHALK LRV: 70

Rocktop Product Code:

T KEK501

Colours & Product Codes

V1: Low Shade Variation



CHALK LRV: 70

Triface Product Code:

T KET501

CHALK LRV: 70

Suretread Hexagon Product Code:

T KHS501

CHALK SPECKLE LRV: 62

Product Code:

N KER561

CHALK SPECKLE LRV: 62

Rocktop Product Code:

T KEK561

CHALK SPECKLE LRV: 62

Triface Product Code:

T KET561

LINEN LRV: 55

Product Codes: M KEE502 (14mm Thick)

M KEM502 + N KER502 + P KEP502



LINEN LRV: 55

Hexagon Product Code:

M KHM502

LINEN LRV: 55

Suretread Hexagon Product Code:

T KHS502

LINEN LRV: 55

Tactile Dots Product Code:

N KDR502



LINEN LRV: 55

Tactile Lines Product Code:

N KLR502

LINEN SPECKLE LRV: 55

Product Code:

N KER562

BISCUIT LRV: 54

Product Codes:

M KEM532 + N KER532 + P KEP532

Colours & Product Codes

V1: Low Shade Variation



BISCUIT LRV: 54

Triface Product Code:

T KET532

BISCUIT SPECKLE LRV: 54

Product Code:

N KER510



BISCUIT SPECKLE LRV: 54

Triface Product Code:

A KET510

BRONZE LRV: 31

Product Codes:

M KEM537 + N KER537 + P KEP537



BRONZE LRV: 31

Hexagon Product Code:

N KHR537

BRONZE LRV: 31

Rocktop Product Code:

T KEK537



STONE LRV: 41

Product Codes:

M KEM548 + P KEP548



OCHRE LRV: 33

Product Codes:

M KEM549 + P KEP549



AMBER LRV: 22

Product Codes:

M KEM538 + N KER538 + P KEP538



AMBER LRV: 22

Hexagon Product Code:

N KHR538



KHAKI LRV: 21

Product Codes:

M KEM539 + N KER539 + P KEP539



KHAKI LRV: 21

Hexagon Product Code:

N KHR539

Colours & Product Codes

V1: Low Shade Variation

MOCHA LRV: 18

Product Codes:

M KEM531 + N KER531 + P KEP531



MOCHA LRV: 18

Hexagon Product Code:

M KHM531

MOCHA LRV: 18

Rocktop Product Code:

T KEK531



MOCHA LRV: 18

Triface Product Code:

T KET531

MOCHA LRV: 18

Suretread Hexagon Product Code:

T KHS531

MOCHA SPECKLE LRV: 24

Product Code:

N KER563

MOCHA SPECKLE LRV: 24

Rocktop Product Code:

T KEK563



MOCHA SPECKLE LRV: 24

Triface Product Code:

T KET563



BEIGE LRV: 40

Product Codes:

M KEM550 + P KEP550

BEIGE SPECKLE LRV: 42

Product Code:

N KER564

TERRACOTTA LRV: 30

Product Codes:

M KEM543 + N KER543 + P KEP543

SIENA LRV: 16

Product Codes:

M KEM540 + N KER540 + P KEP540

Colours & Product Codes

V1: Low Shade Variation



SIENA LRV: 16

Hexagon Product Code:

M KHM540 + N KHR540

SIENA LRV: 16

Suretread Hexagon Product Code:

T KHS540

ORANGE LRV: 32

Product Codes:

M KEM546 + P KEP546

MUSTARD LRV: 47

Product Codes:

M KEM551 + P KEP551

LIME LRV: 36

Product Codes:

M KEM552 + P KEP552

OLIVE LRV: 15

Product Codes:

M KEM553 + P KEP553



MINT LRV: 41

Product Codes:

M KEM554 + P KEP554

FOREST LRV: 12

Product Codes:

M KEM541 + N KER541 + P KEP541



FOREST LRV: 12

Hexagon Product Code:

N KHR541



SAGE LRV: 23

Product Codes:

M KEM556 + P KEP556



SAGE SPECKLE LRV: 23

Product Code:

N KER565

FERN LRV: 23

Product Codes:

M KEM535 + P KEP535

Colours & Product Codes

V1: Low Shade Variation



FERN LRV: 23

Hexagon Product Code:

M KHM535



FERN LRV: 23

Suretread Hexagon Product Code:

T KHS535



TURQUOISE LRV: 42

Product Codes:

M KEM547 + P KEP547



SKY LRV: 24

Product Codes:

M KEM536 + P KEP536



SKY LRV: 24

Hexagon Product Code:

M KHM536



SKY LRV: 24

Suretread Hexagon Product Code:

T KHS536



SKY SPECKLE LRV: 24

Product Code:

N KER566

SEA LRV: 16

Product Codes:

M KEM555 + P KEP555



MARINE LRV: 17

Product Codes:

M KEM544 + N KER544 + P KEP544

DENIM LRV: 10

Product Codes:

M KEM542 + N KER542 + P KEP542



DENIM LRV: 10

Hexagon Product Code:

N KHR542

Availability Information

Colour	Size																		
	(M) Matt							(N) Natural											
	600x600x14mm (R)	300x300x14mm (R)	300x300x8.3mm	200x200x8.3mm	150x75x8.3mm	100x100x8.3mm	100mm Hexagon	1190x600x10.5mm (R)	890x890x10.5mm (R)	600x600x10.5mm (R)	600x300x9.2mm (R)	300x300x8.3mm	200x200x8.3mm	150x150x8.3mm	100x100x8.3mm	200mm Hexagon	300x300x14mm Tactile Dots	300x300x14mm Tactile Lines
Night		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
Night Speckle												✓	✓					
Metal			✓			✓	✓					✓			✓	✓		
Metal Speckle												✓						
Clay	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓		✓	✓
Clay Speckle										✓	✓	✓	✓					
Zinc			✓	✓	✓	✓	✓			✓	✓	✓			✓	✓		
Zinc Speckle												✓	✓					
Platinum			✓			✓						✓		✓	✓			
Platinum Speckle												✓						
Ivory			✓							✓	✓							
Chalk	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓		
Chalk Speckle										✓	✓	✓	✓					
Linen	✓	✓	✓			✓	✓					✓			✓		✓	✓
Linen Speckle												✓						
Biscuit			✓	✓		✓				✓	✓	✓			✓			
Biscuit Speckle												✓	✓					
Bronze			✓			✓		✓	✓	✓	✓	✓			✓	✓		
Stone			✓															
Ochre			✓															
Amber			✓			✓						✓				✓		
Khaki			✓		✓				✓	✓	✓	✓				✓		
Mocha			✓	✓	✓	✓	✓			✓	✓	✓			✓			
Mocha Speckle												✓	✓					
Beige			✓															
Beige Speckle												✓						
Terracotta			✓							✓	✓							
Siena			✓		✓	✓	✓			✓	✓	✓				✓		
Orange			✓															
Mustard			✓															
Lime			✓															
Olive			✓															
Mint			✓															
Forest			✓		✓	✓				✓	✓	✓				✓		
Sage			✓															
Sage Speckle												✓						
Fern			✓		✓	✓	✓											
Turquoise			✓			✓												
Sky			✓		✓	✓	✓											
Sky Speckle												✓						
Sea			✓															
Marine			✓							✓	✓							
Denim			✓		✓	✓				✓	✓	✓				✓		

Note: All sizes indicated are metric modular. All sizes shown are nominal. (R) Rectified Edge. For the most up-to-date availability information, please visit our website.

Availability Information

Colour	Size								Fitting								
	(P) Polished			(T) Textured					(N) Natural							(P) Polished	
	600x600x9.8mm (RC)	600x300x8.5mm (RC)	300x300x7.6mm	300x300x8.3mm Rocktop	300x300x8.3mm Triface	200x200x8.3mm Triface	100mm Hexagon Suretread	300x95x8.3mm Steptread	600x95x9.2mm Battiscopa Skirting	300x95x8.3mm Battiscopa Skirting	300x100x8.3mm Cove Skirting	200x100x8.3mm Cove Skirting	100x25x8.3mm Cove Skirting Int. & Ext.	600x95x8.5mm Battiscopa Skirting	300x95x7.6mm Battiscopa Skirting
Night	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Night Speckle				✓	✓	✓					✓	✓	✓	✓			
Metal			✓				✓				✓	✓		✓			✓
Metal Speckle											✓	✓		✓			
Clay	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Clay Speckle				✓	✓	✓				✓	✓	✓	✓	✓			
Zinc	✓	✓	✓	✓			✓			✓	✓	✓	✓	✓	✓	✓	✓
Zinc Speckle				✓							✓	✓	✓	✓			
Platinum			✓								✓	✓		✓			✓
Platinum Speckle											✓						
Ivory	✓	✓	✓							✓	✓				✓	✓	
Chalk	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	
Chalk Speckle				✓	✓	✓				✓	✓	✓	✓	✓			
Linen			✓				✓	✓			✓						✓
Linen Speckle											✓						
Biscuit	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	
Biscuit Speckle						✓					✓	✓	✓	✓			
Bronze	✓	✓	✓	✓					✓	✓	✓	✓		✓	✓	✓	
Stone			✓								✓						✓
Ochre			✓								✓						✓
Amber			✓								✓						✓
Khaki	✓	✓	✓						✓	✓				✓	✓		
Mocha	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓		
Mocha Speckle				✓		✓					✓	✓	✓	✓			
Beige			✓								✓						✓
Beige Speckle											✓						
Terracotta	✓	✓	✓						✓	✓				✓	✓		
Siena	✓	✓	✓				✓		✓	✓				✓	✓		
Orange			✓								✓						✓
Mustard			✓								✓						✓
Lime			✓								✓						✓
Olive			✓								✓						✓
Mint			✓								✓						✓
Forest	✓	✓	✓						✓	✓				✓	✓		
Sage			✓								✓						✓
Sage Speckle											✓						
Fern			✓				✓				✓						✓
Turquoise			✓								✓						✓
Sky			✓				✓				✓						✓
Sky Speckle											✓						
Sea			✓								✓						✓
Marine	✓	✓	✓						✓	✓				✓	✓		
Denim	✓	✓	✓						✓	✓				✓	✓		

Note: All sizes indicated are metric modular. All sizes shown are nominal. (R) Rectified Edge. For the most up-to-date availability information, please visit our website.

Technical, Sustainability & Important Information

Specification

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
Kerastar	(M) Matt	Internal & External	Internal Only	-	V1	Un-glazed Porcelain [Bla]
	(N) Natural	Internal & External	Internal & External *	-	V1	Un-glazed Porcelain [Bla]
	(P) Polished	Internal & External	Internal Only	-	V1	Un-glazed Porcelain [Bla]
	(T) Textured	Internal & External	Internal & External	Yes	V1	Un-glazed Porcelain [Bla]

* Only the Tactile Dots and Lines products with a Natural finish are suitable for external floor applications. All other products with a Natural finish are suitable for internal applications only.

Floor Values

Finish	Structure	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI	Traffic
(M) Matt	-	Dry 36+ Wet 25 - 35	-	R9	-	-	Commercial
(N) Natural	-	Dry 36+ Wet 36+	-	R10	-	-	Commercial
	Dots & Lines Tactile	-	-	R10	B	-	Commercial
(P) Polished	-	Dry 36+ Wet 0 - 24	-	-	-	-	Commercial
(T) Textured	Rocktop	Dry 36+ Wet 36+	Wet 36+	R11	C	-	Commercial
	Triface	Dry 36+ Wet 36+	Wet 36+	R12	C	-	Commercial
	Suretread	Dry 36+ Wet 36+	Wet 36+	R11	B	-	Commercial

Physical Properties

Test & Standard	Requirement	Test Result	Test & Standard	Requirement	Test Result
Length / Width EN ISO 10545 - 2	± 0.6% ≤ ± 2mm	**± 0.3%**	**Modulus of Rupture** EN ISO 10545 - 4	Min. 35N / mm²	**≥ 45N / mm²**
Thickness EN ISO 10545 - 2	± 5% ≤ ± 0.5mm	**± 3%**	**Thermal Shock** EN ISO 10545 - 9	Pass	**Pass**
Straightness of Side EN ISO 10545 - 2	± 0.5% ≤ ± 1.5mm	**± 0.3%**	**Frost Resistance** EN ISO 10545 - 12	Resistant	**Resistant**
Rectangularity EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	**± 0.3%**	**Chemical Resistance** EN ISO 10545 - 13	Min. Class B	**Pass**
Surface Flatness EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	**± 0.3%**	**Stain Resistance** EN ISO 10545 - 14	Min. Class 3	**≥ Class 2**
Water Absorption EN ISO 10545 - 3	≤ 0.5%	**≤ 0.1%**	**Fire Rating**	-	**Class A1FL Non Combustible**
Weight / M²	**31.39 kg** 14mm thick	**24.37 kg** 10.5mm thick	**21.12 kg** 9.8mm thick	**21.67 kg** 9.2mm thick	**19.12 kg** 8.5mm thick	**18.56 kg** 8.3mm thick	**16.78 kg** 7.6mm thick

Sustainability Information

Range	Material	EPD	Recycled Content of the Tiles	Recycled Content of the Packaging	Recyclable Content of the Packaging
Kerastar	Un-glazed Porcelain [Bla]	Yes	Up to 40%	Up to 100% (Boxes)	Up to 100%

Note: Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, please refer to our website for the most up-to-date information. The slip resistance properties of a surface can only be maintained with the implementation of an effective regular cleaning and maintenance regime. The frequency of cleaning should be determined by the property manager based on the potential level of surface contaminants. The need for an additional regular cleaning and maintenance regime is further heightened when tiles are used for external floor and wet barefoot applications.

Due to the highly profiled surface of the Dots and Lines Tactile structures, we are unable to carry out a pendulum test. Please contact our technical helpline for specification and installation advice. All un-glazed porcelain [Bla] products shown in this sample tile wallet conform to BS EN 14411. CSV: Colour Shade Variation. PTV (4S): Pendulum Test Value - Slider 96. PTV (TRL): Pendulum Test Value - Slider 55. R Value (DIN 51130). Wet Ramp (DIN 51097). PEI: Porcelain Enamel Institute.

For a full overview of our environmental credentials please visit www.johnson-tiles.com/about/sustainability. EPD: Environmental Product Declaration.

Important Information

During the manufacturing process of ceramic and porcelain tiles, some variation in shade and pattern can occur. Before fixing any tiles; several boxes should be opened and their contents mixed to ensure that size, colour, shade and patterning are acceptable. The tiles shown are quality products and conform to the physical properties listed. For a comprehensive colour, size and finish overview along with full technical and sustainability information for all of the product shown in this product presenter, please visit our website - www.johnson-tiles.com.

- All sizes shown are metric modular.
- For specific suitability details please contact our technical department.
- Johnson Tiles cannot accept responsibility for tiles that have been fixed.
- Every effort has been made to ensure the accuracy of the information given.
- Johnson Tiles reserves the right to change specification and availability information without prior notice.
- Nothing in these statements does/will affect the statutory rights of the consumer.

bsi. ISO 9001 Quality Management FM26818

bsi. ISO 14001 Environmental Management EMS40817

All product technical values quoted in this product presenter are supported by laboratory testing from our own and independent ceramic test houses. Johnson Tiles are British Standard registered and all products conform to the standards set in BS EN 14411.

For the reassurance of single-source supply, Johnson Tiles offers a free of charge NBS M40 specification writing service featuring the Norcros Adhesives range of tile fixing products. To find out more or for any questions or queries relating to any tile related technical information featured in this product presenter, please contact our technical advice helpline on +44 (0)1782 524 111 or email ddunlop@johnson-tiles.com

The colours shown in this sample tile wallet and attached booklet are as accurate as printing processes will allow. Please refer to actual product samples before specifying. Every effort has been made to ensure the accuracy of the information given.

® Johnson Tiles, Johnson, Absolute and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R Johnson Tiles Limited and licensed to Norcros Group (Holdings) Limited trading as Johnson Tiles. © 2022 Johnson Tiles. All rights reserved.

For more information about Kerastar or
any of our other product ranges simply visit

www.johnson-tiles.com

Where To Find & Contact Us

Johnson Tiles Head Office
Harewood Street, Tunstall,
Stoke on Trent, Staffordshire,
ST6 5JZ, United Kingdom

Tel: +44 (0)1782 575 575
Email: info@johnson-tiles.com
www.johnson-tiles.com

Material Lab Studio
10 Great Titchfield Street,
London, W1W 8BB,
United Kingdom

Tel: +44 (0)20 7436 8629
Email: info@material-lab.co.uk
www.material-lab.co.uk

Johnson Tiles Factory Outlet
Tel: +44 (0)1782 524 040
Email: foutlet@johnson-tiles.com
www.outlet.johnson-tiles.com

Customer Services
Tel: +44 (0)1782 524 000
Email: sales@johnson-tiles.com

Order A Sample
Tel: +44 (0)1782 524 043
Email: samples@johnson-tiles.com

Technical Advice
Tel: +44 (0)1782 524 111
Email: ddunlop@johnson-tiles.com

Launched: August 2022

JOHNSON · TILES
MADE IN THE UK SINCE 1901

Johnson Tiles is a division of Norcros Group (Holdings) Limited,
Ladyfield House, Station Road, Wilmslow, Cheshire, SK9 1BU,
United Kingdom. Registered in England number 566694.