


Pools

Glazed Porcelain and Glass Swimming Pools and Cladding Tiles



Pools is available in **two sizes**, perfectly designed for seamless installation.

Size



250 x 62mm Ref. 052


250 x 125mm Ref. 122

Mosaic

Sheet size 320 x 320mm



50 x 25mm Ref. 323



25 x 25mm Ref. 320

Thickness

250 x 125mm and 250 x 62mm tiles in this range are 8mm thick. All mosaic tiles are 5mm thick. For fitting thicknesses, please refer to illustrations below.

N.B

The Fingergrip and Fingergrip internal and external corner tiles are only available in the three dual colour options.

Fitting



250 x 125 x 8mm Ref. 013 RFI



250 x 125 x 8mm Ref. 009 RFS



250 x 125 x 8mm Ref. 00 l Ribbed



250 x 125 x 8mm Ref. 003 Ribbed REL



250 x 125 x 25mm Ref. 007 Fingergrip



125 x 125 x 25mm Ref. 088 Fingergrip internal corner




125 x 125 x 25mm Ref. 043 Fingergrip external corner



250 x 250 x 23mm Ref. 204 Shallow channel



250 x 250 x 23mm Ref. 205 Shallow channel outlet



250 x 250 x 23mm Ref. 206 Shallow channel t-junction



250 x 250 x 23mm Ref. 207 Shallow channel stop end



250 x 46 x 8mm Ref. | | 2 Bead internal



250 x 46 x 8mm Ref. I 38 Bead external



46 x 46 x 8mm Ref. | | 4 Bead internal three ways



46 x 46 x 8mm Ref. 115 Bead external three ways



46 x 46 x 8mm Ref. 116 Bead junction three ways



46 x 46 x 8mm Ref. 117 Bead junction three ways

14 colours offering a vibrant and contemporary palette.



White

White		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP845N	-
250 x 125mm	Ref. 122 AP845N	Ref. 122 AP845A
Mosaic		
25 x 25mm	Ref. 320 AP845N	Ref. 320 AP845A
50 x 25mm	Ref. 323 AP845N	Ref. 323 AP845A
Fitting		
250 x 125mm - REL	-	Ref. 013 AP845A
250 x 125mm - RES	Ref. 009 AP845N	Ref. 009 AP845A
250 x 125mm - Ribbed	-	Ref. 00 I AP845A
250 x 125mm - Ribbed REL	-	Ref. 003 AP845A
250 x 46mm - Bead internal	Ref. 112 AP845N	-
250 x 46mm - Bead external	Ref. 138 AP845N	Ref. 138 AP845A
46 x 46mm – Bead internal three ways	Ref. 114 AP845N	-
46 x 46mm - Bead external three ways	Ref. 115 AP845N	Ref. 115 AP845A
46 x 46mm - Bead junction three ways	Ref. I I 6 AP845N	-
46 x 46mm - Bead junction three ways	Ref. 117 AP845N	-



Azure

Azure			
Size	Finish		
	Smooth	Antislip	
250 x 62mm	Ref. 052 AP841N	=	
250 x 125mm	Ref. 122 AP841N	Ref. 122 AP841A	
Mosaic			
25 x 25mm	Ref. 320 AP841N	Ref. 320 AP841A	
Fitting			
250 x 125mm - REL	-	Ref. 013 AP841A	
250 x 125mm - RES	Ref. 009 AP841N	Ref. 009 AP841A	
250 x 125mm - Ribbed	-	Ref. 00 AP84 A	
250 x I 25mm - Ribbed REL	-	Ref. 003 AP841A	
250 x 46mm - Bead internal	Ref. 112 AP841N	-	
250 x 46mm - Bead external	Ref. 138 AP841N	Ref. 138 AP841A	
46 x 46mm - Bead internal three ways	Ref. 114 AP841N	-	
46 x 46mm - Bead external three ways	Ref. 115 AP841N	Ref. 115 AP841A	
46 x 46mm - Bead junction three ways	Ref. 116 AP841N	-	
46 x 46mm - Bead junction three ways	Ref. 117 AP841N		



Marine

Marine			
Size	Finish		
	Smooth	Antislip	
250 x 62mm	Ref. 052 AP843N	-	
250 x I25mm	Ref. I 22 AP843N	Ref. 122 AP843A	
Mosaic			
25 x 25mm	Ref. 320 AP843N	Ref. 320 AP843A	
Fitting			
250 x 125mm - REL	-	Ref. 013 AP843A	
250 x 125mm - Ribbed	-	Ref. 00 I AP843A	
250 x 125mm - Ribbed REL	-	Ref. 003 AP843A	
250 x 46mm - Bead internal	Ref. 112 AP843N	-	
250 x 46mm - Bead external	-	Ref. 138 AP843A	
46 x 46mm - Bead external three ways	-	Ref. 115 AP843A	
46 x 46mm - Bead junction three ways	-	Ref. I I 7 AP843A	



ussian	

Prussian Blue				
Size	Finish			
	Smooth	Antislip		
250 x 62mm 250 x 125mm	Ref. 052 AP074N Ref. 122 AP074N	-		



Ultra Marine

Ultra Marine		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP075N	-
250 x 125mm	Ref. I 22 AP075N	-



Cream

Cream		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP072N	-
250 x 125mm	Ref. I 22 AP072N	-



Lime

Lime		
Size	Finish	
	Smooth	Antislip
!50 x 62mm	Ref. 052 AP070N	-
250 x 125mm	Ref. I 22 AP070N	-



Olive

Olive		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP07 I N	-
250 x 125mm	Ref. 122 AP07 IN	-



Red

Red		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP629N	-
250 x 125mm	Ref. I 22 AP629N	-



V-	ш	۱.	
тe	ш	LO	w

Yellow		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP630N	-
250 x 125mm	Ref. I 22 AP630N	-



Steel

Steel Size Finish Smooth Antislip 250 x 62mm Ref. 052 AP850N Ref. I 22 AP850N Ref. 122 AP850A 250 x 125mm Mosaic 25 x 25mm Ref. 320 AP850N Ref. 320 AP850A 50 x 25mm Ref. 323 AP850N Ref. 323 AP850A Fitting 250 x 250mm - Shallow channel Ref. 204 AP850A Ref. 205 AP850A $250\times250\,\text{mm}$ – Shallow channel outlet Ref. 206 AP850A 250 x 250mm - Shallow channel t-junction 250 x 250mm - Shallow channel stop end Ref. 207 AP850A 250 x 46mm - Bead internal Ref. I I 2 AP850N 250 x 46mm - Bead external Ref. 138 AP850A 46 x 46mm - Bead internal three ways Ref. I I 4 AP850N 46 x 46mm - Bead external three ways Ref. 115 AP850A 46 x 46mm - Bead junction three ways Ref. I I 6 AP850N 46 x 46mm - Bead junction three ways Ref. I I 7 AP850N



Black

Black		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP842N	=
250 x 125mm	Ref. I 22 AP842N	Ref. 122 AP842A
Mosaic		
25 x 25mm	Ref. 320 AP842N	Ref. 320 AP842A
50 x 25mm	Ref. 323 AP842N	Ref. 323 AP842A
Fitting		
250 x 250mm - Shallow channel	-	Ref. 204 AP842A
250 x 250mm - Shallow channel outlet	-	Ref. 205 AP842A
250 x 250mm - Shallow channel t-junction	-	Ref. 206 AP842A
250 x 250mm - Shallow channel stop end	-	Ref. 207 AP842A
250 x 46mm - Bead internal	Ref. 112 AP842N	-
250 x 46mm - Bead external	-	Ref. 138 AP842A
46 x 46mm - Bead internal three ways	Ref. 114 AP842N	-
46 x 46mm - Bead external three ways	-	Ref. 115 AP842A
46 x 46mm - Bead junction three ways	Ref. I I 6 AP842N	-
46 x 46mm - Bead junction three ways	Ref. 117 AP842N	-



Caramel

Caramel		
Size	Finish	
	Smooth	Antislip
250 x 62mm	Ref. 052 AP853N	-
250 x 125mm	Ref. 122 AP853N	Ref. 122 AP853A
Mosaic		
25 x 25mm	Ref. 320 AP853N	Ref. 320 AP853A
50 x 25mm	Ref. 323 AP853N	Ref. 323 AP853A
Fitting		
250 x 250mm - Shallow channel	-	Ref. 204 AP853A
250 x 250mm - Shallow channel outlet	-	Ref. 205 AP853A
250 x 250mm - Shallow channel t-junction	-	Ref. 206 AP853A
250 x 250mm - Shallow channel stop end	-	Ref. 207 AP853A
250 x 46mm - Bead internal	Ref. 112 AP853N	-
250 x 46mm - Bead external	-	Ref. 138 AP853A
46 x 46mm - Bead internal three ways	Ref. 114 AP853N	-
46 x 46mm - Bead external three ways	-	Ref. 115 AP853A
46 x 46mm - Bead junction three ways	Ref. 116 AP853N	-
46 x 46mm - Bead junction three ways	Ref. I I 7 AP853N	-



Ivory

lvory		
Size	Finish	
	Smooth	Antislip
Fitting		
250 x 125mm - Ribbed	-	Ref. 00 AP639N
250 x 125mm - Ribbed REL	_	Ref. 003 AP639N
250 x 250mm - Shallow channel	-	Ref. 204 AP639N
250 x 250mm - Shallow channel outlet	-	Ref. 205 AP639N
250 x 250mm - Shallow channel t-junction	-	Ref. 206 AP639N
250 x 250mm - Shallow channel stop end	-	Ref. 207 AP639N



White/Marine

White/Marine		
Size	Finish	
	Smooth	Antislip
Fitting		
250 x I 25mm - Fingergrip	-	Ref. 007 AP845A
125 x 125mm - Fingergrip internal corner	-	Ref. 088 AP845A
125 x 125mm = Fingergrin external corner	_	Ref 043 AP845A



Ivory/Marine

Ivory/Marine				
Size	Finish			
	Smooth	Antislip		
Fitting				
250 x 125mm - Fingergrip	-	Ref. 007 AP639A		
125 x 125mm - Fingergrip internal corner	-	Ref. 088 AP639A		
125 x 125mm - Fingergrip external corner	-	Ref. 043 AP639A		



Azure/Marine

Azure/Marine				
Size	Finish			
	Smooth	Antislip		
Fitting				
250 x 125mm - Fingergrip	-	Ref. 007 AP841A		
125 x 125mm - Fingergrip internal corner	-	Ref. 088 AP841A		
125 x 125mm - Fingergrip external corner	-	Ref. 043 AP841A		

Two finishes combine form and function.

Examples below are not to scale but have been enlarged to show detail:



Smooth



Antislip

Pools, a versatile collection of swimming pool tank and cladding tiles, with co-ordinating swimming pool fittings.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All sizes

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	Internal *	Yes **	Glazed Porcelain	Various

Size - All mosaics

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	-	Yes **	Glass	Various

^{*} Only Ref. 001, 003, 007, 088, 043, 204, 205, 206 and 207 channels are suitable for internal floors.

Floor values - Antislip

Pendulum TRL	R value	Shade variation	Wet ramp	Traffic
Wet 36+	-	VI	С	Commercial

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV	
AP841	Azure	1030-B	54	
AP852	Black	8000-N	8	
AP853	Caramel	4005-Y50R	31	
AP072	Cream	2005-Y50R	53	
AP639	lvory	2005-Y40R	54	
AP070	Lime	2030-G70Y	48	
AP843	Marine	7010-R70B	10	
AP07 I	Olive	4010-G30Y	30	
AP074	Prussian Blue	3040-R90B	24	
AP629	Red	2060-Y80R	21	
AP850	Steel	5502-R	2	
AP075	Ultra Marine	2020-R90B	45	
AP845	White	1000-N	74	
AP630	Yellow	2050-Y	43	

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: Pools White, Azure, Marine and Ultra Marine Smooth

Samples

Tel: +44 (0) | 782 524043 Fax: +44 (0) | 782 577379

Email: samples@johnson-tiles.com

Technical helpline

Tel: +44 (0) | 782 524 | | | | Fax: +44 (0) | 782 577379

Email: techadvice@johnson-tiles.com



^{**} Only Antislip finish is suitable for wet barefoot areas.