

COMMERCIAL

Let's Work Together.





WE ARE THE UK'S ONLY LARGE-SCALE MANUFACTURER OF CERAMIC TILES.

CONTENTS.

- 04. **Welcome**
- 06. **Made in the UK. Since 1901**
- 08. **We Make It. Sustainable**
- 10. **First Class Service**
- 12. **Product Inspiration**

22. **Product Choice**

STONE	CONCRETE	COLOUR
26. Portland	54. Stamford	82. Prismatics
27. Coast	55. Rebus	84. Method
28. Minerals	56. Status	85. South Bank
29. Minerals Wall	57. District	86. Milano
30. Newark	58. Essential	87. Duplet
31. Hudson	59. Atrium	88. Verso
32. Imperial	60. Savoy Floor	89. 1901
33. Sloan	61. Tetra	90. Savoy Wall
34. Refine		92. Kerastar
35. Refine Wall	MARBLE	94. Melrose
36. Stoneleigh	64. Luxx	95. Abstract
37. Boundary	65. Allure	96. Contour
38. Riverstone	66. Buckingham	98. Style
39. Brics	67. Buckingham Wall	99. Symmetry
40. Glademoor	68. Eden	100. Hex25
41. Oxide	70. Glide	101. Flare
42. Roma	71. Bianco	102. Parade
43. Conglomerates		103. Kensington
44. Baseline	WOOD	104. Subway Lab
45. Baseline Wall	74. Galloway	105. Geo
46. Zodiac	75. Malvern	WHITE
47. Blake	76. Oslo	108. Eminence
48. Bellagio	77. Artisan	109. Arctic White
49. Lucca	78. Labyrinth	110. Polar
50. Kyoto	79. Kielder	111. Tundra
51. Tuscany		

112. **Case Studies**

- 114. Longton Town Hall - Longton, Staffordshire
- 116. Moss Bros. - Castleford, Wakefield
- 118. NQ Talent Agency - Openshaw, Manchester
- 120. John Lewis Foodhall - Oxford Street, London
- 122. 31 Homer Road - Friars Gate, Solihull
- 124. The Darwin Centre - Shrewsbury, Shropshire
- 126. One Piccadilly Gardens - Piccadilly
- 128. Marks & Spencer - Stratford, London
- 130. The Quorum - Bond Street, Bristol

132. **Let's Work Together**


134. **Technical and Important Information**

WELCOME

Here at Johnson Tiles, we understand that each and every commercial development is different. Our commercial product portfolio has been curated with these varying needs in mind, catering for all design styles and application types.

Commercial properties can span a vast array of projects from office installations to luxurious hotels. With this variety comes a multitude of individualised needs to suit bespoke designs and specific applications. With 120 years' experience of supplying tiles to commercial projects around the globe, we are uniquely placed to meet your requirements with our carefully curated product portfolio.

Uniting our beautifully designed ceramic tiles, manufactured right here in the UK, with our complementary sourced collections, we have a leading selection of tiles for your next commercial project. Supported by our well-established, comprehensive sustainability credentials, our products score highly on performance without sacrificing aesthetic. No matter your specification, we have the products to fit.





MADE IN THE UK. SINCE 1901

Johnson Tiles is the UK's only large-scale manufacturer of ceramic tiles. Since 1901 we've been designing and making the finest selection of ceramic wall tiles, right here in the UK. Our portfolio of sustainable, British-made products is strengthened by complementary sourced collections of ceramic and porcelain floor and wall tiles.

Being a celebrated UK heritage brand is part of our culture, but the Johnson Tiles success story is built on innovation. With 120 years' experience, we are consistently raising the bar in terms of inspirational design, quality of service, and sustainability leadership.



Based
In The
Potteries'
Heartland



Supporting
& Buying
Local




Finest
Quality
Products



Unrivalled
Investment
In Stocks



Sustainability
Leadership
For Over
20 Years



Product
Design
& Craft
Expertise



First Class
Customer
Service &
Experience



Passionate
& Positive
People

For further information, simply visit the Our Company section of our website - www.johnson-tiles.com/about/company



WE MAKE IT. SUSTAINABLE

Proudly operating from our home in the Potteries' heartland of Stoke-on-Trent, our commitment to sustainable manufacturing has seen us develop over 50 eco-friendly ranges, inspiring and enhancing projects around the world.

It's not just what we make, but how we make it. We've dedicated over two decades to finding better ways to operate across every aspect of our business by cutting energy consumption, diverting waste and reducing carbon emissions and we are now the only UK tile manufacturer to hold an EPD certificate! Our Environmental Product Declaration transparently communicates the environmental performance and impact of our tiles over their lifetime, and it signals our commitment to measuring the environmental impacts of our products and the strive to discover ways to further reduce this.

We have also carefully calibrated our ceramic recipe to ensure that every single tile we manufacture contains up to 20% recycled ceramic material as part of our pioneering ceramic waste recycling system.

Our latest initiative has seen us eradicate single-use plastics from the packaging solution of our UK-manufactured ceramics, making us the first tile manufacturer to do so. The packaging components of our pallets are: 100% recycled and recyclable cardboard; our carbon neutral, 100% recyclable, plant-based sugar cane wrap; and re-used, re-usable wooden pallets.

We're constantly improving, making sure our setup isn't just world class, but also making a difference on the issues that impact us all, at a local and global level.



Environmental
Product
Declaration
Certification



Single-use
Plastics
Packaging
Removal



Up to 20%
Recycled
Ceramic
Content



100%
Recycled
Packaging
Materials



Energy
& Water
Recycling
Initiatives



Repair &
Recycling
Of Wooden
Pallets




Saving Paper
Through
Digital
Initiatives



Reduction
in Carbon
Emissions

For further information, simply visit the Sustainability section of our website - www.johnson-tiles.com/about/sustainability





FIRST CLASS SERVICE

Here at Johnson Tiles, we don't just design and manufacture amazing products, we deliver on excellent services too. As part of a comprehensive suite of services, we offer free CAD for all contract tiling applications. Our in-house team uses the latest digital software to create bespoke fixing and installation layouts. A free Bill of Quantity service is also offered in conjunction with the CAD service. The quantities can be extracted from drawings sent to us, or from drawings created in house. Our Technical Support team is also on-hand to help – we can provide detailed reports in the M40 format. This gives a comprehensive outline of product suitability, adhesive and grout selection, background suitability and preparation guidance.

We understand that to specify for a project, a tangible, tactile experience of product is key. That's why we provide a next-day sample delivery service completely free of charge. Check out a selection of our products in 100x100mm chips or full-size pieces to make fully informed materials choices. We also offer various free of charge sample tile support materials, including sample wallets, to showcase a specific product selection clearly and easily, customised across collections and suitability. In conjunction with this, our Material Lab design resource studio in London provides a hub for new materials and inspirations. Immerse yourself in a wealth of design-led surfaces, texture, and materials suitable for the built environment and commercial sector.

Once products have been specific, our extensive distribution network can deliver direct to site, creating even more flexibility. Our responsive logistics team can also arrange next day deliveries for any working day on those occasions where schedules are tight and a fast turn-around is essential. Plus, if you complete your project with Norcros Adhesive products, we'll support you with a 25-year guarantee on tiling and adhesives!

We also present the opportunity to develop and enhance your skillset with our CPD suite Making It. Beautifully. Taking inspiration from the 'Living with Beauty' report by the Building Better, Building Beautiful commission in 2020, the suite explores the topic of beauty to understand how it can be examined, re-imagined and incorporated into the built environment to create spaces that foster a sense of wellbeing and community.

With our extensive list of ancillary services, you can be assured that Johnson Tiles is the right supplier for you.



PRODUCT INSPIRATION

Inspiration can be found anywhere. Our in-house Design and Development teams search the world to find new and inspiring materials and ideas. Driven by creative passion, influence is drawn from everywhere, from the colours and tones of nature to the details of world architecture. Our design experience and technical excellence transform this journey into unique tiles and products.

We're always happy to share our creativity with customers and clients in search of design inspiration, offering expert advice on design schemes, adding our experience to layouts and bespoke installations, or finding a product to match each individual creative vision.

Whatever the project, however large or small the budget and no matter how demanding the technical challenges, Johnson Tiles is perfectly placed to match your requirements.

Over the next few pages, discover a curated collection of inspirational photography from all aspects of commercial use, including office interiors, retail spaces, high-traffic areas, and more. This is followed by a hand-picked selection of our product ranges, perfect for any and all commercial applications... Welcome to our world!



Oslo Aged Grey



Allure White/Gold

PRODUCT INSPIRATION: OFFICE INTERIORS


Functional doesn't mean boring and our selection of office wall and floor tiles demonstrates this. Choose from our small-format colourful wall styles to add personality and warmth to break-out areas or try our selection of large-format porcelain floor tiles for receptions and entrance spaces.




Galloway Oak Chevron




Buckingham Beige



Blake Taupe



Style Sorbet Embossed



Luxe Pinto Marble



Labyrinth Wood Light, Wood Mid & Wood Dark Chevron



PRODUCT INSPIRATION: RETAIL SPACES

Whether you're searching for striking prints or patterns to pair with an opulent design scheme, or surfaces inspired by organic materials for an elegant, calming and tranquil space, our selection of tiles is adaptable to any retail setting.



PRODUCT INSPIRATION: SHOWROOM AREAS

Our showroom selection features subtle geometric decors, adding depth and design interest for styles that are understated and subtle to draw the eye to the products on display. Or opt for polished finishes that provide a lustrous shine to add a sense of luxury and sophistication to the space.



PRODUCT INSPIRATION: TRAVEL & TRANSPORT

For areas of high footfall, durability and slip-resistance are of utmost importance. Browse our selection of floor tiles that provide slip-resistance without sacrificing aesthetic. With a range of size-formats to choose from, our selection can be used to create minimalistic, refined looks, or to create a stylish statement.





Galloway Oak Chevron

PRODUCT CHOICE

Our extensive portfolio offers an impressive selection of tiles, from architectural colour palettes and nature-inspired effects to more daring animal prints and stand-out shapes. With three product collections to choose from, our ranges suit everything from minimalistic aesthetics to maximalist luxury.

With plenty of scope for playfulness and creativity, our product range lends itself to commercial projects across the spectrum. Plus, our design-led approach means your tiling will always be on-trend.




Symmetry Midnight

PRODUCT STYLE: STONE

Echo the characteristics of natural stone with our selection of products that offer tones from cool, weather-washed whites to warm, earthy hues. With a range of performance credentials, our stone effect products include wall and floor applications, with options perfect for extending tiling to external areas.


- | | | | | |
|----------------------------------|--|-----------------------------------|---|---|
| 1 Tuscany
Stone (P.51) | 4 Refine
Pewter (P.34) | 7 Tuscany
Tan (P.51) | 10 Kyoto
Graphite Décor (P.50) | 12 Contour
Black Stone (P.96) |
| 2 Roma
Dark (P.42) | 5 Minerals
Dolomite (P.28) | 8 Coast
Graphite (P.27) | 11 Kerastar
Metal Speckle (P.92) | 13 Kyoto
Grey (P.50) |
| 3 Sloan
Cloud (P.33) | 6 Hudson
Albany White (P.31) | 9 Sloan
Smoke (P.27) | BACKDROP Refine Wall Dune Peak Structure
Natural 900x300x11 mm (P.35) | |



PORTLAND

PORCELAIN | FLOOR & WALL TILES

STONE 2CM STRUCTURE ABSOLUTE



Sizes: **P F W** 1200x600x10mm / 1200x600x20mm / 900x900x10mm / 600x600x10mm / 600x600x20mm / 600x300x10mm (Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural / Grip (PTV 4S 36+ and PTV TRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

"Portland features a smoky colour palette composed of tones of Flint, Stone, Slate, and Basalt. Portland effortlessly delivers on style, showcasing a weathered stone effect available in large format sizes ranging from 600x300mm up to 1200x600mm. Co-ordinating raised linear and inverted dot structure options provide textured flair and a PTV 36+ slip resistance rating. With a Grip+ 2cm finish also available in certain colours, Portland is synonymous with performance and presence."



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

COAST

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE MOSAIC SELECT



Sizes: **P F W** 1190x600x10.5mm / 890x890x10.5mm / 600x600x10.5mm / 600x300x10.5mm (Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural (PTV 4S 36+) / Bush Hammered (PTV 4S 36+ and PTV TRL 36+)

"Coast is a stone-effect range creating visual interest through its speckled conglomerate design. The five architectural tones of Ivory, Beige, Grey, Taupe, and Charcoal form a contemporary colour palette ideal for commercial spaces. Two finishes are available with the Bush Hammered option providing a PTV slip resistance rating of 36+, ideal for wet barefoot applications. All field tiles within this range feature rectified edges for precision fixing."




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

MINERALS

PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE 2CM ABSOLUTE



Sizes: **P F W** 2700x1200x6mm / 1200x1200x9mm / 1200x1200x20mm / 1200x600x9mm / 900x900x9mm / 900x900x20mm / 900x450x9mm / 600x600x9mm / 600x300x9mm / 600x100x9mm / 600x50x9mm (Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural / Bush Hammered (PTV 4S 36+ and PTVTRL 36+) / Grip (PTV 4S 36+ and PTVTRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTVTRL 36+)

C W 2700x900x6mm Ductile / 1200x600x6mm Ductile

C W Natural

"Minerals offers an on-trend colour palette of seven neutral shades from Chalk to Charcoal, showcasing an elegant stone effect, perfect for tranquil spaces. Varied finishes include Natural, Bush Hammered, Grip and Grip+ 2cm to deliver on performance. With a wide selection of ten sizes available, ranging from strips of 600x50mm all the way up to 2700x1200mm, Minerals is versatile in its applications, with co-ordinating mosaics and skirtings also featured."




Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

MINERALS WALL

GLAZED CERAMIC | WALL TILES

STONE STRUCTURE ABSOLUTE



Sizes: **C W** 900x300x11mm

Finishes: **C W** Natural

"Experiment with texture with the Minerals Wall collection. Geometric patterning comes to the fore in three varied finishes available across four neutral tones of Chalk, Dolomite, Limestone, and Flint. Dot Structure adds soft circular detailing, Hexagon Structure allows the interplay of light across its tactile surface, and Linear Structure provides ridged profiling. Minerals Wall is perfect for adding dimension to create a contemporary feature in any commercial interior."



Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

NEWARK

GLAZED PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE STRUCTURE ABSOLUTE



Sizes: **P F W** 1200x1200x9mm / 1200x600x10.5mm / (Co-ordinating fittings are also available) **C W** 900x300x10.8mm / 900x300x8.7mm

Finishes: **P F W** Natural (PTV4S 36+) / Grip (PTV4S 36+ and PTVTRL 36+) **C W** Matt

"Newark features glazed ceramic and porcelain wall and floor tiles with a harmonious colour palette of three calming shades: Bone, Ivory, and Grey. Add dimension and impact with complementary decorative rhombus structures that provide a tactile feel and 3D surface interest. This stylish large format range also offers two skirting options."






Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

HUDSON

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE SELECT







Sizes: **C W** 600x300x10mm **P F W** 600x600x10.5mm / 300x300x8.3mm / 150x150x8.3mm

Finishes: **C W** Matt **P F W** Matt (PTV4S 36+)

"Hudson's stone effect tiles are complemented by a colour palette that includes the warm sandy tones of New Jersey to the deep, moodier greys of Brooklyn, each evoking a sense of the urban city. Structure comes to the fore with this range, with both Rockfall and Sandbar available in a Matt finish. Rockfall delivers a riven texture, Sandbar features a fragmented linear effect and Natural achieves a weathered, distressed look. Size options are available from 150x150mm up to 600x600mm."





Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

IMPERIAL

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SELECT



Sizes: **P F W** Natural: 600x600x10mm / 600x300x10mm Polished: 600x600x9.5mm / 600x300x9.5mm
Finishes: **P F W** Natural / Polished

“Imperial scores highly for both aesthetic and practical considerations with two contemporary finishes of Natural and Polished. This range features two large format sizes of 600x300mm and 600x600mm across an architectural colour palette of five shades, allowing designers to create elegant, functional spaces. Fully stocked in the UK for seamless installation, this un-glazed porcelain floor and wall tile collection creates a flawless look with a realistic flecked appearance that imitates natural stone.”



Imperial Pumice



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

SLOAN

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

STONE ABSOLUTE



Sizes: **P F W** 1200x1200x10.5mm / 1200x600x10.5mm / 600x600x10.5mm / 600x300x10.5mm
(Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural / Polished / Bush Hammered (PTV 4S 36+ and PTV TRL 36+)

“A staple for commercial projects, our Sloan range is extremely versatile, with products suitable for a variety of settings. Featured finishes include Polished and Natural with sizes ranging up to 1200x1200mm. Bush Hammered is also available in 600x300mm and 600x600mm, offering a PTV 36+ slip resistance rating. Sloan offers eight colours, ranging from Cedar and Charcoal through to Frost and Cloud. All colours showcase a stone effect, with natural inspiration paired with contemporary colours for an on-trend palette that will suit any application. Sloan also offers Square Mosaics in 300x300mm which offer decorative visual interest, perfect for creating a focal point.”



Sloan Cloud



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

REFINE

PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE 2CM ABSOLUTE



Dune Pewter Lavastone Basalt

Sizes: **P F W** 2700x1200x6mm / 1200x1200x9mm / 1200x1200x20mm / 1200x600x9mm / 900x900x9mm / 900x900x20mm / 900x450x9mm / 600x600x9mm / 600x300x9mm / 600x100x9mm (Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural / Grip (PTV 4S 36+ and PTV TRL 36+) / **C W** Natural Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

“Taking inspiration from the natural characteristics of stone, Refine offers four colours from the warm, sandy undertones of Dune to the deep, gunmetal grey of Basalt. Natural and Grip finishes are available in all four colour-ways, with the Grip providing a PTV 36+ slip resistance rating, ideal for commercial installations. A Grip+ 2cm option is also featured in Dune and Pewter in 900x900mm and 1200x1200mm, perfect for extending tiling outdoors. Experiment with nine different size options and four décor mosaics to choose from.”



UP TO 30% RECYCLED CONTENT

epd

Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

REFINE WALL

GLAZED CERAMIC | WALL TILES

STONE STRUCTURE ABSOLUTE



Dune Calm Structure Dune Peak Structure Dune Prints Structure Pewter Calm Structure Pewter Peak Structure Pewter Prints Structure Lavastone Calm Structure Lavastone Peak Structure Lavastone Prints Structure Basalt Calm Structure Basalt Peak Structure Basalt Prints Structure

Sizes: **C W** 900x300x11mm

Finishes: **C W** Natural

“This architectural wall collection provides a classic palette of four neutral tones. Understated colours are paired with geometric designs to create a striking combination. This stone-effect range features three profiles: Peak, Calm, and Prints. Peak showcases chevron patterning, with Calm and Prints featuring linear structures. Explore the possibilities with horizontal or vertical lay patterns.”



UP TO 30% RECYCLED CONTENT

epd

Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.


STONELEIGH

GLAZED PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE STRUCTURE ABSOLUTE



Bone Ivory Grey Charcoal



Bone Diamond Structure Stone Linear Structure Grey Diamond Structure Grey Linear Structure

Sizes: **P F W** 1200x1200x9mm / 1200x600x10.5mm / 1200x600x9.3mm / **C W** 900x300x11mm / 600x600x10mm / 600x300x10mm
(Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural / Polished / Grip (PTV 4S 36+ and PTVTRL 36+) **C W** Matt

“Explore surface decoration with Stoneleigh. The decorative wall tiles in this range offer structured tactile detail with the Diamond option and varied patterning with the Linear design. Easily create a striking feature wall with these tiles inspired by the trend for geometric shapes in interior spaces. Combine different formats from across the range for a modern, urban look.”



Stoneleigh Ivory



Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BOUNDARY

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE 2CM SELECT



Earthtones Dune Chalk Castlerock Storm

Sizes: **P F W** 600x600x9mm / 600x600x20mm / 600x300x9mm

Finishes: **P F W** Natural / Lapato / Natural+ 2cm (PTV 4S 36+ and PTVTRL 36+)

“Boundary combines form and function with five muted tones across three finishes – Natural, Lapato and Natural+ 2cm. Natural is minimalist in its luxury; Lapato adds a semi-polished shine and Natural+ 2cm provides a PTV 36+ slip resistance rating, ideal for commercial applications. Try in warm Earthtones or rich Storm for added impact.”



Boundary Chalk



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

RIVERSTONE

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE STRUCTURE SELECT



Sizes: **PFW** 900x450x12mm / 900x220x10mm / 600x600x10mm / 600x300x8.5mm
(Co-ordinating mosaics and fittings are also available)

Finishes: **PFW** Natural (PTV4s 36+)

“Riverstone exhibits a stone effect look with a stunning structured finish that creates a realistic stone texture. Available in four elegant, neutral shades of White, Beige, Light Grey and Black, Riverstone offers sizes from 600x300mm to 900x450mm for both wall and floor applications. This range offers the complete package with co-ordinating mosaics and skirtings available in all four colours to elevate the look to the next level.”




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BRICS

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE STRUCTURE ABSOLUTE



Size: **PFW** 250x60x10mm
Finish: **PFW** Natural (PTV4s 36+)

“Brics is a range of rustic glazed porcelain slim format tiles, taking inspiration from the natural irregularity of exposed brick. With a weathered finish for an industrial, modern aesthetic, Brics offers six colour profiles. Ranging from Docklands Grey with a gunmetal grey palette, to Noho Red Blend to create a sense of warmth, to Tokyo Red with a rusted red look reminiscent of traditional brick work, Brics has plenty of options.”




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

GLADEMOOR

GLAZED PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE 2CM STRUCTURE PATTERN **SELECT**



Sizes: **P F W** 600x600x10.5mm / 600x600x20mm / 600x300x9.2mm / 450x450x9.2mm (Co-ordinating mosaics and fittings are also available) **C W** 890x300x10.5mm

Finishes: **P F W** Natural / Lapato / Grip (PTV 4S 36+ and PTVTRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTVTRL 36+) **C W** Matt

"Replicating natural materials, Glademoor takes direction from the interiors trend for earth tones with five colours of Stone, Sand, Flint, Coal, and Bone. Glademoor also features two mixed décor options which combine hues from across the colour palette to create a stylish focal point for added detail and surface interest, whilst the weave structured design delivers a stunning statement to combine seamlessly with the field tiles. The Grip and Grip+ finishes both provide a PTV slip resistance rating of 36+ to add to the versatility of this range."



Glademoor Flint



Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

OXIDE

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE **ABSOLUTE**



Sizes: **P F W** 900x900x10.5mm / 900x295x10.5mm / 600x600x10.5mm

Finishes: **P F W** Natural (PTV 4S 36+)

"Oxide is a glazed porcelain range that delivers an industrial look perfect for modern design schemes. Three available colours include Light Grey, Dark Grey, and Bronze, each showcasing the patina effect of rusted metal. With large format sizes ranging from 600x600mm up to 900x900mm and a PTV slip resistance rating of 36+, Oxide adds character and performance to any installation."



Oxide Dark Grey




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ROMA

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE SHAPE SELECT



White Silver Grey Dark

Sizes: P F W 660x660x10mm / 250x220x10mm Hexagon

Finishes: P F W Natural

"Featuring shards of colour ranging from rusted red to sapphire blue, the Roma range brings a sense of playfulness. With base colours of Dark, White, or Silver Grey, Roma is perfect to bring a youthful sense of fun. Dynamic and different, Roma is available in a 250x220mm hexagon and 660x660mm in all colours."



Roma Silver Grey



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

CONGLOMERATES

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE ABSOLUTE



White Almond Beige Silver Grey Dark Grey

Sizes: P F W 1200x1200x10.5mm / 1200x600x10.5mm / 600x600x10.5mm

Finishes: P F W Natural / Polished / Grip (PTV4S 36+ and PTVTRL 36+)

"Conglomerates' speckled effect porcelain is available in six colours. With large format sizes ranging from 600x600mm to 1200x1200mm, Conglomerates is perfect for creating spectacular combinations. Available in three stunning finishes, Conglomerates is well suited for all floor and wall applications. The Polished finish delivers high gloss to create lustrous looks, the Natural finish exhibits an understated elegance, and the Grip finish achieves a PTV slip resistance rating of 36+."



Conglomerates Dark Grey



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BASELINE

PORCELAIN | FLOOR & WALL TILES

STONE ABSOLUTE



Powder Biscuit Dove Fossil Smoke Shadow

Sizes: **P F W** 900x900x9mm / 900x450x9mm / 600x600x9mm / 600x300x9mm / 600x300x9mm / 600x100x9mm
(Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural

“Baseline presents an elegant, neutral colour palette, with shades including the light, bright Powder to the deep, rich Shadow. With a wide selection of sizes available, ranging from strips of 600x100mm all the way up to 900x900mm, Baseline is versatile in its applications, with co-ordinating mosaics and skirtings also featured.”



BaseLine Biscuit




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BASELINE WALL

GLAZED CERAMIC | WALL TILES

STONE STRUCTURE ABSOLUTE



Powder Powder Powder Biscuit Biscuit Biscuit
Brush Structure Tip Structure Twist Structure Brush Structure Tip Structure Twist Structure



Dove Dove Dove
Brush Structure Tip Structure Twist Structure

Sizes: **C W** 900x300x11mm

Finishes: **C W** Natural

“Baseline Wall features three natural tones of Powder, Biscuit, and Dove in one large format size of 900x300mm. Featured finishes include Brush Structure which showcase an understated, stippled effect, Twist Structure which creates the illusion of continuous movement, and Tip Structure which features a defined, contoured profile.”



BaseLine Wall Biscuit Brush




Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ZODIAC

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE STRUCTURE ABSOLUTE



Sizes: **P F W** 1190x600x10.5mm / 1190x300x10.5mm / 890x890x10.5mm / 890x300x10.5mm / 600x600x10.5mm
(Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Natural (PTV 4S 36+ and PTV TRL 36+)

"Zodiac has a classic colour palette with four colour options of Nickel, Aluminium, Titanium and Gunmetal. With a stone effect look offering natural variation, Zodiac offers four different finishes: Natural with a smooth, even finish; Slate Structure exhibiting a dappled effect; Textured Structure with a riven raised surface; and Rock Structure which displays fractured linear channels for added depth and dimension. Both the Textured and Rock Structures offer a PTV 36+ slip resistance rating, perfect for indoor and outdoor use. Decorative mosaic options are also available for wall applications, showcasing a mix of Natural & Polished finishes, with geometric shapes forming 890x300mm and 600x600mm sizes."



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BLAKE

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SELECT



Sizes: **P F W** 600x300x7.8mm / 330x330x7.2mm / 300x7.5x8.3mm / 200x200x6mm
(Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Matt (PTV 4S 36+) / Grip (PTV 4S 36+ and PTV TRL 36+) / Bush Hammered (PTV 4S 36+ and PTV TRL 36+)

"With a modern colour palette of neutral tones, Blake brings sophistication through hues of warm, earthy terracotta to grey stoneware. Blake showcases natural variation of movement and texture with a desirable stone effect to provide soft, organic detail. For a simple yet effective feature, opt for the square mosaic to create a focal point within any interior. Or explore size combinations and placement for individual style."




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BELLAGIO

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE PATTERN ABSOLUTE



Sizes: P F W 185x185x10mm

Finishes: P F W Natural

"Taking inspiration from traditional Venetian terrazzo, Bellagio showcases a shimmering effect to emulate terrazzo fragments. With the appearance of embedded glass, Bellagio offers five neutral colours of Off White, Beige, Grey, Taupe and Graphite. Opt for an injection of bold colour with multicolour drops options in Off White, Grey, and Graphite. Or tap into the ever-popular Geometrics trend with Bit Décor and Rhombus Décor to add distinctive patterning. With all products available in the small format size of 185x185mm, Bellagio is versatile and impactful."



Bellagio Taupe Rhombus Décor




Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

LUCCA

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE PATTERN SELECT



Sizes: P F W 200x200x8mm

Finishes: P F W Natural (PTV 4S 36+)

"Bold in design and colour, Lucca provides a contemporary take on traditional terrazzo tiles. The six field products are available in White, Grey, Graphite, Blue, Green, and Pink with each colourway showcasing the look of embedded fragments. Tutti Frutti is more playful in its appearance with pastel colours taking centre stage. Lucca also includes décor products which play into the trend for geometric patterning, with Diamond, Triangle, and Square variations available."



Lucca White, Grey, Graphite, Green & Multi Décor




Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

KYOTO

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE PATTERN ABSOLUTE



Natural Grey Graphite Gold



Natural Décor Grey Décor Graphite Décor

Note: Kyoto Décors have different patterns randomly mixed within each box. 150x150mm – 4 different patterns & 150x50mm – 6 different patterns.

Sizes: P F W 150x150x10mm / 150x50x10mm

Finishes: P F W Matt

“Kyoto is characterised by a handcrafted look with a rustic effect. Featuring a neutral colour palette for a pared back, simplistic aesthetic, Kyoto is refined in its decoration with earthy field tiles and touches of rich colour layered onto the décor products. This collection offers surface detail to evoke textured depth reminiscent of organic raised surfaces. Two small format size options are available; try combining the square 150x150mm designs with the 150x50mm metro tiles for added visual interest. For a touch of luxury, opt for Gold, an intense matt colour that adds a metallic lustre.”



Kyoto Natural & Grey




Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.


TUSCANY

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE PATTERN ABSOLUTE



White Lemon Pistachio Coral Azure Olive



Ebony Biscuit Tan Biscuit / White Décor Biscuit / Azure Décor Biscuit / Pistachio Décor



Tan / White Décor Tan / Azure Décor Tan / Olive Décor

Sizes: P F W 150x150x10mm / 150x50x10mm

Finishes: P F W Gloss / Matt

“Influenced by Moroccan tiles, Tuscany exhibits a traditional terracotta aesthetic. The base of the colour palette is formed by the earthy tones of Tan and Biscuit with these warm neutrals offering a soothing, nature-inspired look, ideal for creating an interior that pays homage to the cottagecore trend. The collection also features the striking, bold tones of Lemon, Pistachio, Coral, Azure and Olive to add a sense of contemporary vibrance.”



Tuscany White & Coral



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

PRODUCT STYLE: CONCRETE

Our selection of concrete effect products ranges from small format wall options with a stunning weathered effect, to large format structured flooring products with PTV 36+ slip resistance ratings. Tile your next project here with products ideal for residential applications.

- | | | | | |
|----------------------------------|-----------------------------|---------------------------|----------------------------|---|
| 1 Sloan
Cloud (P.33) | 3 Kyoto
Graphite (P.50) | 5 Hex25
Grey (P.100) | 7 Sloan
Smoke (P.33) | BACKDROP District Ash Natural
900x450x9mm (P.57) |
| 2 Savoy Floor
Concrete (P.60) | 4 Zodiac
Gunmetal (P.46) | 6 Tuscany
Ebony (P.51) | 8 Tetra
Graphite (P.61) | |



STAMFORD

GLAZED PORCELAIN & CERAMIC | FLOOR & WALL TILES

CONCRETE WOOD STRUCTURE ABSOLUTE



Sizes: **P F W** 1200x1200x9mm / 1200x600x10.5mm / 1200x200x9.5mm **C W** 1200x400x11.2mm / 600x600x10mm / 600x300x10mm (Co-ordinating fittings are also available)

Finishes: **P F W** Natural (PTV 4S 36+) / Grip (PTV 4S 36+ and PTV TRL 36+) **C W** Matt

"This comprehensive collection is comprised of both concrete and wood effect floor and wall tiles offering surface variation. The large-format concrete effect tiles feature realistic detail for pared-back interiors, whilst the wood effect planks add nature-inspired elegance. Also available are geometric décor glazed ceramic wall tiles which evoke Origami effects characteristic of the Serenity trend for a modern aesthetic."




Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

REBUS

PORCELAIN | FLOOR & WALL TILES

CONCRETE 2CM ABSOLUTE



Sizes: **P F W** 1200x1200x6.5mm / 1200x600x6.5mm / 900x900x10mm / 900x900x20mm / 600x600x10mm / 600x600x20mm / 600x300x10mm (Co-ordinating fittings are also available)

Finishes: **P F W** Natural / Grip (PTV 4S 36+ and PTV TRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

"Rebus offers a selection of concrete effect porcelain tiles showcasing neutral and grey tones. The cool colour palette and speckled effect design make for a versatile range that looks as at home outdoors as it does inside. With sizes available from 600x300mm to 1200x1200mm, Rebus creates a sense of space and sophistication. Grip and Grip+ 2cm achieve a PTV 36+ slip resistance rating, perfect for any setting."



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

STATUS

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE ABSOLUTE



Ivory Light Grey Taupe Steel Graphite

Sizes: P F W 1190x600x10.5mm / 890x890x10.5mm / 600x600x10.5mm / 600x300x10.5mm
(Co-ordinating fittings are also available)

Finishes: P F W Matt / Natural (PTV 4S 36+) / Bush Hammered (PTV 4S 36+ and PTV TRL 36+)

“Designed for commercial spaces, Status is comprised of five neutral colours for a softer approach to the industrial trend. Status features three surface finishes with the Bush Hammered option achieving a PTV slip resistance rating of 36+, suitable for wet barefoot areas and external flooring applications for added versatility. Blend tones from across the colour palette for a sleek, contemporary look.”



Key: P Porcelain W Wall Tiles F Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

DISTRICT

PORCELAIN | FLOOR & WALL TILES

CONCRETE ABSOLUTE



Stone White Ash Tarnished Silver Anthracite

Sizes: P F W 900x900x9mm / 900x450x9mm / 600x600x9mm / 600x300x9mm / 600x100x9mm
(Co-ordinating mosaics and fittings are also available)

Finishes: P F W Natural / Grip (PTV 4S 36+ and PTV TRL 36+)

“District offers a dusky colour palette of Stone White, Ash, Tarnished Silver, and Anthracite, with an industrial, concrete effect. The Grip finish, available in all four colours, provides a PTV 36+ slip resistance rating, perfect for commercial installations. Three mosaic options and two co-ordinated skirtings are also available to pair with the large format field tiles.”



Key: P Porcelain W Wall Tiles F Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ESSENTIAL

GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE SELECT



Ivory Beige Silver Pebble Charcoal

Sizes: P F W 1200x590x10mm / 990x990x10mm / 600x300x8.7mm / 590x590x9.5mm / 450x450x8.5mm

Finishes: P F W Natural (PTV4S 36+)

“Essential is a porcelain floor and wall tile collection featuring six mid to large format sizes. This realistic stone effect range features organic movement layered across an architectural colour palette of five stunning shades for understated simplicity. Neutral tones combine with a surface effect inspired by the trend for urban living to provide a contemporary finish, ideal for modern interiors.”



Essential Silver



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ATRIUM

GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE SELECT



Clay Praline Pumice Graphite

Sizes: P F W 900x450x12mm / 600x300x8.5mm / 592x592x10mm / 450x450x8.5mm

(Co-ordinating mosaics and fittings are also available)

Finishes: P F W Natural / Grip (PTV4S 36+ and PTVTRL 36+)

“Atrium is both simple and strong, with a stormy palette of four colours that deliver room-defining character. With numerous large format sizes available in both a Natural and Grip finish, this range captures the effect of concrete to deliver a modern, industrial look. The Grip finish offers a PTV slip resistance rating of 36+, making Atrium the perfect choice for high-traffic, large open spaces.”



Atrium Graphite




Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

SAVOY FLOOR

GLAZED PORCELAIN | FLOOR & WALL TILES


CONCRETE PATTERN SELECT



Note: Each box of Savoy Floor Beige Mix and Blue Mix contains a random mixture of all four designs.

Sizes: **P F W** 200x200x8.5mm
Finishes: **P F W** Natural (PTV 4S 36+)

"A contemporary range of glazed porcelain wall and floor tiles featuring a rustic concrete effect field tile and a selection of modern geometric patterns. Savoy Floor is available in four colour-ways and a single natural finish. Each of the designs is dynamic and bold and can be used alone or as part of a patchwork. Explore the possibilities."



UP TO
50%
RECYCLED
CONTENT

Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

TETRA

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE ABSOLUTE



Sizes: **P F W** 600x600x11mm / 600x300x10mm / 600x100x10mm (Co-ordinating mosaics are also available)
Finishes: **P F W** Natural / Lapato / Grip (PTV 4S 36+ and PTV TRL 36+)

"For sophisticated and contemporary surfaces, try our Tetra range. Inspired by concrete, Tetra is available in three different finishes: Natural, Lapato, and Grip. The neutral colour palette is ideal for commercial applications, with five shades available, from pale Ivory to deep Graphite."



UP TO
40%
RECYCLED
CONTENT

Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

PRODUCT STYLE: MARBLE

From understated elegance to lavish luxury, this selection emulates the beauty and irregularity of natural marble, delivering on sophistication and style. Wall and floor options are available, with a variety of styles suitable for all residential applications.


- | | | | |
|--|---------------------------------------|--|--|
| 1 Eden
Ivory (P.68) | 4 Eden
Steel (P.68) | 7 Luxx
Greige Granite (P.50) | 10 Prismatics
Black (P.82) |
| 2 Glide
White Carrara (P.70) | 5 Kyoto
Gold (P.50) | 8 Luxx
Turtle Décor (P.64) | BACKDROP Luxx Greige Onyx Natural
1200x1200x6.5mm (P.64) |
| 3 Luxx
Snake Décor (P.64) | 6 Luxx
Carbon Quartz (P.64) | 9 Luxx
Carbon Quartz (P.64) | |



LUXX

GLAZED PORCELAIN | FLOOR & WALL TILES

MARBLE PATTERN ABSOLUTE



Sizes: P F W 2600x1200x6.5mm / 1200x1200x6.5mm / 1200x600x6.5mm / 600x600x6.5mm
(Co-ordinating mosaics and fittings are also available)

Finishes: P F W Natural / Polished

"Luxx is an exciting range of marble effect products, with a variety of different prints available to suit any design scheme. With options ranging from Pinto Marble and Carbon Quartz to the four featured animal prints of Turtle, Snake, Cheetah, and Zebra, Luxx is a stunning range, ideal for adding character and variation. With eight co-ordinating mosaic options and two animal print inlays also available, experiment with lay patterns for a striking visual impact."



Luxx Ivory Calacatta & Zebra Décor



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ALLURE

GLAZED PORCELAIN & CERAMIC | FLOOR & WALL TILES

MARBLE STRUCTURE SELECT



Sizes: P F W 2600x1200x7mm / 1600x800x9.7mm / 1200x1200x9.3mm / 1200x600x9.3mm / 800x800x9.7mm / 600x600x9.3mm
(Co-ordinating fittings are also available)

Finishes: P F W Polished C W Gloss

"A sumptuous, eye-catching range of glazed porcelain and ceramic wall and floor tiles, Allure showcases a beautiful warm carrara marble effect in two stunning finishes. Contemporary décors of on-trend star and chevron shapes provide luxurious motifs for this classic marble range, keying into the ever-popular trend for geometric designs. Ranging from wall tile options in a slim 300x75mm size to the elongated format of 2600x1200mm, Allure offers a variety of sleek size options for modern interior commercial spaces."



Allure White/Gold




Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BUCKINGHAM

PORCELAIN & CERAMIC | FLOOR & WALL TILES

MARBLE 2CM ABSOLUTE



Sand Light Grey Grey Anthracite

Sizes: **P F W** 2700x1200x6mm / 1200x1200x9mm / 1200x1200x20mm / 1200x600x9mm / 900x900x9mm / 900x900x20mm / 900x450x9mm / 600x600x9mm / 600x300x9mm (Co-ordinating mosaics and fittings are also available)

Finishes: **P F W** Soft Bush Hammered / Grip (PTV 4S 36+ and PTV TRL 36+) / **C W** Soft Bush Hammered Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

"Inspired by the character of marble, and with highlights of striking veins adding subtle, understated detail, Buckingham provides a modern, sophisticated aesthetic. Available in sizes from 600x300mm up to 2700x120mm, Buckingham showcases a timeless colour palette from the luxurious warmth of Sand to the richness of Anthracite. This commercial collection offers finishes of Soft Bush Hammered, Grip, and 2cm Grip+, with co-ordinating mosaics and skirtings also included."




Key: **C** Ceramic **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.


BUCKINGHAM WALL

GLAZED CERAMIC | WALL TILES

MARBLE STRUCTURE ABSOLUTE



White Line Structure White Wave Structure White Wiggle Structure Light Grey Line Structure Light Grey Wave Structure Light Grey Wiggle Structure



Anthracite Line Structure Anthracite Wave Structure Anthracite Wiggle Structure

Sizes: **C W** 900x300x11mm

Finishes: **C W** Natural

"Buckingham Wall provides a modern take on classic marbles with stunning veined detail. This nature-inspired collection features intriguing tactile finishes to add depth and visual interest. Try the Line Structure option for a soft, subtle profile, Wave for a corrugated, industrial feel, or Wiggle for undulating movement. The monochromatic tones of White, Light Grey, and Anthracite are available in large format sizes of 900x300mm."




Key: **C** Ceramic **W** Wall Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.


EDEN

GLAZED PORCELAIN & CERAMIC | FLOOR & WALL TILES


MARBLE STRUCTURE SELECT




Ivory




Silver




Pebble




Steel




Ivory
Linear Structure




Silver
Linear Structure




Pebble
Linear Structure




Steel
Linear Structure




Ivory
Rhombus Structure




Silver
Rhombus Structure




Pebble
Rhombus Structure




Steel
Rhombus Structure




Ivory
Cushion Structure




Silver
Cushion Structure




Pebble
Cushion Structure




Steel
Cushion Structure




Ivory
Frame Structure



Silver
Frame Structure



Pebble
Frame Structure



Steel
Frame Structure

Sizes: P F W 2600x1200x6mm / 1200x1200x9.3mm / 1200x600x9.3mm / 600x600x9.3mm (Co-ordinating fittings are also available)

Finishes: P F W Natural / Polished C W Gloss

C W 1000x333x10.3mm / 600x300x9mm / 300x75x9mm / 150x150x9mm

"Taking inspiration from the Serenity trend, Eden features marble mineral vein detailing for calm, refreshingly serene spaces. The colour palette is comprised of sophisticated neutral tones for true versatility, creating modern sleek interiors or warm, cosy settings. Unusual tactile textures are explored with varied linear patterning, raised geometric structures and edge detail with the selection of glossy decorative field tiles adding luxury to commercial interiors."



Eden Ivory & Pebble



Eden Steel




Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

GLIDE

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE STRUCTURE SELECT



White Carrara
White Carrara
Linear Structure

Sizes: C W 600x300x9mm P F W 600x600x9.4mm
Finishes: C W Gloss / Matt P F W Matt / Polished

“With the calming, neutral tone of pure white threaded with the gentle veining of carrara marble, Glide proves that simplicity can still make a big impact. Understated and elegant, Glide showcases calm serenity with a timeless finish, expanding the limits of any space with an airy, light, bright feel. With the linear structured décor options providing textural definition, this range delivers clean, sleek looks, bringing sophistication and style to any setting.”



Glide White Carrara



Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

BIANCO

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE SELECT



White Marble
Taupe Marble

Sizes: C W 600x300x10mm P F W 600x600x10mm
Finishes: C W Matt P F W Matt

“A modern marble effect range, Bianco is stunning in its simplicity. With two colour-ways of Taupe and White offering natural marble veining, Bianco is ideal for calming, opulent interiors. Wall options are available in 600x300mm with complementary flooring options featured in 600x600mm.”



Bianco Taupe Marble



Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

PRODUCT STYLE: **WOOD**

Inspired by naturally occurring materials and perfect for residential applications, our range of wood effect products is ideal for biophilic designs. Bring the outdoors in and pair the look of real wood with the convenience of tiles.

1 **Artisan**
Walnut (P.77)

3 **Galloway**
Walnut (P.74)

5 **Kielder**
Midnight Forest (P.79)

2 **Labyrinth**
Wood Light (P.78)

4 **Labyrinth**
Wood Mid (P.78)


BACKDROP **Artisan** White Oak Natural
900x150x11mm (P.77)



GALLOWAY

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD ABSOLUTE



Sizes: **P F W** 1190x200x10.5mm / 600x600x10.5mm (Co-ordinating fittings are also available)
Finishes: **P F W** Natural / Grip (PTV4S 36+ and PTVTRL 36+)

“Galloway, inspired by parquet flooring, features three colours ranging from light Birch to deep Walnut. Engaging with shape, Galloway offers four framed designs of Maise, Basketweave, Cross and Chevron. Maise and Basketweave play with overlay to create dynamic configurations, whilst Cross and Chevron explore diagonals. Slim format plank options and co-ordinating skirtings are also available.”



Galloway Oak Chevron



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

MALVERN

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD SELECT



Size: **P F W** 900x225x10.5mm (Co-ordinating fittings are also available)
Finish: **P F W** Natural / Grip (PTV4S 36+ and PTVTRL 36+)

“Inspired by biophilic design and creating interiors that connect us to outdoor spaces, Malvern pairs realistic wood detailing with shades influenced by our natural surroundings for a fresh aesthetic with modern vibes. This porcelain range is available in a classic elongated plank format of 900x225mm in two finishes of Natural and Grip with a complementary round-top skirting also featured for the complete tiling solution.”



Malvern Ash



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

OSLO

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD ABSOLUTE



Raw Weathered White Aged Grey Carbon Grey

Size: P F W 1200x200x10.5mm / 750x150x9mm (Co-ordinating fittings are also available)

Finish: P F W Natural (PTV 4S 36+) / Grip (PTV 4S 36+ and PTV TRL 36+)

“Showcasing a bleached, aged look, this wood effect range features four colours – Raw, Weathered White, Aged Grey, and Carbon Grey. Natural and Grip finishes are available in this range, with the Grip achieving a PTV slip resistance rating of 36+. Two large format plank options of 1200x200mm and 750x150mm are featured, perfect for opening out spaces and adding a nature-inspired aesthetic to any design.”



Oslo Aged Grey



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ARTISAN

PORCELAIN | FLOOR & WALL TILES

WOOD SHAPE ABSOLUTE



White Oak Highland Ash Natural Oak Hickory Aspen Walnut

Sizes: P F W 1800x200x9mm / 1200x200x9mm / 900x150x11mm / 900x150x11mm Chevron Left & Right

(Co-ordinating mosaics and fittings are also available)

Finishes: P F W Natural / Grip (PTV 4S 36+ and PTV TRL 36+)

“Artisan offers a stunning woodgrain surface design, with six colour options to choose from, ranging from White Oak to Walnut. Natural and Grip finishes are available, with the Grip finish providing a PTV slip resistance rating of 36+. Try pairing different sizes with the two mosaic options to create distinctive designs.”



Artisan Walnut



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

LABYRINTH

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD MARBLE SHAPE ABSOLUTE



Wood Light Wood Mid Wood Dark Calacatta

Sizes: P F W 520x100x8.5mm Chevron A & B / 230x100x8.5mm Trapezium

Finish: P F W Natural

"Labyrinth is an intriguing range which showcases three different shapes that can be used interchangeably to create striking designs full of personality. The four colour-ways include Light, Mid, and Dark Wood, juxtaposed with a Calacatta Marble option to bring an extra touch of opulence. Combine different shapes in one colour-way, or experiment with the versatility of the range by mixing and matching all four colour-ways across the shape options. A trapezium and two chevrons form the basis for the shapes within this range, providing a luxurious look."



Labyrinth Wood Light & Calacatta Trapezium



Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

KIELDER

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD SELECT



Autumn Dawn Evening Glow Frosty Oak Midnight Forest

Size: P F W 1140x200x10mm

Finish: P F W Natural

"Kielder takes inspiration from the natural world to replicate the beauty of the forest with four options which explore the interplay between light and our natural environment. Autumn Dawn is characteristic of the first blush of light across the natural movement of the wood, whilst Evening Glow evokes the tones of a warm sunset. Frosty Oak features cooler notes reminiscent of a crisp winter morning, whilst Midnight Forest works with darker shades to showcase deep night."



Kielder Evening Glow



Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

PRODUCT STYLE: COLOUR

From bright, bold tones to muted, softer hues, and everything in between, our selection of coloured tiles ticks every box. Add vibrant pops of colour to dial up the personality or use neutral transitional tones for soothing designs.

- | | | | | |
|---------------------------------------|---------------------------------------|--|---|---|
| 1 Style
Taupe (P.98) | 5 Prismatics
Pumpkin (P.82) | 9 Kerastar
Ochre (P.92) | 13 Kerastar
Sky Speckle (P.92) | 16 Prismatics
Teal (P.82) |
| 2 Symmetry
White (P.99) | 6 Kerastar
Marine (P.92) | 10 Verso
Burnt Orange (P.88) | 14 Melrose
Pewter (P.94) | 17 Prismatics
Harebell (P.82) |
| 3 Contour
Teal (P.96) | 7 Milano
Sky (P.86) | 11 Style
White (P.98) | 15 Prismatics
Electric (P.82) | 18 Kerastar
Bronze (P.92) |
| 4 1901
Campbel Ocean (P.89) | 8 Kerastar
Turquoise (P.92) | 12 Kerastar
Denim (P.92) | BACKDROP Contour Cotto Matt
300x75x8mm (P.96) | |





PRISMATICS

GLAZED CERAMIC | WALL TILES

COLOUR SHAPE SELECT


					
White	Victorian Cream	Victorian Blue	Victorian Maroon	Victorian Green	Black
					
Hawk Grey	Cappuccino	Woodpigeon	Shark	Magnolia	Teal
					
Tomato	Rice	Storm Grey	Thistle	Duck Egg	Harebell
					
Bluebell	Peach Sorbet	Pistachio	Peppermint	Ocean Blue	Mintwater
					
Goldcrest	Sun Haze	Mimosa	Lemon Ice	Pumpkin	Willow
					
Vanilla	Truffle	Aqua	Lapis	Sweet Pea	Cayenne
					
Moleskin	Peacock	Russet	Sky	Ash	Chartreuse

					
Old Lace	Suede	Lagoon	Magenta	Shadow	Mushroom
					
Sandcastle	Jungle	Electric	Midnight	Blackberry	Elephant
					
Coffee	Ginger	Olive	Flame	Strawberry	Sunflower

Sizes:   200x200x6.5mm / 200x100x6.5mm / 150x150x6.5mm / 150x175x6.5mm Hexagon / 100x100x6.5mm
(Co-ordinating fittings are also available)

Finishes:   Gloss / Satin

“With an unrivalled offering, our Prismatics collection is perfect for colourful installations with over 60 gloss and satin shades available, spanning the entire colour spectrum. Ranging from vibrant, eye-catching colours, to neutral, warmer shades, Prismatics has it all. With colour graduated tonal profiles, it is easier for specifiers to identify complementary shades quickly and easily. Co-ordinating fittings are also available in selected colours to provide a complete finished look.”




Key:  Ceramic  Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

METHOD

PORCELAIN | FLOOR & WALL TILES

COLOUR SELECT



Size: **P** **F** **W** 1500x750x10.5mm / 1200x1200x10.7mm / 1200x600x10.5mm / 900x900x10.5mm / 600x600x9.5mm / 600x300x9.5mm (Co-ordinating mosaics and fittings are also available)

Finish: **P** **F** **W** Natural (PTV 4S 36+) / Lapato

“This timeless range lends itself to a minimalistic setting, with clean lines and a modern colour palette providing an architectural aesthetic, ideal for commercial interiors. Method is comprised of five calming and simplistic tones with a square mosaic available to easily create a focal point within the space. All colours in the Natural finish in 600x300mm and 600x600mm are stocked in the UK for seamless installation.”



Method Steel & White



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

SOUTH BANK

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Sizes: **C** **W** 245x75x8mm

Finishes: **C** **W** Gloss

“This award-winning range of UK-manufactured ceramic wall tiles is available in eight on-trend colours and a new slim size of 245x75mm. South Bank offers a transparent gloss finish possessing depth and variation of contemporary colour. The slim format allows for the creation of truly unique lay patterns to maximise the creative possibilities within any interior. Featuring the signature colours of Azure, Blossom and Dusk, which are underpinned by a complementary, neutral palette ranging from the subtle, calming Snow to the warmer hue of Pearl, this range allows for the creation of diverse and harmonious colour combinations.”



South Bank Azure



Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

MILANO

PORCELAIN | FLOOR & WALL TILES

COLOUR ABSOLUTE



Sizes: **P F W** 250x250x8.5mm / 250x125x8.5mm / 125x125x8.5mm / 125x62x8.5mm / 62x62x8.5mm
Finishes: **P F W** Natural (PTV 4S 36+)

“This architectural glazed porcelain collection showcases six colours taking inspiration from the natural world. The soothing block colours and multiple size formats can be combined to create striking visuals. Experiment with lay patterns and coloured grouts to bring this range to life even more. All six colourways achieve a PTV slip resistance rating of 36+, making Milano the perfect collection for commercial and residential interior projects.”



Milano Chalk, Sky & Basalt



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

DUPLET

GLAZED CERAMIC | WALL TILES

COLOUR SHAPE ABSOLUTE



Sizes: **C W** 260x64x8mm Chevron Left / 260x65x8mm Chevron Right
Finishes: **C W** Gloss / Matt

“Showcasing an architectural colour palette, Duplet features six neutral tones ranging from Chalk to Graphite. Duplet is influenced by the Geometrics trend to create symmetry and balance within a space. The chevron format provides a stylish wall feature, with Matt and Gloss finishes available in every colour. Add a subtle hint of sophistication and playfulness through the exploration of layout patterning to provide a contemporary dynamic.”



Duplet Moonstone



Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

VERSO

GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR ABSOLUTE



Sizes: **P** **F** **W** 370x92x9mm

Finishes: **P** **F** **W** Natural (PTV 4S 36+)

“With distinctive colours like Burnt Orange and Rose, Verso is not afraid to be bold. This is an impressive range that makes a striking statement in any shade. Plus, with all colour-ways achieving a PTV 36+ slip resistance rating, Verso has the performance credentials to back up its powerful colour palette.”



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

1901

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT



Sizes: **C** **W** 245x75x8mm

Finishes: **C** **W** Gloss

“A proud celebration of our heritage, 1901 pays homage to traditional glaze effects. With a rustic structure on the contemporary slim brick format of 245x75mm, 1901 gives the illusion of beautiful, handcrafted qualities. The seductive colour palette takes inspiration from the Astral trend, showcasing rich indigo, sumptuous ruby and bottle green, along with the classic tones of white, black and grey. Named for aspects of our history, this collection creates an opulent, luxurious aesthetic.”




Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

SAVOY WALL

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT

					
Luna	Luna Geometric Structure	Oat	Oat Geometric Structure	Grain	Grain Geometric Structure
					
Caraway	Caraway Geometric Structure	Dew	Dew Geometric Structure	Steel	Steel Geometric Structure
					
Noir	Noir Geometric Structure	Leaf	Leaf Geometric Structure	Sage	Sage Geometric Structure
					
Bone	Bone Geometric Structure	Pebble	Pebble Geometric Structure	Slate	Slate Geometric Structure
					
Petrol	Petrol Geometric Structure	Ink	Ink Geometric Structure	Marine	Marine Geometric Structure

Sizes: ☒ 300x100x8mm / ☒ 200x100x6.5mm (Co-ordinating fittings are also available)

Finishes: ☒ Gloss

"A stylish range of ceramic wall tiles designed with a contemporary colour palette and two slim-format sizes. Exploring variation, Savoy Wall delivers stunning depth of colour across 15 tones from the muted Luna to the vibrant Marine. With a gloss décor option available in every colour and a selection of co-ordinating fittings, Savoy Wall is a versatile, modern collection that's sure to be a favourite."




Key: ☒ Ceramic ☒ Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

KERASTAR

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR SPECKLE STRUCTURE INTRO



Sizes: **P** **F** **W** | 1190x600mm / 890x890mm / 600x600mm / 600x300mm / 300x300mm / 200x200mm / 200mm Hexagon / 150x150mm / 150x75mm / 100x100mm / 100mm Hexagon
(Co-ordinating fittings are also available)

Finishes: **P** **F** **W** Matt / Natural (PTV 4S 36+) / Antislip (PTV 4S 36+ and PTV TRL 36+)

"Developed specifically for the commercial interiors market, Kerastar features an impressive 43 colours, spanning the entire spectrum. Choose from architecturally inspired tones of Linen and Ivory or try bolder shades of Mustard and Siena for an injection of primary colour. Or, mix and match for a design scheme that showcases creative freedom.

This un-glazed porcelain collection is versatile in its offering, with 11 sizes from dynamic small-formats of 100x100mm and 150x75mm up to minimalistic large-formats of 890x890mm and 1190x600mm, along with stylish Hexagons for added visual interest. Combine commercial elegance and high slip resistance with the Rocktop, Triface and Suretread structured finishes, all achieving a PTV slip resistance rating of 36+ in both dry and wet areas. Fittings within this range include battiscopa and cove skirtings along with steptreads, making Kerastar the ideal flooring solution for commercial specifications."




Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

MELROSE

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT



Sizes: C W 245x75x8mm

Finishes: C W Gloss

"Manufactured in the UK, Melrose features a rustic structure combined with a glossy glaze to give a handcrafted aesthetic. With natural variation in colour and texture suitable for any interior space, Melrose offers five neutral tones of Bone, Pewter, Slate, Moss, and Stone. Available in an on-trend slim format of 245x75mm, Melrose provides a modern look ideal for any interior space."



Melrose Moss




Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ABSTRACT

GLAZED CERAMIC | WALL TILES

COLOUR SHAPE ABSOLUTE



Note: Each box of Abstract Pastel Mix Droplet & Chevron contains a random mixture of all 15 colour-ways.

Sizes: C W 200x200x8mm Chevron / 250x100x8mm Droplet

Finishes: C W Matt / Metallic

"Not for the faint hearted, Abstract is perfect for making a bold statement to bring character and personality to any space. Roaming from the powerful to the playful, this range offers a striking selection of colour options, including White, Black, Stone, Steel, and a Pastel Mix of fifteen softer hues. Coupled with the daring shapes of the 200x200mm Chevron and 250x100mm Droplet, this special-order range is ideal to create a stunning feature wall or highlight a splash back."



Abstract White Droplet




































Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

CONTOUR

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE ABSOLUTE

					
White	White 3D Transition	White 3D Strips	Beige	Beige 3D Transition	Beige 3D Strips
					
Grey	Grey 3D Transition	Grey 3D Strips	Teal	Teal 3D Transition	Teal 3D Strips
					
Sky	Sky 3D Transition	Sky 3D Strips	Cotto	Cotto 3D Transition	Cotto 3D Strips
					
Garnet	Garnet 3D Transition	Garnet 3D Strips	Black	Black 3D Transition	Black 3D Strips
					
White Stone	White Stone 3D Transition	White Stone 3D Strips	Grey Stone	Grey Stone 3D Transition	Grey Stone 3D Strips
					
Black Stone	Black Stone 3D Transition	Black Stone 3D Strips			

Sizes: C W 300x75x8mm

Finishes: C W Gloss / Matt

“Contour features transitional and full strip options which explore three-dimensional structuring. The transitional pieces provide a smooth flow from the field tiles into the full contoured piece to create a sense of movement and fluidity. With vivid colour options including Garnet, Teal, and Black Stone, Contour is sure to make an impact in any interior.”



Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

STYLE

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE ABSOLUTE



Sizes: C W 240x60x9.8mm
Finishes: C W Matt / Gloss

“Style is characterised by six soothing pastel tones, including Sorbet, Pistachio and Ocean. This glazed ceramic interior wall collection features the sleek size of 240x60mm, a slim format that adds contemporary elegance to the understated colour palette. With embossed and debossed options available in every colour, Style adds three-dimensional surface depth to enhance the tactility of any interior commercial project.”



Key: C Ceramic W Wall Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

SYMMETRY

GLAZED CERAMIC | WALL TILES

COLOUR SHAPE ABSOLUTE



Sizes: C W 150x135x10mm Scale
Finishes: C W Gloss

“Symmetry explores shape with a distinctive scale format. Featuring 12 gloss colours, varying from wintry White to vibrant Flame and blood red Raspberry, Symmetry offers both neutral and vivid tones. The colour palette pairs with the unique scale shape to make this range a striking choice. Try combining shades of Zinc, Harebell, and Cloud for an oceanic effect.”




Key: C Ceramic W Wall Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

HEX25

GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR PATTERN SHAPE ABSOLUTE



Note: Each box of Hex25 Kasbah Mix contains a random mixture of all 24 designs.

Sizes: **P F W** 250x220x10mm Hexagon
Finishes: **P F W** Natural / Antislip (PTV4S 36+)

"Hex25 offers a contemporary colour palette of muted tones coupled with richer vibrant colours. 13 base field colours are available in a small format hexagon to deliver geometric patterning. Four décor options are also featured, allowing creativity and flair to come to the fore with designs such as Trident and Aster."



Key: **P** Porcelain **W** Wall Tiles **F** Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

FLARE


GLAZED CERAMIC | WALL TILES

COLOUR ABSOLUTE



Sizes: **C W** 1200x400x12.5mm
Finishes: **C W** Gloss / Satin

"A simple range of glazed ceramic wall tiles, Flare offers three tones of Simply White, Eggshell, and Linen to add a sense of warmth and calm to any design scheme. Featured in a Gloss finish in all three colours, with Simply White also offering a Satin, Flare is available in 1200x400mm."




Key: **C** Ceramic **W** Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

PARADE

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR SELECT




White Black

Sizes: P F W 600x600x10mm

Finishes: P F W Polished

“A contemporary porcelain floor tile range, Parade is perfect for creating a classic look. With a Polished finish, Parade offers a luxurious sheen in inky Black or understated White.”



Parade Black



Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

KENSINGTON

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Chalk Cream Storm Smoke Sky Coal



Snow Cloud Nude Sage Duck Egg

Sizes: C W 500x50x10mm / 300x75x10mm / 250x50x10mm / 150x75x10mm

Finish: C W Gloss

“Kensington is a stylish collection of rustic slim-format ceramic wall tiles. With a hand-crafted effect, Kensington offers a cool colour palette exploring sea tones and fresh neutrals, with available colours ranging from wintry Snow to inky Coal and soft Sage. Experiment with Chalk, Storm, and Smoke for a colour graded tonal grey design.”



Kensington Snow & Sage



Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

SUBWAY LAB

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE ABSOLUTE




Ice White Pearl Ash Grey Graphite

Sizes: C W 300x75x8mm Liso XL / 300x75x8mm Dome XL / 300x75x8mm New Bevel / 300x75x8mm Arch XL / 150x75x8mm Liso M / 150x75x8mm Canale M / 150x75x8mm Peak / 300x8x8mm Edge XL / 150x8x8mm Edge M / 8x8x8mm Edge Corner

Finishes: C W Gloss / Matt

“Geometrics and surface detail are key to this range, with multiple shapes and designs available. From Peak to Dome, Subway Lab offers dimension and depth, perfect to add personality to any interior scheme. Colour options include Ice White, Ash Grey, Graphite, and Pearl forming a monochromatic palette.”



Subway Lab Ice White Arch XL



Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.


GEO

GLAZED CERAMIC | WALL TILES

COLOUR PATTERN SELECT



Ash Multi Décor



Tan Multi Décor

Note: Each box of Geo Ash and Tan Multi Décors contains a random mixture of all six designs.

Size: C W 150x150x6.5mm

Finish: C W Satin

“Exploring simple abstract shapes that create a patchwork effect, Geo is available in 2 classic natural colours of Ash and Tan. The subtle texture and gloss print elevate the collection to provide surface detail and versatility. Combine and connect the various shapes to create limitless configurations ideal for a statement wall.”



Geo Ash & Tan



Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

PRODUCT STYLE:

WHITE

Timeless and classic, our selection of white tiles varies from simple and stylish pure white field tiles to structured, decorative options for a delicate touch of texture.


- | | | | |
|---|--|--|---|
| 1 Arctic White
White (P.109) | 4 Contour
White 3D Strips (P.96) | 7 Eminence
White Weave (P.108) | 10 Duplet
Chalk (P.87) |
| 2 Symmetry
White (P.99) | 5 Style
White Debossed (P.98) | 8 Prismatics
White (P.82) | BACKDROP Style White
Embossed Structure
240x60x11.3mm (P.98) |
| 3 Subway Lab
White Canale M (P.104) | 6 South Bank
Snow (P.85) | 9 Contour
White 3D Transition (P.96) | |



EMINENCE

GLAZED CERAMIC | WALL TILES

WHITE STRUCTURE SELECT



Size: C W 600x300x9mm

Finishes: C W Gloss / Matt

“Cool and calm, Eminence is a stunningly simple range of porcelain rectified wall tiles. Available in gloss and matt finishes, Eminence is perfect for adding a sense of serenity and elegance to busy spaces. Structured options Linear, Weave, and Reed can be used to complement the pure field tiles, or as the main feature.”



Eminence White & White Linear




Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

ARCTIC WHITE

GLAZED CERAMIC | WALL TILES

WHITE SELECT



White

Sizes: C W 600x300x10mm / 600x200x10mm / 400x150x10mm / 300x100x8mm

Finishes: C W Gloss / Satin

“Stylish in its simplicity, Arctic White offers white ceramic wall tiles in both satin and gloss finishes for a cool, contemporary look. Available sizes range from 300x100mm, perfect for a small feature or back-splash, up to 600x300mm for a larger installation.”



Arctic White White




Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

POLAR

GLAZED CERAMIC | WALL TILES

WHITESTRUCTUREINTRO



Sizes: C W 300x200x8mm / 300x200x8mm Scored One-way / 300x200x8mm Scored Two-ways / 200x200x6.5mm
Finishes: C W Gloss / Satin

“Our Polar White range is perfect for adding a sense of tranquillity to any interior. Reflecting light, this range can make a room feel clean, serene, and refreshingly simple. Polar White offers a variety of finishes to add texture to any design scheme. Bumpy Gloss showcases a dappled effect, Gloss Wave emulates the natural movement of water, and Satin Split-face Structured offers a fragmented, linear look.”



Polar White & White Wave




Key: C Ceramic W Wall Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

TUNDRA

GLAZED CERAMIC | WALL TILES

WHITESTRUCTUREINTRO



Sizes: C W 360x275x8mm
Finishes: C W Gloss / Matt

“A collection of plain and textured white ceramic tiles, Tundra is perfect for mixing and matching. Available in 360x275mm, Tundra offers gloss and matt finishes, with complementary Dimensions options available to create textured elements for stand-out design features.”



Tundra White Dimensions



Key: C Ceramic W Wall Tiles
Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the QR code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 134.

CASE STUDIES

Our tiles have been installed in a variety of commercial projects. Over the following pages discover a hand-picked selection of stunning case studies covering every type of commercial setting, all featuring products from our commercial portfolio.

Longton Town Hall
Longton, Staffordshire
Project Type: Office Interior

John Lewis Foodhall
Oxford Street, London
Project Type: Retail Space

One Piccadilly Gardens
Piccadilly, Manchester
Project Type: Office Interior

Moss Bros.
Castleford, Wakefield
Project Type: Retail Space

31 Homer Road
Frairs Gate, Solihull
Project Type: Office Interior

Marks & Spencer
Stratford, London
Project Type: Retail Space

NQ Talent Agency
Openshaw, Manchester
Project Type: Office Interior

The Darwin Centre
Shrewsbury, Shropshire
Project Type: Retail Space

The Quorum
Bond Street, Bristol
Project Type: Office Interior



Minerlas Dolomite & Flint



Galloway Walnut & Portland Slate




LONGTON TOWN HALL

LONGTON, STAFFORDSHIRE

Stoke-on-Trent City Council included an allocation of £1.886m in its capital programme to refurbish the ground floor of Longton Town Hall. The aim was to increase footfall to the building by relocating the Local Centre into the ground floor and making a new entrance feature where the market hall attaches to the town hall. Another objective of the project was to make Times Square and The Strand visually more appealing by finding a new use for a previously underutilised public building, thereby boosting the number of visitors to the town centre and market to help make the town centre more viable.

- 1 **Hex25**
Kale Natural
250x220x10mm
- 2 **Hex25**
Moss Natural
250x220x10mm
- 3 **Hex25**
Mid Blue Natural
250x220x10mm
- 4 **Kerastar**
Chalk Natural
300x300x8.3mm
- 5 **Kerastar**
Shadow Natural
300x300x8.3mm






MOSS BROS.

CASTLEFORD, WAKEFIELD

At a new Moss Bros. store in Castleford, two of our ranges have been fixed to complete the contemporary look of the store. With wooden fixtures and fittings around the store, Galloway Walnut Grip picks up on this natural feel. Fitted in a herringbone pattern, Galloway adds a sense of warmth and co-ordinates well with the dimmed lighting and darker tones of the store. Portland Slate Grip is fixed around the perimeter of the store, providing a zoned area to separate the base units in the centre of the store from the fixed wall units around the edges. The Kerastar range is also fitted in the changing rooms, with an alternating dynamic design to differentiate this section of the store.



- | | | | | | | | |
|---|---|---|--|---|---|---|--|
| 1 | Galloway
Walnut Grip
1190x200x10.5mm | 2 | Portland
Slate Grip
1200x600x10mm | 3 | Kerastar
Chalk Natural
300x300x8.3mm | 4 | Kerastar
Shadow Natural
300x300x8.3mm |
|---|---|---|--|---|---|---|--|



NQ TALENT AGENCY

OPENSHAW, MANCHESTER

The NQ agency is based in Manchester and takes pride in its Northern roots. The agency manages the talents of musicians like Aitch, so wanted a modern aesthetic to suit their brand image. Our Riverstone range in Light Grey adds a stunning structured finish that suits the atmosphere of the project. Fitted on the floor in the entrance, stairs, and bathroom, Riverstone creates a sense of continuity and connection throughout the space.





JOHN LEWIS FOODHALL

OXFORD STREET, LONDON

The tiles used for the 1500m2 artisan and seasonal food space are a tasty addition to the John Lewis Foodhall from Waitrose, Oxford Street. Waitrose's in-house design team spent time exploring many different options and combinations at Johnson Tiles' Material Lab, ensuring the finished look was in keeping with Waitrose's luxury shopping experience.

- 1 Riverstone
Black Rock Structure Matt
600x300x8.5mm
- 2 Arctic White
White Gloss
300x100x8mm



31 HOMER ROAD

FRIARS GATE, SOLIHULL

For this sleek new office building in Solihull, only the most stylish tiles would suit the minimal interior scheme. Johnson Tiles' Minerals range in Dolomite, Flint and Slate, laid in a creative, geometric pattern using the 600x300mm size format, ensured the entrance embodies chic sophistication.

- 1 Minerals
Slate Natural
600x300x9mm
- 2 Minerals
Dolomite Natural
600x300x9mm
- 3 Minerals
Flint Natural
600x300x9mm






THE DARWIN CENTRE

SHREWSBURY, SHROPSHIRE

When Shrewsbury's 'Darwin' Shopping Centre required the floor tiles for its recent refurbishment, a combination of Johnson Tiles' Minerals range in Slate and Dolomite added to the overall relaxing ambience created by the interiors. Requiring large quantities, we supplied 560m² of Minerals Slate in 600x300mm, and 2170m² of Minerals Dolomite in 600x300mm, for stylish flooring throughout.

- | | |
|--|---|
| <p>1 Minerals
Slate Natural
600x300x9mm</p> | <p>2 Minerals
Dolomite Natural
600x300x9mm</p> |
|--|---|




ONE PICCADILLY GARDENS

PICCADILLY, MANCHESTER

A combination of Method, Savoy and Prismatics provided the perfect balance of style and practicality to the communal areas and bathrooms of One Piccadilly. Working closely with interior design agency, Firebox Design, and project management team, JLL, Johnson Tiles carefully considered the building's needs before providing a solution that not only looks stunning, but that will stand the test of time.

- | | | | | | |
|---|---|---|---|---|---|
| 1 | Method
Steel Natural
600x300x9.5mm | 2 | Savoy
Leaf Gloss
300x100x8mm | 3 | Prismatics
White Gloss
200x100x6.5mm |
|---|---|---|---|---|---|





MARKS & SPENCER

STRATFORD, LONDON

The anchor M&S store at London Westfield – one of the largest shopping centres in Europe features over 9,500m² of retail space. Un-glazed porcelain floor tiles from Johnson Tiles were used across all three sales floors, providing M&S with the high-quality finish yet low maintenance durability needed to cope with the volumes of shoppers.

- 1 **Method**
Bone Natural
600x600x9.5mm
- 2 **Method**
Silver Natural
600x600x9.5mm
- 3 **Method**
Steel Lapato
600x600x9.5mm



THE QUORUM

BOND STREET, BRISTOL

Our Refine range helped DP Designs to fit the most high-quality and stylish floors at The Quorum, Bristol. A premium office building in the heart of the city centre, the space's interior had to reflect the sophisticated nature of its clientele. To suit the subtle, on-trend palette in the lobby, Refine in Basalt Grip proved to be the best selection for the job.



Labyrinth Wood Light, Wood Mid & Wood Dark Chevron


LET'S WORK TOGETHER

We've been making beautifully designed, high-quality ceramic tiles for over 120 years, alongside a complementary sourced collections of porcelain floor and wall tiles. Throughout our extensive history we've continuously invested time, energy, and resources into excelling as market leaders.

Outstanding product design is only part of what makes us the right partner for every commercial developer. We are dedicated to helping every one of our customers get the very best from our tiles, from carrying unrivalled levels of stock, to ensuring that we exceed client expectations every time. By providing high-quality sample tiles and support materials, we enable your clients to easily visualise their final scheme.

We underpin this with our first-class nationwide distribution network and our award-winning technical support services, offering support across every aspect of tile usage and application. Let's work together.

RIBA



Brics Docklands Grey

TECHNICAL INFORMATION

Detailed information on Specification, Floor Values, Physical Properties, Cleaning and Maintenance, Installation Advice, Accessibility and Support, PTV's, R Values, Wet Ramp, PEI's and Traffic Recommendations & Colour Shade Variation.

Specification

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
I 901	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Abstract	Matt & Metallic	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Allure	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Polished	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Arctic White	Gloss & Satin	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Artisan	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V2	Porcelain [Bla]
Atrium	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [Bla]
Baseline	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
Baseline Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Bellagio	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Bianco	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Blake	Matt	Internal & External	Internal Only	-	V4	Glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V4	Glazed Porcelain [Bla]
	Bush Hammered	Internal & External	Internal & External	Yes	V4	Glazed Porcelain [Bla]
Boundary	Natural & Lapato	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Natural+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Brics	Natural	Internal & External	Internal & External	Yes	V4	Glazed Porcelain [Bla]
Buckingham	Soft Bush Hammered	Internal & External	Internal Only	-	V2	Porcelain [Bla]
	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [Bla]
	Soft Bush Hammered Ductile	Internal Only	-	-	V2	Ceramic [BIII]
Buckingham Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Coast	Natural	Internal & External	Internal Only	-	V4	Un-glazed Porcelain [Bla]
	Bush Hammered	Internal & External	Internal & External	Yes	V4	Un-glazed Porcelain [Bla]
Conglomerates	Natural & Polished	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V2	Un-glazed Porcelain [Bla]
Contour	Gloss & Matt	Internal Only	-	-	V1	Glazed Ceramic [BIII]
District	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V2	Porcelain [Bla]
Duplet	Gloss & Matt	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Eden	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Natural & Polished	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Eminence	Gloss & Matt	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Essential	Natutral	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
Flare	Gloss & Satin	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Galloway	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [Bla]
Geo	Satin	Internal Only	-	-	V1	Glazed Ceramic [BIII]

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
Glademoor	Matt	Internal Only	-	-	V3	Glazed Ceramic [BIII]
	Natural & Lapato	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [Bla]
Glide	Matt & Gloss	Internal Only	-	-	V1	Glazed Ceramic [BIII]
	Matt & Polished	Internal & External	Internal Only	-	V1	Glazed Porcelain [Bla]
Hex25	Natural & Antislip	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Hudson	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Imperial	Natural & Polished	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [Bla]
Kensington	Gloss	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Kerastar	Matt & Natural	Internal & External	Internal Only	-	V1	Un-glazed Porcelain [Bla]
	Polished	Internal & External	Internal Only	-	V1	Un-glazed Porcelain [Bla]
	Structured	Internal & External	Internal & External	Yes	V1	Un-glazed Porcelain [Bla]
Kielder	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Kyoto	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Labyrinth	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Lucca	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Luxx	Natural & Polished	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Malvern	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Melrose	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Method	Natural & Lapato	Internal & External	Internal Only	-	V2	Porcelain [Bla]
Milano	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
Minerals	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
	Bush Hammered, Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [Bla]
	Natural Ductile	Internal Only	-	-	V2	Ceramic [BIII]
Minerals Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Newark	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Oslo	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [Bla]
Oxide	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
Parade	Polished	Internal & External	Internal Only	-	V1	Un-glazed Porcelain [Bla]
Polar	Gloss & Satin	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Portland	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Prismatics	Gloss & Satin	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Rebus	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Refine	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [Bla]
	Natural Ductile	Internal Only	-	-	V2	Ceramic [BIII]
Refine Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Riverstone	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [Bla]
Roma	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Savoy Wall	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Savoy Floor	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Sloan	Natural & Polished	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [Bla]
	Bush Hammered	Internal & External	Internal & External	Yes	V2	Un-glazed Porcelain [Bla]

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
South Bank	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Stamford	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
	Grip	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [BIa]
Status	Matt & Natural	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [BIa]
	Bush Hammered	Internal & External	Internal & External	Yes	V2	Un-glazed Porcelain [BIa]
Stoneleigh	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Natural & Polished	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
	Grip	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [BIa]
Style	Gloss & Matt	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Subway Lab	Gloss & Matt	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Symmetry	Gloss	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Tetra	Natural & Lapato	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [BIa]
	Grip	Internal & External	Internal & External	Yes	V2	Un-glazed Porcelain [BIa]
Tundra	Gloss & Matt	Internal Only	-	-	V1	Glazed Ceramic [BIII]
Tuscany	Matt & Gloss	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Verso	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Zodiac	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
	Natural Slate	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
	Natural Textured	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [BIa]
	Natural Rock	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]

Floor Values

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
Allure	Polished	White/Gold	Dry 36+ Wet 0 - 24	-	-	-	IV
Artisan	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	A	-
	Grip	White Oak	Dry 36+ Wet 36+	-	R11	C	-
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	C	-
Atrium	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	-	IV
	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R11	-	IV
Baseline	Natural	Powder & Shadow	Dry 36+ Wet 0 - 24	-	R10	B	-
		All Other Colours	Dry 36+ Wet 25 - 35	-	R10	B	-
Bellagio	Natural	Off White & Beige	Dry 36+ Wet 25 - 35	-	R9	-	IV
		Grey & Taupe	Dry 36+ Wet 25 - 35	-	R9	-	III
		Graphite	Dry 36+ Wet 25 - 35	-	R9	-	II
Bianco	Matt	All Colours Shown	Dry 36+ Wet 25 - 35	-	-	-	IV
Blake	Matt	Steel & Charcoal	Dry 36+ Wet 36+	-	R10	B	III
		All Other Colours	Dry 36+ Wet 36+	-	R10	B	IV
	Grip	Steel & Charcoal	Dry 36+ Wet 36+	Wet 36+	R11	C	III
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	C	IV
	Bush Hammered	Steel & Charcoal	Dry 36+ Wet 36+	Wet 36+	R11	C	III
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	C	IV
Boundary	Natural	Earthtones & Storm	Dry 36+ Wet 25 - 35	-	-	-	III
		All Other Colours	Dry 36+ Wet 25 - 35	-	-	-	IV
	Lapato	Earthtones & Storm	Dry 36+ Wet 0 - 24	-	-	-	III
		All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
	Natural+ 2cm	Earthtones & Storm	Dry 36+ Wet 36+	Wet 36+	R11	-	III
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	-	IV
Brics	Natural	Brooklyn Brown	Dry 36+ Wet 36+	Wet 36+	R11	-	II
		Montmartre White & Octavia Beige	Dry 36+ Wet 36+	Wet 36+	R11	-	IV
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	-	III











Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
Buckingham	Soft Bush Hammered	All Colours Shown	Dry 36+ Wet 25 – 35	-	R9	A	-
	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R11	C	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R11	C	-
Coast	Natural	All Colours Shown	Dry 36+ Wet 36+	-	R10	B	-
	Bush Hammered	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R12	C	-
Conglomerates	Natural	All Colours Shown	Dry 36+ Wet 0 – 24	-	R10	-	-
	Polished	All Colours Shown	Dry 36+ Wet 0 – 24	-	-	-	-
	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R11	C	-
District	Natural	All Colours Shown	Dry 36+ Wet 25 – 35	-	R9	A	-
	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R11	C	-
Eden	Natural	Ivory & Silver	Dry 36+ Wet 0 – 24	-	R9	-	IV
		Pebble & Steel	Dry 36+ Wet 0 – 24	-	R9	-	III
	Polished	Ivory & Silver	Dry 36+ Wet 0 – 24	-	-	-	IV
		Pebble & Steel	Dry 36+ Wet 0 – 24	-	-	-	III
Essential	Natural	Charcoal	Dry 36+ Wet 36+	-	R10	C	III
		All Other Colours	Dry 36+ Wet 36+	-	R10	C	IV
Galloway	Natural	Walnut	Dry 36+ Wet 25 – 35	-	-	-	III
		All Other Colours	Dry 36+ Wet 25 – 35	-	-	-	IV
	Grip	Walnut	Dry 36+ Wet 36+	Wet 36+	R11	-	III
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	-	IV
Glademoor	Natural	Flint & Coal	Dry 36+ Wet 0 – 24	-	-	-	IV
		All Other Colours	Dry 36+ Wet 0 – 24	-	-	-	V
	Lapato	Flint & Coal	Dry 36+ Wet 0 – 24	-	-	-	IV
		All Other Colours	Dry 36+ Wet 0 – 24	-	-	-	V
	Grip	Flint & Coal	Dry 36+ Wet 36+	Wet 36+	R11	C	IV
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	C	V
	Grip+ 2cm	Flint & Coal	Dry 36+ Wet 36+	Wet 36+	R11	B	IV
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	R11	B	V
Glide	Matt	All Colours Shown	Dry 36+ Wet 0 – 24	-	-	-	IV
	Polished	All Colours Shown	Dry 36+ Wet 0 – 24	-	-	-	IV
Hex25	Natural	Black, Kale, Moss, Mid Blue & Red	Dry 36+ Wet 0 – 24	-	R9	-	III
		All Other Colours	Dry 36+ Wet 0 – 24	-	R9	-	IV
	Antislip	Black	Dry 36+ Wet 36+	-	R10	-	III
		All Other Colours	Dry 36+ Wet 36+	-	R10	-	IV
Hudson	Natural	Brooklyn	Dry 36+ Wet 36+	-	R10	-	II
		All Other Colours	Dry 36+ Wet 36+	-	R10	-	IV
Imperial	Natural	All Colours Shown	Dry 36+ Wet 0 – 24	-	-	-	-
	Polished	All Colours Shown	Dry 36+ Wet 0 – 24	-	-	-	-
Kerastar	Matt	All Colours Shown	Dry 36+ Wet 25 – 35	-	R9	A	-
	Natural	All Colours Shown	Dry 36+ Wet 36+	-	R10	A	-
	Natural Tactile	All Colours Shown	-	-	R10	B	-
	Polished	All Colours Shown	Dry 36+ Wet 0 – 24	-	-	-	-
	Structured Rocktop	All Colours Shown	Dry 36+ Wet 36+	36+	R11	C	-
	Structured Triface	All Colours Shown	Dry 36+ Wet 36+	36+	R12	C	-
	Structured Suretread	All Colours Shown	Dry 36+ Wet 36+	36+	R11	B	-
Kielder	Natural	Midnight Forest	Dry 36+ Wet 25 – 35	-	-	-	I
		All Other Colours	Dry 36+ Wet 25 – 35	-	-	-	II
Kyoto	Matt	Natural & Grey	Dry 36+ Wet 25 – 35	-	R10	-	III
		Natural & Grey Décors	Dry 36+ Wet 0 – 24	-	R10	-	III

Range	Finish	Colour	PTV (4S)		PTV (TRL)	R Value	Wet Ramp	PEI
Kyoto	Matt	Graphite	Dry 36+	Wet 25 – 35	-	R10	-	II
		Graphite Décor	Dry 36+	Wet 0 – 24	-	R10	-	II
Labyrinth	Natural	Calacatta	Dry 36+	Wet 25 – 35	-	R9	-	IV
		Wood Dark	Dry 36+	Wet 25 – 35	-	R10	-	II
		All Other Colours	Dry 36+	Wet 25 – 35	-	R10	-	III
Lucca	Natural	All Colours Shown	Dry 36+	Wet 36+	-	R10	-	IV
Luxe	Natural	All Colours Shown	Dry 36+	Wet 25 – 35	-	R9	A	-
	Polished	All Colours Shown	Dry 36+	Wet 0 – 24	-	-	-	-
Malvern	Natural	All Colours Shown	Dry 36+	Wet 25 – 35	-	R10	-	IV
	Grip	All Colours Shown	Dry 36+	Wet 36+	36+	R11	-	IV
Method	Natural	All Colours Shown	Dry 36+	Wet 36+	-	R10	B	-
	Lapato	All Colours Shown	Dry 36+	Wet 0 – 24	-	-	-	-
Milano	Natural	All Colours Shown	Dry 36+	Wet 36+	-	R10	-	-
Minerals	Natural	All Colours Shown	Dry 36+	Wet 25 – 35	-	R9	A	-
	Bush Hammered	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R10	B	-
	Grip	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
	Grip+ 2cm	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
Newark	Natural	Bone & Ivory	Dry 36+	Wet 36+	-	R10	C	IV
		Grey	Dry 36+	Wet 36+	-	R10	C	III
	Grip	Bone & Ivory	Dry 36+	Wet 36+	Wet 36+	R11	-	IV
		Grey	Dry 36+	Wet 36+	Wet 36+	R11	-	III
Oslo	Natural	All Colours Shown	Dry 36+	Wet 36+	-	R10	A	IV
	Grip	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	B	IV
Oxide	Natural	Bronze & Dark Grey	Dry 36+	Wet 36+	-	-	-	III
		Light Grey	Dry 36+	Wet 36+	-	-	-	IV
Parade	Polished	All Colours Shown	Dry 36+	Wet 0 – 24	-	-	-	-
Portland	Natural	All Colours Shown	Dry 36+	Wet 25 – 35	-	R10	B	-
	Grip	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
	Grip+ 2cm	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
Rebus	Natural	All Colours Shown	Dry 36+	Wet 25 – 35	-	R10	B	-
	Grip	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
	Grip+ 2cm	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
Refine	Natural	All Colours Shown	Dry 36+	Wet 25 – 35	-	R9	A	-
	Grip	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
	Grip+ 2cm	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
Riverstone	Natural	White	Dry 36+	Wet 36+	-	R10	-	IV
		Light Grey	Dry 36+	Wet 25 – 35	-	R10	-	III
		All Other Colours	Dry 36+	Wet 36+	-	R10	-	III
Roma	Natural	All Colours Shown	Dry 36+	Wet 0 – 24	-	R9	-	IV
Savoy Floor	Natural	All Colours Shown	Dry 36+	Wet 36+	-	-	-	IV
Sloan	Natural	All Colours Shown	Dry 36+	Wet 0 – 24	-	R10	A	-
	Polished	All Colours Shown	Dry 36+	Wet 0 – 24	-	-	-	-
	Bush Hammered	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	C	-
Stamford	Natural	Bone	Dry 36+	Wet 36+	-	R10	C	IV
		Silver & Charcoal	Dry 36+	Wet 36+	-	R10	C	III
		Pebble	Dry 36+	Wet 36+	-	R10	C	II
	Grip	Bone	Dry 36+	Wet 36+	Wet 36+	R11	-	IV
		Silver & Charcoal	Dry 36+	Wet 36+	Wet 36+	R11	-	III
		Pebble	Dry 36+	Wet 36+	Wet 36+	R11	-	II
Status	Matt	All Colours Shown	Dry 36+	Wet 0 – 24	-	R9	-	-
	Natural	All Colours Shown	Dry 36+	Wet 36+	-	R10	-	-
	Bush Hammered	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	R11	-	-

Range	Finish	Colour	PTV (4S)		PTV (TRL)	R Value	Wet Ramp	PEI
Stoneleigh	Natural	Ivory & Grey	Dry 36+	Wet 25 – 35	-	R10	-	IV
		Charcoal	Dry 36+	Wet 25 – 35	-	R10	-	II
	Polished	Ivory & Grey	Dry 36+	Wet 0 – 24	-	-	-	IV
		Charcoal	Dry 36+	Wet 0 – 24	-	-	-	II
	Grip	Ivory & Grey	Dry 36+	Wet 36+	Wet 36+	R11	-	IV
		Charcoal	Dry 36+	Wet 36+	Wet 36+	R11	-	II
Tetra	Natural	Slate & Graphite	Dry 36+	Wet 25 – 35	-	-	-	-
		All Other Colours	Dry 36+	Wet 0 – 24	-	-	-	-
	Lapato	All Colours Shown	Dry 36+	Wet 0 – 24	-	-	-	-
	Grip	All Colours Shown	Dry 36+	Wet 36+	Wet 36+	-	-	-
Tuscany	Matt	Biscuit & Tan	Dry 36+	Wet 25 – 35	-	R10	-	III
		All Décor Colours	Dry 36+	Wet 25 – 35	-	-	-	III
	Gloss	White	Dry 36+	Wet 0 – 24	-	-	-	IV
		Lemon & Pistachio	Dry 36+	Wet 0 – 24	-	-	-	III
		All Other Colours	Dry 36+	Wet 0 – 24	-	-	-	II
Verso	Natural	All Colours Shown	Dry 36+	Wet 36+	-	-	-	IV
Zodiac	Natural	Gunmetal	Dry 36+	Wet 25 – 35	-	R10	A	III
		Nickle	Dry 36+	Wet 25 – 35	-	R10	A	V
		All Other Colours	Dry 36+	Wet 25 – 35	-	R10	A	IV
	Natural Slate	Gunmetal	Dry 36+	Wet 36+	-	R10	A	III
		Nickle	Dry 36+	Wet 36+	-	R10	A	V
		All Other Colours	Dry 36+	Wet 36+	-	R10	A	IV
	Natural Textured	Gunmetal	Dry 36+	Wet 36+	Wet 36+	R11	C	III
		Nickle	Dry 36+	Wet 36+	Wet 36+	R11	C	V
		All Other Colours	Dry 36+	Wet 36+	Wet 36+	R11	C	IV
	Natural Rock	Gunmetal	Dry 36+	Wet 36+	-	R10	B	III
		Nickle	Dry 36+	Wet 36+	-	R10	B	V
		All Other Colours	Dry 36+	Wet 36+	-	R10	B	IV











Note: Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, please refer to our website for the most up-to-date information. The slip resistance properties of a surface can only be maintained with the implementation of an effective regular cleaning and maintenance regime. The frequency of cleaning should be determined by the property manager based on the potential level of surface contaminants. The need for an additional regular cleaning and maintenance regime is further heightened when tiles are used for external floor and wet barefoot applications. PTV (4S): Pendulum Test Value – Slider 96. PTV (TRL): Pendulum Test Value – Slider 55. R Value (DIN 51130). Wet Ramp (DIN 51097). PEI: Porcelain Enamel Institute.

Physical Properties - Ceramic

Test / Standard	Requirement	Test Result
 Length / Width EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
 Thickness EN ISO 10545 - 2	± 1.0% ≤ ± 0.5mm	Pass
 Rectangularity EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
 Surface Flatness EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
 Water Absorption EN ISO 10545 - 3	10% to 20%	Pass
 Modulus of Rupture EN ISO 10545 - 4	Min. 15N / mm²	Pass
 Frost Resistance EN ISO 10545 - 12	-	Not Suitable
 Chemical Resistance EN ISO 10545 - 13	Min. Class B	Pass
 Stain Resistance EN ISO 10545 - 14	Min. Class 3	Pass
 Fire Rating	-	Class A1 Non Combustible

Note: All Ceramic [BIII] and Porcelain [BIIa] products listed in this brochure conform to BS EN 14411. Please contact our technical advice helpline for physical properties information on any alternative material types shown in this brochure.

Physical Properties - Porcelain

Test / Standard	Requirement	Test Result
 Length / Width EN ISO 10545 - 2	± 0.6% ≤ ± 2mm	Pass
 Thickness EN ISO 10545 - 2	± 5% ≤ ± 0.5mm	Pass
 Rectangularity EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
 Surface Flatness EN ISO 10545 - 2	± 0.5% ≤ ± 0.5mm	Pass
 Water Absorption EN ISO 10545 - 3	≤ 0.5%	Pass
 Modulus of Rupture EN ISO 10545 - 4	Min. 35N / mm²	Pass
 Frost Resistance EN ISO 10545 - 12	Resistant	Resistant
 Chemical Resistance EN ISO 10545 - 13	Min. Class B	Pass
 Stain Resistance EN ISO 10545 - 14	Min. Class 3	Pass
 Fire Rating	-	Class A1_{FL} Non Combustible

Installation Advice

Codes of Practice

All fixing of floor and cladding tiles should be in accordance with the following codes of practice guidelines:

BS5385 Part 1 - 2018

Design and installation of internal ceramic, natural stone and mosaic wall tiling in normal conditions.

BS5385 Part 2 - 2015

Design and installation of external ceramic, natural stone and mosaic wall tiling in normal conditions.

BS5385 Part 3 - 2014

Design and installation of internal and external ceramic and mosaic floor tiling in normal conditions.

BS5385 Part 4 - 2015

Design and installation of ceramic and mosaic tiling in specific conditions.

BS5385 Part 5 - 2009

Design and installation of terrazzo, natural stone, and agglomerated stone tile and slab flooring.

BS8000 Part 11 - 2011

Workmanship on building sites. Internal and external wall and floor tiling. Ceramic and agglomerated stone tiles, natural stone and terrazzo tiles and slabs and mosaics.

B111 (Ceramic) tiles smaller than 400x300mm require the use of an adhesive with a D1 or D2 classification. Larger tiles require an adhesive with C2 classification.

Bla (Porcelain) tiles require the use of a polymer modified adhesive with a classification of C2* and grouts specifically formulated for the fixing and grouting of porcelain tiles.

** Check with the adhesive manufacturer for additional C1 product suitability.*

Substrates

Before tiling is commenced it is important to ensure that the correct minimum curing periods have been observed for all substrates:

Concrete (6 Weeks)

Screed - Non Modified (3 Weeks)

Rendering - Non Modified (2 Weeks)

Gypsum Plastering (4 Weeks)

Brickwork / Blockwork (6 Weeks)

Accuracy of the substrate must be checked to ensure that the guidance given in BS5385 has been achieved i.e. 'local variations in level for a nominally flat floor or wall should be such that, when checked with a 2m

straight-edge, any gap under the straight-edge between points of contact does not exceed 3mm".

Movement Joints

The location, type and scope of all movement joints must be ascertained prior to any fixing works. All structural joints must be followed through to the face of the tile at full width with intermediate movement joints (minimum 6mm wide) being situated at:

Changes of Plane (Incl. Wall Corners)

Wall / Floor Junctions

Where Tiling Abuts Other Materials

Additionally at 3 to 4.5m maximum centres for wall tiling and 8 to 10m maximum bay centres for floor tiling (in suspended floors the bay dimensions should be reduced by providing additional joints over supporting walls and beams).

Movement joints can either be filled with a suitable backer, bond breaker and filler (e.g. silicone for walls tiles only or epoxy polysulphide for floor and wall tiles – please check with manufacturer for suitability) or be of the pre-formed variety.

Design / Layout

Consideration to locations of plane changes and room sizes should be undertaken to ensure the best tile size is selected to minimise cutting and improve aesthetics.

Adhesives

Adhesives should be in accordance with BS EN 12004, Class D1 or D2 for ceramic tiles and Class C2 or C1* for porcelain tiles. Particular adhesive choice will be governed by the type of substrate.

** Check with the adhesive manufacturer for additional C1 product suitability.*

Johnson Tiles recommends the use of Norcros Adhesives products – see below:

Ceramic Tiles (B111)

Substrate	Product
Concrete	One Part Flexible
Sand / Cement Screed	One Part Flexible
Brick / Blockwork	One Part Flexible
Plaster Gypsum	One Part Flexible
Plasterboard	One Part Flexible

Epoxy Grouts

It is essential that ALL residue must be removed from the surface of the tiles during the grouting process and before the resin cures. Failure to achieve this will result in a very difficult and expensive process using gel-type epoxy removers.

Routine Cleaning

The regular use of detergents or other cleaning agents, which are excessively acidic or alkaline could cause irreversible damage to the ceramic tile surface. Degreasing agents that contain wax, sodium silicate or other additives which leave sticky deposits and thus retain dirt should be avoided. Oil residues or build-ups of wax can be removed with a proprietary wax and polish remover.

Manual Cleaning

In normal conditions tiles require little maintenance and can be easily kept clean by sweeping and then mopping with warm water to which a neutral or nearly neutral detergent has been added. The cleaning solution should remain on the floor for 5 to 15 minutes (see manufacturers instructions) to allow it to penetrate and emulsify the dirt after which it should be removed by rinsing thoroughly with clean water. The rinsing process removes the dirt so the use of clean water is important.

Mechanical Cleaning

For larger floor areas or areas of textured tiles the use of a rotary scrubbing machine is recommended (machines should not be used at speeds in excess of 450rpm). The choice of brush type is very important. Union mix brushes are suitable for light washing and scrubbing, polypropylene brushes are suitable where dirt deposits are especially heavy. The cleaning solution should remain on the floor for 5 to 15 minutes (see manufacturers instructions) after which a secondary scrubbing action and clean mop or suction should be undertaken to remove the solution and dirt.

Porcelain Tiles (Bla)

Substrate	Product
Concrete	Rapid Porcelain / Flexible
Sand / Cement Screed	Rapid Porcelain / Flexible
Wood Floors	Rapid Porcelain / Flexible*
Brick / Blockwork	Rapid Porcelain / Flexible
Plaster Gypsum	Rapid Porcelain / Flexible
Plasterboard	Rapid Porcelain / Flexible**

** Overlay with minimum 15mm WBP / Marine Ply and Prime using Norcros Adhesive Prime and Seal.*

*** Prime using Norcros Adhesive Prime and Seal.*

Grouts

The choice of grout type should reflect the expected service conditions of the installation.

For general internal wall tiling in dry conditions and walls subject to frequent wetting i.e. showers and pool halls, use Norcros Adhesives 4 in 1 Cement Based Grout – classified as CG2.

For walls where hygiene is important i.e. commercial kitchens and hospitals, use Norcros Adhesives Super Epoxy Grout – classified as RG1.

For general floor tiling use Norcros Adhesives 4 in 1 Flexible Wall and Floor Tile Grout – classified as CG2.

For floors subject to frequent wetting i.e. showers and pool halls, use Norcros Adhesives 4 in 1 Flexible Wall and Floor Tile Grout – classified ad CG2 (hard water areas) or Norcros Adhesives Super Epoxy Grout – classified as RG1 (soft water areas).

For specific adhesive and grout advice, please contact Norcros Adhesives' technical helpline on +44 (0) 1782 524 140.

Fixing Tiles

All tiles should be fixed with a solid bed of adhesive, this ensures maximum durability and strength within the installation and long term adhesion performance. This is achieved with the use of a notched solid bed trowel. It is good practice to periodically remove a recently fixed tile to ensure that the correct bedding is being achieved and maintained. When fixing all tiles care must be taken to ensure that no lipping of tiles occurs.

All tiles shown in this brochure are recommended to be fixed with a nominal 3mm wide joint.

High Pressure Cleaning

Tiles seldom require the use of high-pressure cleaning. Whilst the process will not damage the tiles care must be taken to avoid erosion of the grout. To minimise grout erosion ensure that the water beam is continually moved from side to side and not allowed to concentrate on the grouted joints. Water containing abrasives or steam cleaners should not be used on ceramic tiles.

Wet Areas

Wet barefoot areas may attract build-ups of body fats, soaps, oil residues and organic growth. To prevent these a mildly acidic cleaning agent used regularly is preferable. If build-up has been allowed a preliminary deep clean with a proprietary cleaner is required followed by regular use of a mildly acidic cleaning agent solution.

Periodic Deep Cleaning

Occasionally foreign matter may cause surface marks that cannot be removed with the usual cleaning processes and materials. If the surface mark cannot be removed, other materials should be considered (it's advisable to experiment on a small inconspicuous area):

Paint – Paint Remover

Organic Stains – Bleach / Washing Soda

Rust – Masonry Cleaner

Oil / Fat / Grease – Detergent or Degreaser

Mould Growth – Bleach / Proprietary Cleaner

Tea / Coffee / Ink – Bleach / Proprietary Cleaner

Abrasive powders or cleaners should never be used on glazed or polished tiles.

Accessibility and Support

The Equality Act 2010 has replaced the Disability Discrimination Act and in general, carries forward the protection that the Disability Discrimination Act provided for disabled people. The Disability Discrimination Act was repealed in October 2010.

The Equality Act requires accessible environments to be provided for disabled people, either in their place of work or for access to goods, services or facilities (public spaces). Those commissioning new buildings or adaptations to existing buildings must consider the implications of the Equality Act and their ability to provide buildings that do not discriminate against disabled people (physical or mental impairments).

Colour Reflectance (Contrast)

The Equality Act gives guidance on good visual contrast for the visually impaired between various elements of a building by the use of Light Reflectance Values (LRV).

LRV is a general term for contrast and is measured as the proportion of useful light reflected by a

Pendulum Test Values (PTV)

The slip resistance of a floor finish is the most important safety consideration. Effective and suitable slip resistant characteristics will reduce the likelihood of slipping; particularly for older, mobility and visually impaired people.

Pendulum tests are the standard and preferred Heath and Safety Executive (HSE) test method for the assessment of floor slipperiness in both dry and contaminated (wet) conditions. This portable test can be used to test floor products in both laboratory and real world locations and conditions and uses a swinging test apparatus which simulates the act of walking.

Based on recommendations from the HSE, you should use floor finishes that achieve a Pendulum 4S (Slider 96) of 36+ for shod foot areas, and / or a Pendulum TRL (Slider 55) of 36+ for wet barefoot areas, to achieve a low slip potential environment. The table below illustrates how the HSE categorise the results from the Pendulum tests for both the 4S Slider 96 and TRL Slider 55:

0 - 24 (High Slip Potential)

25 - 35 (Moderate Slip Potential)

36+ (Low Slip Potential)

Pendulum 4S and TRL results shown are based on Johnson Tiles' internal test reports along with information available at the time of print and are to be used for guidance purposes only. Project specific requirements should be used and checks should be made so that the requirements at the time of specification are incorporated. Further information is available from – www.hse.gov.uk

R Values

German ramp tests are used to generate the R Values (DIN 51130) used most commonly in Northern Europe. This test can only be carried out in laboratory conditions, so this does not allow for the testing of materials in real world locations. DIN 51130 (R Values) is a shod foot test which uses oil as a contaminant. These results are interpreted into five groups:

R9 (6° to 10°)

R10 (11° to 19°)

R11 (20° to 27°)

R12 (28° to 35°)

R13 (>35°)

R Value ratings have generally been used to assess product suitability in the UK. However, this is changing dramatically following recommendations from the HSE with the preferred test method being the Pendulum test.

coloured object, floor, wall or ceiling. LRV is measured on a scale of 0 to 100 where 0 is perfect black and 100 perfect white (in reality 0 and 100 are unobtainable colours). According to NCS Colour Centre in practical terms black is approx 6 and white approx 85.

The current guidelines from Building Regulations Approved Document M on contrast are that a minimum difference of 30 LRV points should be specified for adjacent surfaces to ensure that visually impaired people are not discriminated against. In a specific example of ceramic tiles this difference should be between:

Floors to Walls

Ceiling to Walls

Handrails to Walls

Sanitary Fittings to Walls

The visual contrast between floors and walls is important in enabling visually impaired people to assess and gauge the size and shape of a room.

Wet Ramp

German ramp tests are used to generate the ABC ratings (DIN 51097) used most commonly in Northern Europe. This test can only be carried out in laboratory conditions, so this does not allow for the testing of materials in real world locations. DIN 51097 is a wet barefoot test in which a soap solution is applied as a contaminant, the results from this test are placed into one of the following three categories:

Class A (12° to 17°)

Class B (18° to 23°)

Class C (>23°)

ABC ratings have generally been used to assess product suitability in the UK. However, this is changing dramatically following recommendations from the HSE with the preferred test method being the Pendulum test.

PEI Ratings and Traffic

Porcelain Enamel Institute (PEI) ratings refer to the surface abrasion resistance of a glazed floor tile. The test is only used for glazed tiles. Through-body porcelain and un-glazed porcelain are tested using the EN ISO 10545-6 Deep Abrasion Test. All glazed floor tiles shown in this brochure are rated with a PEI value which in turn gives a foot traffic suitability recommendation, these values and recommendations are split into the following five categories:

PEI I (Light Domestic Traffic)

Floors walked on with soft soled footwear with no scratching dirt – for example: residential bathrooms without direct outside access, en-suite bathrooms etc.

PEI II (Domestic Traffic)

Floors walked on with soft soled or normal footwear with no scratching dirt – for example: residential bathrooms without direct outside access, en-suite bathrooms etc.

PEI III (Light Commercial Traffic)

Floors walked on with normal footwear with small amounts of scratching dirt – for example: residential halls, corridors, kitchens or conservatories.

PEI IV (Commercial Traffic)

Floors walked on by regular traffic with the presence of some scratching dirt but more severe than PEI III's – for example: hotels, restaurants and shops without direct external access.

PEI V (Heavy Commercial Traffic)

Floors subject to severe pedestrian traffic over sustained periods with the presence of some scratching dirt – for example: shopping centres, hotel foyers, commercial floors, institutional uses etc.

The greatest visual contrast must occur where the floor meets the wall (skirting) as this gives the most accurate visual indication of the extent of the room. Where provided, skirtings should contrast visually with the floor and be similar in colour and tone to the wall surface.

This information is not exhaustive and the requirements at the time of specification must be checked. BS8300:2001 Amendment 1 indicates that there is anecdotal evidence to suggest that a 20 point LRV difference may be sufficient – especially where large adjacent areas are involved.

It must be noted that the guidance on LRV values given in this brochure is correct at the time of print. This is a subject that may be reviewed by the regulatory body at any time so it is advisable to check the guidelines at the time of specification of product.

The Equality Act details given in this brochure are to be used as an outline guide only and are the details as Johnson Tiles understand them at the time of print. Further qualified advice should be sought if any of the details given above are in doubt.

Colour Shade Variation (CSV)

Colour Shade Variation (CSV) values are assigned to wall and floor tiles within this brochure. These values are to be used for guidance only. Shade, colour and pattern variation are inherent characteristics of all ceramic and porcelain tiles. CSV is split into four categories:

V1 (Low Shade Variation)

When installed and mixed correctly the effect is a consistent overall appearance.

V2 (Low to Moderate Shade Variation)

When installed and mixed correctly the effect is a finish with subtle shade differences.

V3 (Moderate to High Shade Variation)

When installed and mixed correctly the effect is a finish with a moderate degree of shade variation.

V4 (High Shade Variation)

When installed and mixed correctly the effect is a finish with a high degree of shade variation.

General Information

During the manufacturing process of ceramic and porcelain tiles, some variation in shade and pattern can occur. Before fixing any tiles, several boxes should be opened and their contents mixed to ensure that size, colour, shade and patterning are acceptable. The tiles shown are quality products and conform to the physical properties listed in this brochure.

All sizes shown are metric modular.

For specific suitability and fit-for-purpose details please contact our technical helpline.

Johnson Tiles cannot accept responsibility for any tiles that have been fixed.

Every effort has been made to ensure the accuracy of the information given.

Johnson Tiles reserves the right to change specifications and availability without prior notice.

Nothing in these statements does or will affect the statutory rights of the consumer.

© Johnson Tiles, Johnson, Absolute and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R Johnson Tiles Limited and licensed to Norcros Group (Holdings) Limited trading as Johnson Tiles.

© 2021 Johnson Tiles. All rights reserved.

Handwriting practice area with 20 sets of dashed lines on a light blue background.

Handwriting practice area with 20 sets of dashed lines on a light blue background.

We hope this brochure has provided you with information and inspiration that will be of value in the planning of your next commercial project. If you're seeking high quality products, excellence in design and industry leading service, Johnson Tiles is the right choice for you.

Please don't hesitate to get in touch if you'd like to know more about our product offering and achievements in any of the following sectors: Residential, Hospitality, Care or Special Products.

WHERE TO FIND US.

Johnson Tiles Head Office

Harewood Street, Tunstall,
Stoke on Trent, Staffordshire,
ST6 5JZ, UK

Tel: +44 (0)1782 575 575
Email: info@johnson-tiles.com



Material Lab Studio

10 Great Titchfield Street,
London, W1W 8BB, UK

Tel: +44 (0)20 7436 8629
Email: info@material-lab.co.uk
www.material-lab.co.uk



General Enquiries

Tel: +44 (0)1782 575 575
Email: Info@johnson-tiles.com

Customer Services

Tel: +44 (0)1782 524 000
Email: sales@johnson-tiles.com

Samples Ordering

Tel: +44 (0)1782 524 043
Email: samples@johnson-tiles.com

Technical Advice

Tel: +44 (0)1782 524 111
Email: ddunlop@johnson-tiles.com

JOHNSON • TILES 
MADE IN THE UK SINCE 1901

Johnson Tiles is a division of Norcros Group (Holdings) Limited,
Ladyfield House, Station Road, Wilmslow, Cheshire, SK9 1BU,
United Kingdom. Registered in England number 566694.