
# RESIDENTIAL

Let's Work together.









# WE ARE THE UK'S **ONLY LARGE-SCALE MANUFACTURER** OF CERAMIC TILES.

50. Atrium

51. Rebus

52. Marco

53.

54.

Ashlar

55. Fitzrovia

59. Darlington

62. Melford Marble

MARBLE

58. **Luxx** 

60. Glide

61. Bianco

63. Siena

66. Galloway

69. Labyrinth

67. Kielder

68. **Oslo** 

70. Loft

71. Drift

WOOD

Savoy Floor

#### CONTENTS.

- 04. Welcome
- 06. Made in the UK. Since 1901
- 08. We Make It. Sustainable
- 10. First Class Service
- 12. Product Inspiration

#### 22. Product Choice

#### STONE

- 26. Portland
- 27. Haven 28. Minerals
- 29. Minerals Wall
- Imperial
- 31. Hudson
- 32. County
- 33. Natural Tones
- 34. Refine
- 35. Refine Wall
- 36. Riverstone
- 37. Cambridge
- 38. Brics
- 39. Harbour
- 40. Lagos Classics 41.
- Roma
- 43. City Touchstone
- 44. Boundary
- 45. Echo
- 46. Terrazzo
- 47. Arlo
- Case Studies
- Par 3 Development by Cyden Homes
- 104. Greenwich Townhouse by The 2LG Studio
- Wedgwood Park by David Wilson Homes
- Luxury Loft Living by The Drapery Apartments
- II2. Juniper House by The 2LG Studio
- ARL Developments by Gladman Homes
- Luxury Apartments by Local Blackfriars
- 120. Let's Work Together
- 122. Technical and Important Information

#### COLOUR

- 74. Prismatics 76. Savoy Wall
- 78. South Bank
- 79. **1901**
- 80. Melrose
- Duplet 81.
- Verso 82. Form 83.
- 84. Tones
- Bevel Brick 86.
- 87. Kensington
- 88. Studio
- Threads 89.
- 90. Monochrome
- 91. Devonshire
- Chroma 93. Parade

#### WHITE

- 96. Arctic White
- 97. Eminence
- 98. Polar White
- 99. Tundra

- Kingswood Manor by Macbryde Homes
- **Bollin Park** by David Wilson Homes


## **WELCOME**


Here at Johnson Tiles, we understand that each and every residential development is different. Our residential product portfolio has been curated with these varying needs in mind, catering for all design styles and application types.

Beautifully designed, precision-manufactured, and endlessly versatile, our wall and floor tiles are at home in every kind of residential setting. From affordable style to bespoke one-off creations, Johnson Tiles covers every preference and price point.

Beyond our market-leading products, we excel at meeting our customers' needs seamlessly and efficiently, regardless of the project size, budget constraints or schedule. We're utterly dedicated to helping every customer get the very best from our tiles.

All of which explains why, right across the residential sector, Johnson Tiles is trusted to deliver in full, on time, every time.







## MADE IN THE UK. SINCE 1901

Johnson Tiles is the UK's only large-scale manufacturer of ceramic tiles. Since 1901 we've been designing and making the finest selection of ceramic wall tiles, right here in the UK. Our portfolio of sustainable, British-made products is strengthened by complementary sourced collections of ceramic and porcelain floor and wall tiles.

Being a celebrated UK heritage brand is part of our culture, but the Johnson Tiles success story is built on innovation. With I 20 years' experience, we are consistently raising the bar in terms of inspirational design, quality of service, and sustainability leadership.



Based In The Potteries' Heartland



Supporting & Buying Local



Finest Quality Products



Unrivalled Investment In Stocks



Sustainability Leadership For Over 20 Years





First Class
Customer
Service &
Experience



For further information, simply visit the Our Company section of our website-www.johnson-tiles.com/about/company section of our website-www.johnson-tiles.com/about/c



### WE MAKE IT. SUSTAINABLE

Proudly operating from our home in the Potteries' heartland of Stoke-on-Trent, our commitment to sustainable manufacturing has seen us develop over 50 eco-friendly ranges, inspiring and enhancing projects around the world.

It's not just what we make, but how we make it. We've dedicated over two decades to finding better ways to operate across every aspect of our business by cutting energy consumption, diverting waste and reducing carbon emissions and we are now the only UK tile manufacturer to hold an EPD certificate! Our Environmental Product Declaration transparently communicates the environmental performance and impact of our tiles over their lifetime, and it signals our commitment to measuring the environmental impacts of our products and the strive to discover ways to further reduce this.

We have also carefully calibrated our ceramic recipe to ensure that every single tile we manufacture contains up to 20% recycled ceramic material as part of our pioneering ceramic waste recycling system.

Our latest initiative has seen us eradicate single-use plastics from the packaging solution of our UK-manufactured ceramics, making us the first tile manufacturer to do so. The packaging components of our pallets are: 100% recycled and recyclable cardboard; our carbon neutral, 100% recyclable, plant-based sugar cane wrap; and re-used, re-usable wooden pallets.

We're constantly improving, making sure our setup isn't just world class, but also making a difference on the issues that impact us all, at a local and global level.



Environmental Product Declaration Certification

&Water

Recycling

Initiatives



Single-use Plastics Packaging

Repair &

Pallets

Recycling

Of Wooden







100% Recycled Packaging




Saving Paper Through Digital Initiatives




Reduction in Carbon Emissions

For further information, simply visit the Sustainability section of our website - www.johnson-tiles.com/about/sustainability







## FIRST CLASS SERVICE

Here at Johnson Tiles, we don't just design and manufacture amazing products, we deliver on excellent service too. As part of a comprehensive suite of services, we provide industry leading bespoke buying guides, showcasing a tailored product selection to suit any residential development. Accompanying sample hand board packs are also available, customised for the requirements of any site or product selection. Clearly and easily display your development details with our first-class support materials.

We also offer a free CAD design service for all contract tiling applications. Our in-house team uses the latest digital software to create bespoke fixing and installation layouts. A free Bill of Quantity service is also offered in conjunction with the CAD design service. The quantities can be extracted from drawings sent to us, or from drawings created in-house.

Our Technical Support team can produce detailed reports in the M40 format. This gives comprehensive guidelines of product suitability, adhesive and grout selection, background suitability and preparation guidance.

You spec it – we'll stock it! Specify any selection of our products on your residential development and we guarantee that we'll stock it right here in the UK at our manufacturing hub in the Potteries. Have peace of mind that your bespoke specification is on hand, exactly when you need it.

And, with an extensive distribution network, we can arrange delivery direct to site, creating even more flexibility. Our responsive logistics team can also arrange next day deliveries for those occasions where schedules are tight and a fast turn-around is essential.

Plus, complete your project with Norcros Adhesives products and you'll qualify for a 25-year guarantee!

With our extensive list of ancillary services, you can be assured that Johnson Tiles is the right supplier for you.





Inspiration can be found anywhere. Our in-house Design and Development teams search the world to find new and inspiring materials and ideas. Driven by creative passion, influence is drawn from everywhere, from the colours and tones of nature to the details of world architecture. Our design experience and technical excellence transform this journey into unique tiles and products.

We're always happy to share our creativity with customers and clients in search of design inspiration, offering expert advice on design schemes, adding our experience to layouts and bespoke installations, or finding a product to match each individual creative vision.

Whatever the project, however large or small the budget and no matter how demanding the technical challenges, Johnson Tiles is perfectly placed to match your requirements.

Over the next few pages, discover a curated collection of inspirational photography for all aspects of the home, from bathrooms and kitchens to living areas and outdoor spaces. This is followed by a hand-picked selection of our product ranges, perfect for any and all residential applications... Welcome to our world!






# **BATHROOMS**

Create a relaxing oasis to retreat to with our collection of bathroom and en-suite wall and floor tiles. Incorporate different size formats, finishes, mosaics, or textures for striking interior designs, perfect for any size and style of project.















14

# **KITCHENS**

As the heart of the home the kitchen reflects individual style. From nature-inspired wood effect products to striking terrazzo designs, slim brick wall tiles to large-format floor tiles, we invite you to experiment with textures and colours for limitless creativity.

















# LIVING AREAS

Whether it's the hallway, utility, bedroom, or lounge, we have tiles for the whole home; tiles to live with. Traditional or contemporary wall tiles provide the 'wow' factor and match with hard-wearing, stylish floor tiles for a stunning end result.















# **OUTDOOR SPACES**

Make the most of your natural surroundings by extending living spaces to the outdoors. We have an array of products suitable for external use, combining performance with style. Carry features such as colour palettes from the indoors out, to create a sense of continuity and maximise space.

















## **PRODUCT CHOICE**

We have an inspirational range of tiles covering all size formats, styles, shapes, and colours. Our portfolio consists of 3 product collections: Intro, Select and Absolute. Navigate through the entire selection, co-ordinating both colour and style. Whatever your budget, we're confident we have what you're looking for.

Echo the characteristics of stone, concrete, marble, or wood. Go for bold and striking results with our solid colour ranges. Or opt for understated elegance with our simple white products. Our portfolio offers products that are ideal for all wall and floor applications, including options for wet room areas and even extending tiling outdoors.







2

#### **PORTLAND**

PORCELAIN | FLOOR & WALL TILES

Slate



STONE 2CM STRUCTURE (ABSOLUTE)




Slate

Linear Structure







Basalt




Basalt









Sizes: PFW 1200x600x10mm / 1200x600x20mm / 900x900x10mm / 600x600x10mm / 600x600x20mm / 600x300x10mm (Co-ordinating mosaics and fittings are also available)

Slate

Stone

Finishes: PFW Natural / Grip (PTV 4s 36+ and PTV TRL 36+) / Grip+ 2cm (PTV 4s 36+ and PTV TRL 36+)

"Portland features a smoky colour palette composed of tones of Flint, Stone, Slate, and Basalt. Portland effortlessly delivers on style, showcasing a weathered stone effect available in large format sizes ranging from 600x300mm up to 1200x600mm. Co-ordinating raised linear and inverted dot structure options provide textured flair and a PTV 36+ slip resistance rating. With a Grip+ 2cm finish also available in certain colours, Portland is synonymous with performance and presence."











Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### **HAVEN**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE SELECT











Sand

Slate

Sand

Pebble









Slate

Finishes: W Matt PFW Matt (PTV 4S 36+)

"A beautiful range of stone effect tiles that faithfully replicate genuine cross-cut stone with mineral veins and layered detail, Haven is ideal for those wanting to inject some nature-inspired elegance into their interiors. With three neutral colour options of Sand, Pebble, and Slate, Haven also features a contemporary scored tile providing a mixed format feature. Add extra interest to your walls with the Sandbar structure finish inspired by natural sand ridges found on the beach."



















### **MINERALS**

PORCELAIN & CERAMIC | FLOOR & WALL TILES



STONE 2CM (ABSOLUTE)









Pebble







Charcoal

Flint Slate

Sizes: PFW 2700x1200x6mm / 1200x1200x9mm / 1200x1200x20mm / 1200x600x9mm / 900x900x9mm / 900x900x20mm / 900x450x9mm /

600x600x9mm / 600x300x9mm / 600x100x9mm / 600x50x9mm(Co-ordinating mosaics and fittings are also available)

Finishes: PFW Natural / Bush Hammered (PTV 4S 36+ and PTV TRL 36+) / Grip (PTV 4S 36+ and PTV TRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

☑ W 2700x900x6mm Ductile /

1200x600x6mm Ductile

"Minerals offers an on-trend colour palette of seven neutral shades from Chalk to Charcoal, showcasing an elegant stone effect, perfect for tranquil spaces. Varied finishes include Natural, Bush Hammered, Grip and Grip+ 2cm to deliver on performance. With a wide selection of ten sizes available, ranging from strips of 600x50mm all the way up to 2700x1200mm, Minerals is versatile in its applications, with co-ordinating mosaics and skirtings also featured."



















Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### MINERALS WALL

GLAZED CERAMIC | WALL TILES





Chalk

Limestone







Chalk





Dolomite









Flint Linear Structure

Sizes: W 900x300x11mm

Finishes: W Natural

"Experiment with texture with the Minerals Wall collection. Geometric patterning comes to the fore in three varied finishes available across four neutral tones of Chalk, Dolomite, Limestone, and Flint. Dot Structure adds soft circular detailing, Hexagon Structure allows the interplay of light across its tactile surface, and Linear Structure provides ridged profiling. Minerals Wall is perfect for adding dimension to create a contemporary feature in any commercial interior."













### **IMPERIAL**

#### UN-GLAZED PORCELAIN | FLOOR & WALL TILES

Ivory

STONE SELECT











Pumice

Sizes: PFW Natural: 600x600x10mm / 600x300x10mm Polished: 600x600x9.5mm / 600x300x9.5mm

Finishes: PFW Natural / Polished

Sahara

"Imperial scores highly for both aesthetic and practical considerations with two contemporary finishes of Natural and Polished. This range features two large format sizes of 600x300mm and 600x600mm across an architectural colour palette of 5 shades, allowing designers to create elegant, functional spaces. Fully stocked in the UK for seamless installation, this un-glazed porcelain floor and wall tile collection creates a flawless look with a realistic flecked appearance that imitates natural stone."













Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 132.

### **HUDSON**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES















Albany White

Albany White

Albany White

New Jersey

New Jersey

New Jersey











Brooklyn

Finishes: W Matt PFW Matt (PTV 4S 36+)

"Hudson's stone effect tiles are complemented by a colour palette that includes the warm sandy tones of New Jersey to the deep, moodier greys of Brooklyn, each evoking a sense of the urban city. Structure comes to the fore with this range, with both Rockfall and Sandbar available in a Matt finish. Rockfall delivers a riven texture, Sandbar features a fragmented linear effect and Natural achieves a weathered, distressed look. Size options are available from I50xI50mm up to 600x600mm."



















### COUNTY

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE INTRO









Classic White

Old Stone

Old Stone

Wave Structure

Rustic Taupe





Rustic Taupe

Wave Structure

Natural Grey

Finishes: C W Matt P F W Matt

"County presents a neutral colour palette including Classic White and Rustic Taupe. With elements of natural stone, County showcases a weathered look to create natural variation for a room full of character. Wave décor options are also available in Natural Grey, Old Stone, and Rustic Taupe to complement the field tiles."



















Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **NATURAL TONES**

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES











Zinc Stone



Ecru Stone



Mocha Marble

Charcoal Stone

Otter Marble

Nougat Marble

Pebble Stone

Mink Stone

Sizes: W 600x300x10mm (Co-ordinating mosaics are also available) PFW 600x600x10mm

Finishes: © W Matt / Gloss P F W Matt / Gloss

"Natural Tones offers a neutral colour palette of nine tones ranging from Otter Marble to Charcoal Stone. Each colour is available in a 600x300mm ceramic option and a 600x600mm co-ordinating porcelain option for seamless installation. Decorative mosaics incorporate tones from across the range to add variation of colour and visual interest."





















#### REFINE

#### PORCELAIN & CERAMIC | FLOOR & WALL TILES



STONE 2CM (ABSOLUTE)









Pewter Dune

Lavastone

© ₩ 2700x900x6mm Ductile /

1200x600x6mm Ductile

Sizes: PFW 2700x1200x6mm / 1200x1200x9mm / 1200x1200x20mm / 1200x600x9mm / 900x900x9mm / 900x900x20mm / 900x450x9mm /

600x600x9mm / 600x300x9mm / 600x100x9mm

(Co-ordinating mosaics and fittings are also available)

Finishes: PFW Natural / Grip (PTV 4S 36+ and PTV TRL 36+) / W Natural Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

"Taking inspiration from the natural characteristics of stone, Refine offers four colours from the warm, sandy undertones of Dune to the deep, gunmetal grey of Basalt. Natural and Grip finishes are available in all four colour-ways, with the Grip providing a PTV 36+ slip resistance rating, ideal for commercial installations. A Grip+ 2cm option is also featured in Dune and Pewter in 900x900mm and I200xI200mm, perfect for extending tiling outdoors. Experiment with nine different size options and four décor mosaics to choose from."



















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### REFINE WALL

GLAZED CERAMIC | WALL TILES









Dune









Dune



Dune









Lavastone

Lavastone

Lavastone

Basalt

Pewter

Basalt

Pewter

Basalt

Pewter

Sizes: W 900x300x11mm

Finishes: W Natural

"This architectural wall collection provides a classic palette of four neutral tones. Understated colours are paired with geometric designs to create a striking combination. This stone-effect range features three profiles: Peak, Calm, and Prints. Peak showcases chevron patterning, with Calm and Prints featuring linear structures. Explore the possibilities with horizontal or vertical lay patterns."













### **RIVERSTONE**

GLAZED PORCELAIN | FLOOR & WALL TILES



STONE STRUCTURE SELECT







Beige Slate Structure

Light Grey



Black

Sizes: PFW 900x450x12mm / 900x220x10mm / 600x600x10mm / 600x300x8.5mm (Co-ordinating mosaics and fittings are also available)

Finishes: PFW Natural (PTV 4S 36+)

"Riverstone exhibits a stone effect look with a stunning structured finish that creates a realistic stone texture. Available in four elegant, neutral shades of White, Beige, Light Grey and Black, Riverstone offers sizes from 600x300mm to 900x450mm for both wall and floor applications. This range offers the complete package with co-ordinating mosaics and skirtings available in all four colours to elevate the look to the next level."













Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **CAMBRIDGE**

GLAZED CERAMIC | WALL TILES

STONE SELECT







Old Stone

Classic White

Natural Grey

Finish: W Textured

"Cambridge offers a timeless colour palette perfect for residential applications, with Old Stone, Classic White, and Natural Grey to choose from. Old Stone displays tones of wheat; Classic White is cool and calming; and Natural Grey has silvery base notes. With a textured matt finish, Cambridge offers a stone effect look to bring a touch of natural inspiration."















### **BRICS**

#### GLAZED PORCELAIN | FLOOR & WALL TILES



STONE STRUCTURE ABSOLUTE







Noho Red Blend Tokyo Red



Octavia Beige




Brooklyn Brown

Docklands Grey

Size: PFW 250x60x10mm

Finish: PFW Natural (PTV 4S 36+)

"Brics is a range of rustic glazed porcelain slim format tiles, taking inspiration from the natural irregularity of exposed brick. With a weathered finish for an industrial, modern aesthetic, Brics offers six colour profiles. Ranging from Docklands Grey with a gunmetal grey palette, to Noho Red Blend to create a sense of warmth, to Tokyo Red with a rusted red look reminiscent of traditional brick work, Brics has plenty of options."















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.


#### **HARBOUR**

GLAZED CERAMIC | WALL TILES









Sea Spray


**Quay Grey** 

Breakwater

Size: W 400x150x10mm



"Harbour encapsulates the aesthetic of sea-weathered rocks with distressed markings and a structured finish. Available in three colourways of Sea Spray, Quay Grey and Breakwater, Harbour is perfect to create a rustic ambience. Sea Spray displays fresh tones of white; Quay Grey is reminiscent of sea-washed pebbles while Breakwater showcases a darker grey shade."













## **LAGOS**

#### GLAZED PORCELAIN | FLOOR & WALL TILES

White

STONE STRUCTURE INTRO





Beige Slate Structure



**Light Grey** Slate Structure



Dark Grey




Black

Size: P F W 330x330x8.5mm

Finish: PFW Matt

"Featuring beautiful, textured tiles emulating natural slate, Lagos is the perfect backdrop for any installation. Team with neutrals for an understated elegance, or pair with colours for a stunning design scheme. With one size available of 330x330mm, Lagos contains five colours, including White, Beige, and Black."









Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **CLASSICS**

GLAZED CERAMIC | WALL TILES















Carrara

Travertine

**Brushed Stone** Marblestone

Sizes: W 600x300x10mm / 300x200x8mm

Finishes: W Gloss / Satin / Silk

"Influenced by the beauty of natural marbles and stones, Classics provides six colour options ranging from timeless White Carrara to warm Crema Marfil. Available in 300x200mm, and certain colours also offering a 600x300mm option, Classics is ideal for residential interiors."















### **ROMA**

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE SHAPE SELECT







Silver Grey

Sizes: PFW 660x660x10mm / 250x220x10mm Hexagon

Finishes: PFW Natural

"Featuring shards of colour ranging from rusted red to sapphire blue, the Roma range brings a sense of playfulness. With base colours of Dark, White, or Silver Grey, Roma is perfect to bring a youthful sense of fun. Dynamic and different, Roma is available in a 250x220mm hexagon and 660x660mm in all colours."











Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### CITY TOUCHSTONE

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES














Beige

Light Grey

Mid Grey

Beige Mix

Grey Mix

White

Sizes: CW 360x275x8mm PFW 600x600x9.3mm / 450x450x8.2mm

Finishes: C W Matt P F W Matt

"This range echoes the characteristics of stone with a classic colour offering of White, Beige, Light Grey, and Mid Grey. Co-ordinating floor options are available in two different sizes to complete a fuller design look. Experiment by pairing the field tiles with the fractured structured options where variation comes to the fore, with base tones of Beige or Grey finished with a ridged texture."



















### **BOUNDARY**

#### GLAZED PORCELAIN | FLOOR & WALL TILES



STONE 2CM SELECT











Earthtones

Sizes: F W 600x600x9mm / 600x600x20mm / 600x300x9mm

Finishes: PFW Natural / Lapato / Natural + 2cm (PTV 4S 36+ and PTV TRL 36+)

"Boundary combines form and function with five muted tones across three finishes – Natural, Lapato and Natural+ 2cm. Natural is minimalist in its luxury; Lapato adds a semi-polished shine and Natural+ 2cm provides a PTV 36+ slip resistance rating, ideal for commercial applications. Try in warm Earthtones or rich Storm for added impact."













Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **ECHO**

#### GLAZED CERAMIC | WALL TILES









Glacier







Desert

Glacier

Size: W 300x200x8mm

Finish: W Gloss

"This glazed ceramic wall collection offers a neutral, contemporary palette, ideal for residential interiors. With three colours to choose from, Glacier, Desert, and Shadow, Echo creates calming, sophisticated interiors. Combine with the linear decorative options available in all three shades to add visual interest."















#### **TERRAZZO**

GLAZED PORCELAIN | FLOOR & WALL TILES



STONE SPECKLE SELECT






Light Stone

Dark Stone

Sizes: PFW 1600x800x9.8mm / 800x800x9.8mm / 600x600x9.5mm

Finishes: F W Natural / Textured

"An urban inspired range of rectified glazed porcelain floor and wall tiles. Available in a dual colour palette of Light Stone and Dark Stone, Terrazzo contains chips of colour to emulate the look of marble. With the fragments ranging from white to steel across the two colour-ways, Terrazzo explores variation. Suitable for use internally and externally, Terrazzo offers size options from 600x600mm to 1600x800mm with two finishes available making it extremely versatile in its applications."















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **ARLO**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE SELECT





Shale

Finishes: W Silk PFW Matt (PTV 4S 36+)

"Exploring natural stone patterning and incorporating glossy print areas, Arlo creates a subtle shimmer effect across two on trend neutral tones of Shale and Flint in 600x300mm. Paired with a simple scored décor option, and co-ordinating flooring options in 600x600mm, create minimalistic settings that echo a modern aesthetic."






















### **ATRIUM**

#### GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE SELECT



Clay







Praline

Graphite Pumice

Sizes: PFW 900x450x12mm / 600x300x8.5mm / 592x592x10mm / 450x450x8.5mm (Co-ordinating mosaics and fittings are also available)

Finishes: PFW Natural / Grip (PTV 4S 36+ and PTV TRL 36+)

"Atrium is both simple and strong, with a stormy palette of four colours that deliver room-defining character. With numerous large format sizes available in both a Natural and Grip finish, this range captures the effect of concrete to deliver a modern, industrial look. The Grip finish offers a PTV slip resistance rating of 36+, making Atrium the perfect choice for high-traffic, large open spaces."













Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **REBUS**

#### PORCELAIN | FLOOR & WALL TILES



CONCRETE 2CM ABSOLUTE











Pumice

Clay

Pebble

Flint

Platinum

Mercury

Sizes: PFW 1200x1200x6.5mm / 1200x600x6.5mm / 900x900x10mm / 900x900x20mm / 600x600x10mm / 600x600x20mm / 600x300x10mm (Co-ordinating fittings are also available)

Finishes: Finishes: FW Natural / Grip (PTV 4S 36+ and PTVTRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTVTRL 36+)

"Rebus offers a selection of concrete effect porcelain tiles showcasing neutral and grey tones. The cool colour palette and speckled effect design make for a versatile range that looks as at home outdoors as it does inside. With sizes available from 600x300mm to 1200x1200mm, Rebus creates a sense of space and sophistication. Grip and Grip+ 2cm achieve a PTV 36+ slip resistance rating, perfect for any setting."













### **MARCO**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

CONCRETE STRUCTURE SELECT









Putty





**Clay** Rockfall Structure Clay Clay

Cement

Putty Rockfall Structure

Putty

Cement

Cement Dimensions Structure

Finishes: 

W Matt PFW Matt (PTV 4S 36+)

"Introduce texture into your interiors with a micro square design and complementary field tiles featuring a softly textured surface. Available in Clay, Putty and Cement, the beautiful décor options are designed to highlight a feature wall with the intricate square shapes creating texture and depth. Combine the décor with the coordinating scored tiles available in this range for a complete contemporary look."























Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### **ASHLAR**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

CONCRETE SELECT







Warm Taupe

Weathered White

Crafted Grey

Sizes: W 600x300x10mm / 600x300x10mm Scored / 300x200x8mm F W 600x600x10mm Finishes: W Textured PFW Matt (PTV 4S 36+)

"Ashlar showcases a stunning weathered textured effect available in three colours. Weathered White creates an airy bright feel, Warm Taupe has sandy notes perfect for creating a sense of relaxation, and Crafted Grey has a deeper tone, building a sense of warmth and comfort. All three colours offer a beautiful scored decorative option, with a complementary floor tile available to complete the look."


















## **SAVOY FLOOR**

GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE PATTERN SELECT











Blue Square

Concrete Concrete






**Grey Square** 





Beige Square



Note: Each box of Savoy Floor Beige Mix and Blue Mix contains a random mixture of all four designs.

Sizes: P F W 200x200x8.5mm

Finishes: PFW Natural (PTV 4S 36+)

"A contemporary range of glazed porcelain wall and floor tiles featuring a rustic concrete effect field tile and a selection of modern geometric patterns. Savoy Floor is available in four colour-ways and a single natural finish. Each of the designs is dynamic and bold and can be used alone or as part of a patchwork. Explore the possibilities."













Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **FITZROVIA**

GLAZED CERAMIC | WALL TILES


CONCRETE SELECT



Silver

Finish: W Gloss

"Inspired by our man-made surroundings, Fitzrovia celebrates a rustic appearance through understated distressed markings. Available in Silver in a timeless gloss finish, Fitzrovia effortlessly creates light and warmth for any interior."


















#### LUXX

#### GLAZED PORCELAIN | FLOOR & WALL TILES

MARBLE PATTERN ABSOLUTE



Pinto Marble



Greige Granite



Bianco Carrara

Carbon Quartz



Cheetah





Zebra



Ivory Calacatta



Turtle



Crema Marble



Snake

Sizes: PFW 2600x1200x6.5mm / 1200x1200x6.5mm / 1200x600x6.5mm / 600x600x6.5mm

(Co-ordinating mosaics and fittings are also available)

Finishes: PFW Natural / Polished

"Luxx is an exciting range of marble effect products, with a variety of different prints available to suit any design scheme. With options ranging from Pinto Marble and Carbon Quartz to the four featured animal prints of Turtle, Snake, Cheetah, and Zebra, Luxx is a stunning range, ideal for adding character and variation. With eight co-ordinating mosaic options and two animal print inlays also available, experiment with lay patterns for a striking visual impact."











Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **DARLINGTON**

GLAZED CERAMIC PORCELAIN | WALL & FLOOR TILES











Pewter

Patchwork

Finish: GW Gloss PFW Matt (PTV 4S 36+)

"Taking inspiration from marbles with a contemporary twist, Darlington captures classic vein detail. With an on-trend colour palette ranging from light Pearl to deeper Pewter, Darlington adds character and interest with each colour also offering a twice scored decorative option. Try introducing the patchwork décor designs for an eclectic aesthetic with modern vibes."



















### **GLIDE**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE STRUCTURE SELECT





White Carrara

White Carrara

Finishes: W Gloss / Matt PFW Matt / Polished "With the calming, neutral tone of pure white threaded with the gentle veining of carrara marble, Glide

proves that simplicity can still make a big impact. Understated and elegant, Glide showcases calm serenity with a timeless finish, expanding the limits of any space with an airy, light, bright feel. With the linear structured décor options providing textural definition, this range delivers clean, sleek looks, bringing sophistication and style to any setting."















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **BIANCO**

#### GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE SELECT






White Marble

Taupe Marble

Finishes: W Matt PFW Matt (PTV 4S 36+)

"A modern marble effect range, Bianco is stunning in its simplicity. With two colour-ways of Taupe and White offering natural marble veining, Bianco is ideal for calming, opulent interiors. Wall options are available in 600x300mm with complementary flooring options featured in 600x600mm."

















### **MELFORD MARBLE**

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE STRUCTURE INTRO







Light Grey

Dark Grey

Light & Dark Grey

Sizes: W 600x300x10mm / 300x200x8mm F W 600x600x10mm

Finishes: W Matt PFW Matt (PTV 4S 36+)

"Inspired by the beauty and irregularity of natural marble, Melford Marble is a classic range of ceramic wall and porcelain floor tiles. Available in a matt finish, Melford Marble includes two striking colours of Light Grey and Dark Grey featuring distinctive veining."





















Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### SIENA

#### GLAZED CERAMIC & PORCELAIN | WALL TILES

MARBLE SELECT





Beige

Sizes: W 600x300x10mm / 600x300x10mm Scored

Finishes: W Gloss

"Siena showcases a marble effect featuring two subtle neutral colours of Grey and Beige in a single gloss finish, and is an elegant addition to any residential interior space. Available in a single large format size of 600x300mm, Siena also offers a twice scored option for added creativity."




















### **GALLOWAY**

#### GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD ABSOLUTE





Birch

Basketweave Décor

Walnut

Finishes: PFW Natural / Grip (PTV 4S 36+ and PTV TRL 36+)


















Sizes: PFW 1190x200x10.5mm / 600x600x10.5mm (Co-ordinating fittings are also available)

diagonals. Slim format plank options and co-ordinating skirtings are also available."

"Galloway, inspired by parquet flooring, features three colours ranging from light Birch to deep Walnut. Engaging with shape, Galloway offers four framed designs of Maise, Basketweave, Cross and Chevron. Maise and Basketweave play with overlay to create dynamic configurations, whilst Cross and Chevron explore





Walnut











Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### **KIELDER**

#### GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD SELECT









Autumn Dawn

**Evening Glow** 

Frosty Oak

Midnight Forest

Size: PFW 1140x200x10mm

Finish: PFW Natural

"Kielder takes inspiration from the natural world to replicate the beauty of the forest with four options which explore the interplay between light and our natural environment. Autumn Dawn is characteristic of the first blush of light across the natural movement of the wood, whilst Evening Glow evokes the tones of a warm sunset. Frosty Oak features cooler notes reminiscent of a crisp winter morning, whilst Midnight Forest works with darker shades to showcase deep night."

















### OSLO

#### GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD ABSOLUTE







Aged Grey



Weathered White

Size: PFW 1200x200x10.5mm / 750x150x9mm (Co-ordinating fittings are also available) Finish: PFW Natural (PTV 4S 36+) / Grip (PTV 4S 36+ and PTV TRL 36+)

"Showcasing a bleached, aged look, this wood effect range features four colours – Raw, Weathered White, Aged Grey, and Carbon Grey. Natural and Grip finishes are available in this range, with the Grip achieving a PTV slip resistance rating of 36+. Two large format plank options of I200x200mm and 750xI50mm are featured, perfect for opening out spaces and adding a nature-inspired aesthetic to any design."











Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

#### LABYRINTH

GLAZED PORCELAIN | FLOOR & WALL TILES













Wood Light

Wood Mid

Wood Dark

Sizes: PFW 520x100x8.5mm Chevron A & B / 230x100x8.5mm Trapezium

Finish: PFW Natural

"Labyrinth is an intriguing range which showcases three different shapes that can be used interchangeably to create striking designs full of personality. The four colour-ways include Light, Mid, and Dark Wood, juxtaposed with a Calacatta Marble option to bring an extra touch of opulence. Combine different shapes in one colour-way, or experiment with the versatility of the range by mixing and matching all four colour-ways across the shape options. A trapezium and two chevrons form the basis for the shapes within this range, providing a luxurious look."















### LOFT

#### GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD (ABSOLUTE)




Beige Mix

Size: PFW 280x70x8mm

Finish: PFW Natural

"Loft is a stylish slim format porcelain wall and floor tile. Designed with a striking colour and shade variation, Loft embodies a distressed effect reminiscent of exposed, paint-stripped wood. Available in a natural finish in 280x70mm, try fixing Loft in a herringbone pattern for even more visual interest."













Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **DRIFT**

#### GLAZED CERAMIC | WALL TILES











Spring Frost


Autumn Reeds

Summer Shadows

Size: W 300x200x8mm

Finish: W Matt

"Drift provides an earthy palette emulates colours associated with nature. The matt structured finish further implies a nod towards our natural surroundings, with inspiration taken from the subtlety of wood, windswept reeds and rushes. Spring Frost showcases a cooler tone, whilst Autumn Reeds and Summer Shadows add warmth. Try colours on their own or combine to create zoned areas."


















## **PRISMATICS**

GLAZED CERAMIC | WALL TILES

COLOUR SHAPE SELECT







Sizes: 📵 W 200x200x6.5mm / 200x100x6.5mm / 150x150x6.5mm / 150x175x6.5mm Hexagon / 100x100x6.5mm (Co-ordinating fittings are also available)

Finishes: W Gloss / Satin

"With an unrivalled offering, our Prismatics collection is perfect for colourful installations with over 60 gloss and satin shades available, spanning the entire colour spectrum. Ranging from vibrant, eye-catching colours, to neutral, warmer shades, Prismatics has it all. With colour graduated tonal profiles, it is easier for specifiers to identify complementary shades quickly and easily. Co-ordinating fittings are also available in selected colours to provide a complete finished look."















## **SAVOY WALL**

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT



Sizes: 300x100x8mm / 200x100x6.5mm (Co-ordinating fittings are also available)

Finishes: W Gloss

"A stylish range of ceramic wall tiles designed with a contemporary colour palette and two slim-format sizes. Exploring variation, Savoy Wall delivers stunning depth of colour across fifteen tones from the muted Luna to the vibrant Marine. With a gloss décor option available in every colour and a selection of co-ordinating fittings, Savoy Wall is a versatile, modern collection that's sure to be a favourite."













Key: C Ceramic W Wall Tiles

## **SOUTH BANK**

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Sizes: W 245x75x8mm Finishes: W Gloss

"This award-winning range of UK-manufactured ceramic wall tiles is available in 8 on-trend colours and a new slim size of 245x75mm. South Bank offers a transparent gloss finish possessing depth and variation of contemporary colour. The slim format allows for the creation of truly unique lay patterns to maximise the creative possibilities within any interior. Featuring the signature colours of Azure, Blossom and Dusk, which are underpinned by a complementary, neutral palette ranging from the subtle, calming Snow to the warmer hue of Pearl, this range allows for the creation of diverse and harmonious colour combinations."















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## 1901

#### GLAZED CERAMIC | WALL TILES





Sizes: W 245x75x8mm

Finishes: W Gloss

"A proud celebration of our heritage, 1901 pays homage to traditional glaze effects. With a rustic structure on the contemporary slim brick format of 245x75mm, 1901 gives the illusion of beautiful, handcrafted qualities. The seductive colour palette takes inspiration from the Astral trend, showcasing rich indigo, sumptuous ruby and bottle green, along with the classic tones of white, black and grey. Named for aspects of our history, this collection creates an opulent, luxurious aesthetic."















## **MELROSE**

GLAZED CERAMIC | WALL TILES

Bone

COLOUR STRUCTURE SELECT





Stone










Moss

Slate

Sizes: 245x75x8mm Finishes: W Gloss

"Manufactured in the UK, Melrose features a rustic structure combined with a glossy glaze to give a handcrafted aesthetic. With natural variation in colour and texture suitable for any interior space, Melrose offers 5 neutral tones of Bone, Pewter, Slate, Moss, and Stone. Available in an on-trend slim format of 245x75mm, Melrose provides a modern look ideal for any interior space."

















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

### **DUPLET**

GLAZED CERAMIC | WALL TILES



COLOUR SHAPE (ABSOLUTE)



Sizes: W 260x64x8mm Chevron Left / 260x65x8mm Chevron Right

Finishes: W Gloss / Matt

"Showcasing an architectural colour palette designed to co-ordinate with our Modern collection, Duplet features 6 neutral tones ranging from Chalk to Graphite. Duplet is influenced by the Geometrics trend to create symmetry and balance within a space. The chevron format provides a stylish wall feature, with Matt and Gloss finishes available in every colour. Add a subtle hint of sophistication and playfulness through the exploration of layout patterning to provide a contemporary dynamic."















## **VERSO**

#### GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR ABSOLUTE



Sizes: PFW 370x92x9mm

Finishes: PFW Natural (PTV 4S 36+)

"With distinctive colours like Burnt Orange and Rose, Verso is not afraid to be bold. This is an impressive range that makes a striking statement in any shade. Plus, with all colour-ways achieving a PTV 36+ slip resistance rating, Verso has the performance credentials to back up its powerful colour palette."














Key: P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **FORM**

#### GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Size: W 400x150x10mm Bevel

Finish: W Gloss

"Form features a colour palette of eight tones including sandy Sahara, Azure blue, and delicate Whisper to deliver on colour and character. With a bevelled edge providing depth and dimension, Form is available in a stunning gloss finish. Experiment with a herringbone pattern or coloured grouts to create sleek looks that really make an impact."















## **TONES**

### GLAZED CERAMIC | WALL TILES








Size: W 400x150x10mm

Finish: W Matt

"Tones features an organic pallet including natural White for clean lines and deep Mocha for statement instalments. With the Wave décor mirroring the rippling effect of water, and a Forest option bringing a touch of the natural, Tones explores texture and depth, with a Nano and Polygon finish also available in select colours."















## **BEVEL BRICK**

GLAZED CERAMIC | WALL TILES


COLOUR INTRO



Size: 200x100x6.5mm Bevel

Finish: W Gloss

"Boasting seven high gloss colours, Bevel Brick will bring any interior space alive. From fire engine Red to soothing Sage, this range scores high on personality with the classic bevelled edge adding depth and dimension. Try fitting Bevel Brick in a herringbone pattern or with coloured grouts for stunning results."













**Note:** Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **KENSINGTON**

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Sizes: 500x50x10mm / 300x75x10mm / 250x50x10mm / 150x75x10mm

Finish: W Gloss

"Kensington is a stylish collection of rustic slim-format ceramic wall tiles. With a hand-crafted effect, Kensington offers a cool colour palette exploring sea tones and fresh neutrals, with available colours ranging from wintry Snow to inky Coal and soft Sage. Experiment with Chalk, Storm, and Smoke for a colour graded tonal grey design."













## **STUDIO**

#### GLAZED CERAMIC | WALL TILES

Tundra

COLOUR STRUCTURE INTRO



Tundra





Haze


Sand





Split-face Structure







Grey Mix Border

Sizes: W 360x275x8mm / 360x275x8mm Scored / 360x50x8mm Border

Finishes: W Gloss / Satin

"Studio offers a warm colour palette with base tones of cream, white and sand. The Gloss finish reflects light for a modern look, while the Satin options are more delicate. Try pairing with the complementary scored or linear décor options to create a design feature or use on their own for a statement finish. Bordered options are also available to complete the look."















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **THREADS**

GLAZED CERAMIC | WALL TILES

COLOUR PATTERN INTRO







Cotton

Taupe

Size: 300x200x8mm

Finish: W Satin

"This ceramic wall tile range provides a textured finish for a tactile quality. With a soft palette of three colours, including Cotton, Taupe, and Flax, Threads showcases a subtle stripe pattern to explore variation and depth."
















## **MONOCHROME**

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES





Size: © W 200x100x6.5mm PFW 150x150x8mm Finish: CW Gloss PFW Natural (PTV 4S 36+)

"A simple collection of ceramic and porcelain wall and floor tiles, featuring a palette of three neutral colours. The Décor option offers a geometric pattern which can be paired with the Border tiles or corresponding field products to create dynamic, lively interiors."





















Monochrome Border

Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **DEVONSHIRE**

GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR PATTERN SELECT









Sage

Size: PFW 330x300x8.5mm

Finish: PFW Matt

"Devonshire offers a neutral palette, featuring three colourways all available in a single matt finish. Devonshire takes inspiration from the Geometric trend with a floral pattern, perfect for creating distinctive designs. Opt for the Blue colourway to echo Dulux's 2022 Colour of the Year Bright Skies" for a refreshing, calm ambience."














## **CHROMA**

GLAZED CERAMIC | WALL TILES

COLOUR SELECT















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **PARADE**

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR SELECT



White

Sizes: PFW 600x600x10mm Finishes: PFW Polished

"A contemporary porcelain floor tile range, Parade is perfect for creating a classic look. With a Polished finish, Parade offers a luxurious sheen in inky Black or understated White."











## PRODUCT STYLE: WHITE Timeless and classic, our selection of white tiles varies from simple and stylish pure white field tiles to structured, decorative options for a delicate touch of texture. Arctic White White (Page 96) 3 Arctic White White (Page 96) 4 Polar White White Structured (Page 98) Porm Winter (Page 83) 5 **Prismatics**White (Page 74) 6 Kensington Snow (Page 87) 7 Tones White Nano (Page 84) 8 Bevel Brick White (Page 86) 9 **Polar White** White (Page 98) 10 Polar White BACKDROP Eminence White Weave Structure Matt 600x300x9mm (Page 97) White Scored (Page 98)

## **ARCTIC WHITE**


GLAZED CERAMIC | WALL TILES



Sizes: 600x300x10mm / 400x150x10mm / 300x100x8mm

Finishes: W Gloss / Satin

"Stylish in its simplicity, Arctic White offers white ceramic wall tiles in both satin and gloss finishes for a cool, contemporary look. Available sizes range from 300x100mm, perfect for a small feature or back-splash, up to 600x300mm for a larger installation."
















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **EMINENCE**

GLAZED CERAMIC | WALL TILES







White

Size: W 600x300x9mm

Finishes: W Gloss / Matt

"Cool and calm, Eminence is a stunningly simple range of porcelain rectified wall tiles. Available in gloss and matt finishes, Eminence is perfect for adding a sense of serenity and elegance to busy spaces. Structured options Linear, Weave, and Reed can be used to complement the pure field tiles, or as the main feature."












## **POLAR WHITE**

GLAZED CERAMIC | WALL TILES

White

WHITE STRUCTURE INTRO







White



White

Sizes: 🔲 W 300x200x8mm / 300x200x8mm Scored One-way / 300x200x8mm Scored Two-ways / 200x200x6.5mm Finishes: W Gloss / Satin

"Our Polar White range is perfect for adding a sense of tranquillity to any interior. Reflecting light, this range can make a room feel clean, serene, and refreshingly simple. Polar White offers a variety of finishes to add texture to any design scheme. Bumpy Gloss showcases a dappled effect, Gloss Wave emulates the natural movement of water, and Satin Structured offers a fragmented, linear look."

















Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website – www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

## **TUNDRA**

GLAZED CERAMIC | WALL TILES












White

White

White

Sizes: W 360x275x8mm Finishes: W Gloss / Matt

"A collection of plain and textured white ceramic tiles, Tundra is perfect for mixing and matching. Available in 360x275mm, Tundra offers gloss and matt finishes, with complementary Dimensions options available to create textured elements for stand-out design features."

















## **CASE STUDIES**

Our tiles have been installed in a variety of residential projects. Over the following pages discover a hand-picked selection of stunning case studies covering every type of residential setting, all featuring products from our residential portfolio.

Par 3 Development

by Cyden Homes Humberton, Lincolnshire

**Greenwich Townhouse** by The 2LG Studio Greenwich, London

Wedgwood Park by David Wilson Homes Wedgwood, Staffordshire

Luxury Loft Living by The Drapery Apartments Southend-on-Sea, Essex

Kingswood Manor by Macbryde Homes Woolton, Liverpool

Juniper House by The 2LG Studio

ARL Developments by Gladman Homes Adlington, Lancashire

Luxury Apartments by Local Blackfriars Salford, Manchester

Bollin Park by David Wilson Homes Wilmslow, Cheshire







## PAR 3 DEVELOPMENT CYDEN HOMES

HUMBERSTON, LINCOLNSHIRE

The Par 3 development in Humberston has been meticulously designed by Cyden Homes and Jonathan Hendry Architects to provide beautiful properties set amongst the fairways of the former Humberston Golf Course. Such a unique setting required the highest quality and most cutting-edge interior products. For the modern kitchens and bathrooms, Johnson Tiles' Natural Tones, Prismatics, and Imperial ranges succeeded in securing stunning results.

Imperial Ivory Natural 600x600x10mm

perial 2 Natur y Natural Ecru Si

4 Prismatics
White Satin
100x100x6.5mm



102



# GREENWICH TOWNHOUSE THE 2LG STUDIO

GREENWICH, LONDON

Combining pastel tones with graphic, monochrome accessories, interior design duo 2 Lovely Gays had just the tile in mind when it came to complementing their Scandinavian-inspired interiors project, for this townhouse in Greenwich. Using Johnson Tiles' Prismatics, 200x100mm in Peacock, throughout the kitchen and dining areas, a contemporary scheme unites the living space while remaining fresh and family-friendly.



4

# WEDGWOOD PARK DAVID WILSON HOMES

WEDGWOOD, STAFFORDSHIRE

A flagship development of 209 executive homes set in the heart of the Staffordshire countryside, Wedgwood Park is the latest residential venture by David Wilson. Paying careful consideration to the exterior and interior of each individual home, only the highest quality products would suffice. Johnson Tiles' Savoy, Tones, Imperial and Natural Tones ranges ensured style and sophistication for both the kitchens and bathrooms of the 'Lakeside' and 'Village' plots.

Imperial Ivory Polished 600x300x9.5mm

Savoy Leaf Gloss 300x100x8mm

Tones
Cream Matt


4 Tones
Latte Matt











# LUXURY LOFT LIVING THE DRAPERY APARTMENTS

SOUTHEND-ON-SEA, ESSEX

For Southend's Drapery luxury loft apartments, only the most stylish, cutting-edge tiles would fit the bill for its en-suites and shower rooms. Johnson Tiles' Loft range of glazed porcelain wall and floor tiles injected an element of industrial chic to the high-end interiors, perfectly mirroring the on-trend, creative feel of the overall scheme.







## KINGSWOOD MANOR MACBRYDE HOMES

WOOLTON, LIVERPOOL

Kingswood Manor is the latest high-end residential development by Macbryde Homes, Comprising just 10 exclusive four-bedroom properties, the Signature collection demonstrates only the finest finishes across its interiors. Johnson Tiles' Natural Tones features throughout the bathrooms and en suites, and the Imperial range decorates the main kitchen and dining areas, whilst City Touchstone adds structured style to the bathrooms' sink and shower zones.

- ☐ Imperial Sahara Polished 600x600x9.5mm
- Beige Matt 450x450x8.2mm
- 2 City Touchstone 3 City Touchstone
- 4 Natural Tones Mocha Marble Gloss 600x300x10mm





## JUNIPER HOUSE THE 2LG STUDIO

KEW, LONDON

A combination of Prismatics in 100x100mm and 200x100mm helped achieve monochrome perfection for the bathroom at Juniper House; a residential property in Kew recently renovated by the talented design duo, 2LG Studio. In the kitchen, a mixture of matt and gloss tiles interact with the light to produce subtle surface effects, while the en-suite introduces a hint of pastel with Prismatics in Harebell, 100x100mm.

Prismatics
White Gloss
100×100×6.5mm

Prismatics
White Satin
200x100x6.5mm

Prismatics
Harebell Gloss
100x100x6.5mm

4 Prismatics
White Gloss
200x100x6.5mm

5 Prismatics
Black Gloss
100x100x6.5mm







## **ARL DEVELOPMENTS GLADMAN HOMES**

ADLINGTON, LANCASHIRE

Our Ashlar range was specified at two of the most recent developments by Adlington Retirement Living (ARL). ARL aims to create beautiful, spacious homes for the older generation, but alongside this, ARL aliss to create beautifut, spacious nomes for the otder generation, but alongside this, ARL also creates communities with shared amenities which aim to bring residents together. Ashlar Weathered White suits the airy, bright feel of the bathrooms and helps to create the sense of a modern, relaxing oasis. The Crafted Grey has a deeper tone, building a sense of warmth and comfort, to make the bathroom a sanctuary to retreat to.

Ashlar
Warm Taupe Textured
600x300x10mm

Ashlar
Weathered White Textured
600x300x10mm

3 Ashlar Crafted Grey Textured 600x300x10mm















## **LUXURY APARTMENTS** LOCAL BLACKFRIARS

SALFORD, MANCHESTER

The next level in luxe city living, Local Blackfriars is a gated community comprising of 380 apartments, townhouses and penthouses across two striking towers, featuring a selection of products from our Polar White, Imperial and Boundary, ranges. These are architecturally blended into a Grade II - listed former public house - The Black Friar - which has been re-purposed as a gateway entrance.

Boundary 600x300x9mm 2 Polar White 3 Imperial

# **BOLLIN PARK**DAVID WILSON HOMES

WILMSLOW, CHESHIRE

The latest development by David Wilson Homes offers spacious four and five bedroom properties in Wilmslow. Situated in a vibrant location, the collections' interiors mirror the area's picturesque setting. Utilising Johnson Tiles' Natural Tones, Savoy, City Touchstone and Imperial ranges, the trend-led schemes exude sophisticated style.

Natural Tones
Pebble Stone Matt

2 Imperial Pumice Natural Natural Tones
Mink Stone Matt

Matural Tones
Beige Mix Matt/Glo

Beige Mix Matt/Gloss 300x300x10mm Square Mosaic







## LET'S WORK TOGETHER

We've been making beautifully designed, high-quality ceramic tiles for over 120 years, alongside a complementary sourced collections of porcelain floor and wall tiles. Throughout our extensive history we've continuously invested time, energy, and resources into excelling as market leaders.

Outstanding product design is only part of what makes us the right partner for every residential developer. We are dedicated to helping every one of our customers get the very best from our tiles, from carrying unrivalled levels of stock, to ensuring that we exceed client expectations every time. By providing high-quality hand boards and support materials, we enable your clients to easily visualise their final scheme.


We underpin this with our first-class nationwide distribution network and our award-winning technical support services, offering support across every aspect of tile usage and application. Let's work together.













## **TECHNICAL INFORMATION**

Detailed information on Specification, Floor Values, Physical Properties, Cleaning and Maintenance, Installation Advice, Accessibility and Support, PTV's, R Values, Wet Ramp, PEI's and Traffic Recommendations & Colour Shade Variation.

#### Specification

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
1901	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Arctic White	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Silk	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Arlo	Matt	Internal & External	Internal Only		V2	Glazed Porcelain [BIa]
	Textured	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Ashlar	Matt	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
Atrium	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [BIa]
Bevel Brick	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Bianco	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Natural & Lapato	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Boundary	Natural+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Brics	Natural	Internal & External	Internal & External	Yes	V4	Glazed Porcelain [Bla]
Cambridge	Textured	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Chroma	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
City Touchstone	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Classics	Gloss, Satin & Silk	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
County	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Darlington	Matt	Internal & External	Internal Only		V2	Glazed Porcelain [BIa]
Devonshire	Matt	Internal & External	Internal Only	-	V١	Glazed Porcelain [BIa]
Drift	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Duplet	Gloss & Matt	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Echo	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Eminence	Gloss & Matt	Internal Only	-	_	VI	Glazed Ceramic [BIII]
Fitzrovia	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Form	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
Galloway	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [BIa]
	Matt & Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Glide	Matt & Polished	Internal & External	Internal Only		۷I	Glazed Porcelain [Bla]
Harbour	Matt	Internal Only	-	-	V3	Glazed Ceramic [BIII]
	Matt	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Haven	Matt	Internal & External	Internal Only		V3	Glazed Porcelain [Bla]
	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Hudson	Natural	Internal & External	Internal Only		V2	Glazed Porcelain [BIa]
Imperial	Natural & Polished	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [BIa]
Kensington	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Kielder	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Labyrinth	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Lagos	Matt	Internal & External	Internal Only	-	VI	Glazed Porcelain [Bla]
0						

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
Loft	Natural	Internal & External	Internal Only	-	V4	Glazed Porcelain [Bla]
Luxx	Natural & Polished	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Marco	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
riaico	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Melford Marble	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
rietioid riaibte	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Melrose	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Porcelain [BIa]
Minerals	Bush Hammered, Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [BIa]
	Natural Ductile	Internal Only	-	-	V2	Ceramic [BIII]
Minerals Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Monochrome	Natural	Internal & External	Internal Only	-	VI	Glazed Porcelain [BIa]
	Gloss & Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Natural Tones	Gloss & Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
Oslo	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [BIa]
Parade	Polished	Internal & External	Internal Only	-	VI	Un-glazed Porcelain [BIa]
Polar White	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Portland	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [BIa]
Prismatics	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Rebus	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [BIa]
	Natural	Internal & External	Internal Only	-	V2	Porcelain [Bla]
Refine	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [BIa]
	Natural Ductile	Internal Only			V2	Ceramic [BIII]
Refine Wall	Natural	Internal Only	_	_	V2	Glazed Ceramic [BIII]
Riverstone	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
Roma	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Savoy Wall	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Savoy Floor	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Siena	Gloss	Internal Only	-	_	V3	Glazed Ceramic [BIII]
South Bank	Gloss	Internal Only	_	_	V3	Glazed Ceramic [BIII]
Studio	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Terrazzo	Natural & Textured	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Threads	Satin	Internal & External	- Internat Only	_	VI	Glazed Ceramic [BIII]
		Internal Only	-	-	VI	Glazed Ceramic [BIII]
Tundra	Matt	j	-	-		
Tundra	Gloss & Matt	Internal Only	-	-	V١	Glazed Ceramic [BIII]

#### Floor Values

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
A 1	Arlo Matt	Shale	Dry 36+ Wet 36+	-	-	_	IV
Alto		Flint	Dry 36+ Wet 36+	-	-	-	III
Ashlar	Matt	All Colours Shown	Dry 36+ Wet 36+	-	-	-	III
Atrium	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	-	IV
Atrium	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	-	IV
Bianco	Matt	All Colours Shown	Dry 36+ Wet 36+	-	-	-	IV

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
	N	Earthtones & Storm	Dry 36+ Wet 25 - 35	-	-	-	III
	Natural	All Other Colours	Dry 36+ Wet 25 - 35	-	-	-	IV
		Earthtones & Storm	Dry 36+ Wet 0 - 24	-	-	-	III
Boundary	Lapato	All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
		Earthtones & Storm	Dry 36+ Wet 36+	Wet 36+	RII	-	III
	Natural+ 2cm	All Other Colours	Dry 36+ Wet 36+	Wet 36+	RII	-	IV
		Brooklyn Brown	Dry 36+ Wet 36+	Wet 36+	RII	-	II
Brics	Natural	Montmartre White & Octavia Beige	Dry 36+ Wet 36+	Wet 36+	RII	-	IV
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	RII	-	III
City Touchstone	Matt	White	Dry 36+ Wet 25 - 35	-	-	_	IV
City Touchstone	Matt	All Other Colours	Dry 36+ Wet 25 - 35	-	-	-	III
County	Matt	All Colours Shown	Dry 36+ Wet 25 - 35	Wet 36+	-	-	III
5	<b></b>	Pearl	Dry 36+ Wet 36+	-	-	-	III
Darlington	Matt	Stone & Pewter	Dry 36+ Wet 36+	-	-	-	II
		Black	Dry 36+ Wet 0 - 24	-	-	-	III
Devonshire	Matt	All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
		Walnut	Dry 36+ Wet 25 - 35	-	-	-	III
	Natural	All Other Colours	Dry 36+ Wet 25 - 35	-	-		IV
Galloway		Walnut	Dry 36+ Wet 36+	Wet 36+	RII	-	III
	Grip	All Other Colours	Dry 36+ Wet 36+	Wet 36+	RII		IV
	Matt	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	IV
Glide	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	-			IV
		Sand	Dry 36+ Wet 36+	-	_	_	III
Haven	Matt	All Other Colours	Dry 36+ Wet 36+	-			II
		Brooklyn	Dry 36+ Wet 36+	_	RIO	_	II
Hudson	Natural	All Other Colours	Dry 36+ Wet 36+		R10		IV
	Natural	All Colours Shown	Dry 36+ Wet 0 - 24	_	-	_	_
Imperial	Polished	All Colours Shown	Dry 36+ Wet 0 - 24				
	Totistica	Midnight Forest	Dry 36+ Wet 25 - 35	_		_	1
Kielder	Natural	All Other Colours	Dry 36+ Wet 25 - 35				<u>:</u>
		Calacatta	Dry 36+ Wet 25 - 35	_	R9	_	IV
Labyrinth	Natural	Wood Dark	Dry 36+ Wet 25 - 35		R10		 II
Labyiiiiii	Natural	All Other Colours	Dry 36+ Wet 25 - 35		RIO		' III
		White	-		KIO		 I
			Dry 36+ Wet 0 - 24				' II
Lagos	Matt	Beige	Dry 36+ Wet 0 - 24				
		Light Grey	Dry 36+ Wet 0 - 24				
1 - 6-	Network	All Calaura Shaura	Dry 36+ Wet 0 - 24	-	-	-	IV
Loft	Natural	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	IV
Luxx	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	A 	
	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	-
Marco	Matt	Clay	Dry 36+ Wet 36+  Dry 36+ Wet 36+	- 	- 	- 	IV 
			•				
Melford Marble	Matt	Light Grey	Dry 36+ Wet 36+		<del>-</del>	<del>-</del>	IV 
	National	Dark Grey	Dry 36+ Wet 36+	-	DC	Δ	III
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	- 	R9	A	
Minerals	Bush Hammered	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R I 0	В	-
	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	C	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
Monochrome	Natural	Black	Dry 36+ Wet 36+	-	R I 0	-	 
		All Other Colours	Dry 36+ Wet 36+	-	RIO	-	IV

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PE
	Matt	Charcoal Stone	Dry 36+ Wet 0 - 24	-	-	-	I
		Pebble Stone	Dry 36+ Wet 0 - 24	-	-	-	III
	Matt	Ecru Stone	Dry 36+ Wet 0 - 24	-	-	-	IV
Natural Tones		All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	П
		Mocha Marble	Dry 36+ Wet 0 - 24	-	-	-	I
	Gloss	Otter Marble	Dry 36+ Wet 0 - 24	-	-	-	III
		All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
Oslo	Natural	All Colours Shown	Dry 36+ Wet 36+	-	RIO	А	IV
Osto	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	В	IV
Parade	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	-
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	RIO	В	-
Portland	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	RIO	В	-
Rebus	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	Α	-
Refine	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
		White	Dry 36+ Wet 36+	-	RI0	-	IV
Riverstone	Natural	Light Grey	Dry 36+ Wet 25 - 35	-	RIO	_	III
		All Other Colours	Dry 36+ Wet 36+	-	RIO	-	III
Roma	Natural	All Colours Shown	Dry 36+ Wet 0 - 24	-	R9	-	IV
Savoy Floor	Natural	All Colours Shown	Dry 36+ Wet 36+	-	-	-	IV
	N	Light Stone	Dry 36+ Wet 25 - 35	-	RIO	-	IV
<del>-</del>	Natural	Dark Stone	Dry 36+ Wet 25 - 35	-	RIO	-	II
Terrazzo	T	Light Stone	Dry 36+ Wet 25 - 35	-	RI2	-	IV
	Textured	Dark Stone	Dry 36+ Wet 25 - 35	-	RI2	-	II
Verso	Natural	All Colours Shown	Dry 36+ Wet 36+	_	_		IV

Note: Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, please refer to our website for the most up-to-date information. The slip resistance properties of a surface can only be maintained with the implementation of an effective regular cleaning and maintenance regime. The frequency of cleaning should be determined by the property manager based on the potential level of surface contaminants. The need for an additional regular cleaning and maintenance regime is further heightened when tiles are used for external floor and wet barefoot applications. PTV (4S): Pendulum Test Value - Slider 96. PTV (TRL): Pendulum Test Value - Slider 55. R Value (DIN 51130). Wet Ramp (DIN 51097), PEI: Porcelain Enamel Institute.

### Physical Properties - Ceramic

Test	/ Standard	Requirement	Test Result
	Length / Width EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
<u></u>	Thickness EN ISO 10545 - 2	± 10% ≤ ± 0.5mm	Pass
<u>-</u> ]·	Rectangularity EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
<u>↓</u>	Surface Flatness EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass
	Water Absorption EN ISO 10545 - 3	10% to 20%	Pass
	Modulus of Rupture EN ISO 10545 - 4	Min. I 5N / mm²	Pass
*	Frost Resistance EN ISO 10545 - 12	-	Not Suitable
	Chemical Resistance EN ISO 10545 - 13	Min. Class B	Pass
	Stain Resistance EN ISO 10545 - 14	Min. Class 3	Pass
	Fire Rating	-	Class A I Non Combustible

#### Physical Properties - Porcelain

Test / Standard	Requirement	Test Result
Length / Width EN ISO I 0545 - 2	± 0.6% ≤ ± 2mm	Pass
Thickness EN ISO   0545 - 2	± 5% ≤ ± 0.5mm	Pass
Rectangularity EN ISO   0545 - 2	± 0.5% ≤ ± 2mm	Pass
Surface Flatness EN ISO 10545 - 2	± 0.5% ≤ ± 0.5mm	Pass
Water Absorption EN ISO 10545 - 3	≤ 0.5%	Pass
Modulus of Rupture EN ISO 10545 - 4	Min. 35N / mm²	Pass
Frost Resistance EN ISO 10545 - 12	Resistant	Resistant
Chemical Resistance EN ISO 10545 - 13	Min. Class B	Pass
Stain Resistance EN ISO 10545 - 14	Min. Class 3	Pass
Fire Rating	-	Class AI <sub>FL</sub> Non Combustible

Note: All Ceramic [BIII] and Porcelain [BIa] products listed in this brochure conform to BS EN 14411.

Please contact our technical advice helpline for physical properties information on any alternative material types shown in this brochure.

124

#### Installation Advice

#### Codes of Practice

All fixing of floor and cladding tiles should be in accordance with the following codes of practice guidelines:

#### BS5385 Part 1 - 2018

Design and installation of internal ceramic, natural stone and mosaic wall tiling in normal conditions.

#### BS5385 Part 2 - 2015

Design and installation of external ceramic, natural stone and mosaic wall tiling in normal conditions.

#### BS5385 Part 3 - 2014

Design and installation of internal and external ceramic and mosaic floor tiling in normal conditions.

BS5385 Part 4 - 2015 Design and installation of ceramic and mosaic tiling

#### in specific conditions BS5385 Part 5 - 2009

Design and installation of terrazzo, natural stone, and agalomerated stone tile and slab flooring.

#### BS8000 Part II - 2011

Workmanship on building sites, Internal and external wall and floor tiling. Ceramic and agglomerated stone tiles, natural stone and terrazzo tiles and slabs and mosaics.

BIII (Ceramic) tiles smaller than 400x300mm require the use of an adhesive with a DI or D2 classification Larger tiles require an adhesive with C2 classification

Bla (Porcelain) tiles require the use of a polymer modified adhesive with a classification of C2\* and grouts specifically formulated for the fixing and grouting of porcelain tiles.

\* Check with the adhesive manufacturer for additional CI product suitability.

#### Substrates

Before tiling is commenced it is important to ensure that the correct minimum curing periods have been observed for all substrates:

Screed - Non Modified (3 Weeks) Rendering - Non Modified (2 Weeks)

Gypsum Plastering (4 Weeks)

Brickwork / Blockwork (6 Weeks)

Accuracy of the substrate must be checked to ensure that the guidance given in BS5385 has been achieved i.e. "local variations in level for a nominally flat floo or wall should be such that, when checked with a 2m

straight-edge, any gap under the straight-edge between points of contact does not exceed 3mm".

#### Movement Joints

The location, type and scope of all movement joints must be ascertained prior to any fixing works. All structural joints must be followed through to the face of the tile at full width with intermediate move ioints (minimum 6mm wide) being situated at:

#### Changes of Plane (Incl. Wall Corners) Wall / Floor Junctions

#### Where Tiling Abuts Other Materials

Additionally at 3 to 4.5m maximum centres for wall tiling and 8 to 10m maximum bay centres for floor tiling (in suspended floors the bay dimensions should be reduced by providing additional joints over supporting walls and beams).

Movement joints can either be filled with a suitable backer, bond breaker and filler (e.g. silicone for walls tiles only or epoxy polysulphide for floor and wall tiles - please check with manufacturer for suitability) or be of the pre-formed variety.

#### Design / Layout

Consideration to locations of plane changes and room sizes should be undertaken to ensure the best tile size is selected to minimise cutting and improve aesthetics

#### Adhesives

Adhesives should be in accordance with BS EN 12004, Class D1 or D2 for ceramic tiles and Class C2 or C1\* for porcelain tiles. Particular adhesive choice will be governed by the type of substrate.

\* Check with the adhesive manufacturer for additional CI product suitability.

Johnson Tiles recommends the use of Norcros Adhesives products - see below

#### Ceramic Tiles (BIII)

Substrate	Product
Concrete	One Part Flexible
Sand / Cement Screed	One Part Flexible
Brick / Blockwork	One Part Flexible
Plaster Gypsum	One Part Flexible
Plasterboard	One Part Flexible

#### Porcelain Tiles (Bla)

Substrate Product Rapid Porcelain / Flexible Concrete Sand / Cement Screed Rapid Porcelain / Flexible Wood Floors Rapid Porcelain / Flexible\* Brick / Blockwork Rapid Porcelain / Flexible Rapid Porcelain / Flexible Plaster Gypsum Plasterhoard Rapid Porcelain / Flexible\*\*

- \* Overlay with minimum 15mm WBP / Marine Ply and Prime using Norcros Adhesive Prime and Seal
- \*\* Prime using Norcros Adhesive Prime and Seal.

The choice of grout type should reflect the expected service conditions of the installation

For general internal wall tiling in dry conditions and walls subject to frequent wetting i.e. showers and pool halls, use Norcros Adhesives 4 in 1 Cement Based Grout - classified as CG2.

For walls where hygiene is important i.e. commercial kitchens and hospitals, use Norcros Adhesives Super Epoxy Grout - classified as RG I.

For general floor tiling use Norcros Adhesives 4 in I Flexible Wall and Floor Tile Grout - classified as CG2.

For floors subject to frequent wetting i.e. showers and pool halls, use Norcros Adhesives 4 in 1 Flexible Wall and Floor Tile Grout - classified ad CG2 (hard water areas) or Norcros Adhesives Super Epoxy Grout - classified as RG I (soft water areas).

For specific adhesive and grout advice, please contact Norcros Adhesives technical helpline on +44 (0) 1782 524 140.

#### Fixing Tiles

All tiles should be fixed with a solid bed of adhesive, this ensures maximum durability and strength within the installation and long term adhesion performance. This is achieved with the use of a notched solid bed trowel. It is good practice to periodically remove a recently fixed tile to ensure that the correct bedding is being achieved and maintained. When fixing all tiles care must be taken to ensure that no lipping of tiles

All tiles shown in this brochure are recommended to be fixed with a nominal 3mm wide joint.

#### Cleaning and Maintenance

Maintaining the appearance and characteristics (especially slip resistance values) of floor tiles is achieved with the implementation of a suitable cleaning regime. It must be stressed that the cleaning material manufacturers instructions must be followed at all times. Regular and correctly undertaken cleaning should maintain a flooring product as close to its original state as possible. Incorrect or infrequent cleaning will adversely affect the properties of the flooring material and increase potential hazards. Generally the smoother the surface of the tile the easier it is to clean. However, it should be noted that textured products, required to give adequate slip resistance when wet, can be satisfactorily cleaned the cleanability of a surface is more a function of the contaminant than the texture of the surface. It is therefore essential when selecting and specifying a floor finish that the use of the area and likely contaminants, safety, aesthetic and hygiene requirements are all taken into account at the specification stage.

Cleaning can be split into several categories, each of which is dependant upon installation type (i.e. wet barefoot areas, shopping malls, public toilets, etc.) and frequency of usage (i.e. high, medium or low traffic):

#### **Builders Clean**

This should be undertaken before a floor is being brought into service. The builders clean removes any residual film leftover from the grouting operation and is a one-off cleaning process. This must be carried out as any grout residues left behind will act as a key for dirt resulting in the installation being difficult to clean. Temporary sealers may be used to facilitate cleaning off after laying which can be removed with the use of alkaline detergents.

#### Cementitious Grouts

The use of a mild acid de-cementing solution followed by thorough rinsing will remove all but the most stubborn of cement residues.

#### **Epoxide Grouts**

it is essential that ALL residue must be removed from the surface of the tiles during the grouting process and before the resin cures. Failure to achieve this will result in a very difficult and expensive process using gel-type

#### Routine Cleaning

The regular use of detergents or other cleaning agents, which are excessively acidic or alkaline could ause irreversible damage to the ceramic tile surface. Degreasing agents that contain wax, sodium silicate or other additives which leave sticky deposits and thus retain dirt should be avoided. Oil residues or build-ups of wax can be removed with a proprietary wax and polish remover

### Manual Cleaning

In normal conditions tiles require little maintenance and can be easily kept clean by sweeping and then mopping with warm water to which a neutral or nearly neutral detergent has been added. The cleaning solution should remain on the floor for 5 to 15 minutes (see manufacturers instructions) to allow it to penetrate and emulsify the dirt after which it should be removed by rinsing thoroughly with clean water. The rinsing process removes the dirt so the use of clean water is important.

### Mechanical Cleaning

For larger floor areas or areas of textured tiles the use of a rotary scrubbing machine is recommended (machines should not be used at speeds in excess of 450rpm). The choice of brush type is very important Union mix brushes are suitable for light washing and scrubbing, polypropylene brushes are suitable where dirt deposits are especially heavy. The cleaning solution should remain on the floor for 5 to 15 minutes (see manufacturers instructions) after which a secondary scrubbing action and clean mon or suction should be undertaken to remove the solution and dirt.

### High Pressure Cleaning

Tiles seldom require the use of high-pressure cleaning. Whilst the process will not damage the tiles care must be taken to avoid erosion of the grout. To minimise grout erosion ensure that the water beam is continually ved from side to side and not allowed to concentrate on the grouted joints. Water containing abrasives or steam cleaners should not be used on ceramic tiles.

Wet barefoot areas may attract build-ups of body fats, soaps, oil residues and organic growth. To prevent these a mildly acidic cleaning agent used regularly is preferable. If build-up has been allowed a preliminary deep clean with a proprietary cleaner is required followed by regular use of a mildly acidic cleaning agent solution

#### Periodic Deep Cleaning

Occasionally foreign matter may cause surface marks that cannot be removed with the usual cleaning processes and materials. If the surface mark cannot be removed, other materials should be considered (it's advisable to experiment on a small inconspicuous area):

Paint - Paint Remover

Organic Stains - Bleach / Washing Soda Rust - Masonry Cleaner

Oil / Fat / Grease - Detergent or Degreaser Mould Growth - Bleach / Proprietary Cleaner Tea / Coffee / Ink - Bleach / Proprietary Cleaner

Abrasive powders or cleaners should never be used on glazed

#### **Accessibility and Support**

The Equality Act 2010 has replaced the Disability Discrimination Act and in general, carries forward the protection that the Disability Discrimi Act provided for disabled people. The Disability Discrimination Act was repealed in October 2010.

The Equality Act requires accessible environments to be provided for disabled people, either in their place of work or for access to goods, services or facilities (public spaces). Those commissioning new buildings or adaptations to existing buildings must consider the implications of the Equality Act and their ability to provide buildings that do not discriminate against disabled people (physical or mental impairments).

#### Colour Reflectance (Contrast)

The Equality Act gives guidance on good visual contrast for the visually impaired between various elements of a building by the use of Light Reflectance Values (LRV).

LRV is a general term for contrast and is measured as the proportion of useful light reflected by a

#### Pendulum Test Values (PTV)

The slip resistance of a floor finish is the most important safety consideration. Effective and suitable slip resistant characteristics will reduce the likelihood of slipping; particularly for older, mobility and visually impaired people.

Pendulum tests are the standard and preferred Heath and Safety Executive (HSE) test method for the assessment of floor slipperiness in both dry and contaminated (wet) conditions. This portable test can be used to test floor products in both laboratory and real world locations and conditions and uses a swinging test apparatus which simulates the act of walking.

Based on recommendations from the HSE, you should use floor finishes that achieve a Pendulum 4S (Slider 96) of 36+ for shod foot areas,and / or a Pendulum TRI (Slider 55) of 36+ for wet barefoot areas, to achieve a low slip potential environment. The table below illustrates how the HSE categorise the results from the Pendulum tests for both the 4S Slider 96 and TRL Slider 55:

0 - 24 (High Slip Potential)

25 - 35 (Moderate Slip Potential)

36+ (Low Slip Potential)

Pendulum 4S and TRI results shown are based on Johnson Tiles' internal test reports along with information available at the time of print and are to be used for guidance purposes only. Project specific requirements should be used and checks should be made so that the requirements at the time of specification are incorporated. Further information is available from - www.hse.gov.uk

#### R Values

German ramp tests are used to generate the R Values (DIN 51130) used most commonly in Northern Europe. This test can only be carried out in laboratory conditions, so this does not allow for the testing of materials in real world locations. DIN 51130 (R Values) is a shod foot test which uses oil as a contaminant. These results are interpreted into five groups:

R9 (6° to 10°) R10 (11° to 19°)

RII (20° to 27°)

R12 (28° to 35°)

R13 (>35°)

R Value ratings have generally been used to assess product suitability in the UK. However, this is changing dramatically following recommendations from the HSE with the preferred test method being the Pendulum test.

coloured object, floor, wall or ceiling. LRV is measured on a scale of 0 to 100 where 0 is perfect black and 100  $\,$ perfect white (in reality 0 and 100 are unobtainable colours). According to NCS Colour Centre in practical terms black is approx 6 and white approx 85.

The current guidelines from Building Regulations Approved Document M on contrast are that a minimum different of 30 LRV points should be specified for adjacent surfaces to ensure that visually impaired people are not discriminated against. In a specific example of ceramic tiles this difference should be between

Floors to Walls Ceiling to Walls Handrails to Walls

Sanitary Fittings to Walls

The visual contrast between floors and walls is important in enabling visually impaired people to assess and gauge the size and shape of a room

The greatest visual contrast must occur where the floor meets the wall (skirting) as this gives the most accurate visual indication of the extent of the room. Where provided, skirtings should contrast visually with the floor and be similar in colour and tone to the wall surface.

This information is not exhaustive and the requirement at the time of specification must be checked. BS8300:2001 Amendment I indicates that there is anecdotal evidence to suggest that a 20 point LRV difference may be sufficient – especially where large adjacent areas are involved.

It must be noted that the guidance on LRV values given in this brochure is correct at the time of print. This is a subject that may be reviewed by the regulatory body at any time so it is advisable to check the guidelines at the time of specification

The Equality Act details given in this brochure are to be used as an outline guide only and are the details as Johnson Tiles understand them at the time of print. Further qualified advice should be sought if any of the details given above are in doubt.

#### Wet Ramp

German ramp tests are used to generate the ABC  $\,$ ratings (DIN 51097) used most commonly in Northern Europe. This test can only be carried out in laboratory conditions, so this does not allow for the testing of materials in real world locations. DIN 51097 is a wet barefoot test in which a soap solution is applied as a contaminant, the results from this test are placed into one of the following three categories:

Class A (12° to 17°) Class B (18° to 23°) Class C (>23°)

ABC ratings have generally been used to assess product suitability in the UK. However, this is changing dramatically following recommendations from the HSE with the preferred test method being the Pendulum test.

#### **PEI Ratings and Traffic**

Porcelain Enamel Institute (PEI) ratings refer to the surface abrasion resistance of a glazed floor tile. The test is only used for glazed tiles. Through-body porcelain and un-glazed porcelain are tested using the EN ISO 10545-6 Deep Abrasion Test. All glazed floor tiles shown in this brochure are rated with a PFI value which in turn gives a foot traffic suitability recommendation, these values and recommendations are split into the following five categories:

PELI (Light Domestic Traffic)

Floors walked on with soft soled footwear with no scratching dirt - for example: residential bathrooms without direct outside access, en-suite bathrooms etc.

PEI II (Domestic Traffic)

Floors walked on with soft soled or normal footwear with no scratching dirt - for example: residential bathrooms without direct outside access, en-suite bathrooms etc.

PEI III (Light Commercial Traffic) Floors walked on with normal footwear with small

amounts of scratching dirt - for example: residential halls, corridors, kitchens or conservatories.

PEI IV (Commercial Traffic)

Floors walked on by regular traffic with the presence of some scratching dirt but more severe than PEI III's – for example: hotels, restaurants and shops without direct external access.

PEI V (Heavy Commercial Traffic)

Floors subject to severe pedestrian traffic over sustained periods with the presence of some scratching dirt - for example: shopping centres, hotel foyers, commercial floors, institutional uses etc

#### Colour Shade Variation (CSV)

Colour Shade Variation (CSV) values are assigned to wall and floor tiles within this brochure. These values are to be used for guidance only. Shade, colour and pattern variation are inherent characteristics of all ceramic and porcelain tiles. CSV is split into four categories:

VI (Low Shade Variation)

When installed and mixed correctly the effect is a consistent overall appearance

V2 (Low to Moderate Shade Variation) When installed and mixed correctly the effect is a finish with subtle shade differences.

V3 (Moderate to High Shade Variation) When installed and mixed correctly the effect is a finish with a moderate degree of shade variation.

V4 (High Shade Variation)

When installed and mixed correctly the effect is a finish with a high degree of shade variation

#### General Information

During the manufacturing process of ceramic and porcelain tiles, some variation in shade and pattern can occur. Before fixing any tiles, several boxes should be opened and their contents mixed to ensure that size, colour, shade and patterning are acceptable. The tiles shown are quality products and conform to the physical properties listed in this brochure

All sizes shown are metric modular

For specific suitability and fit-for-purpose details please contact our technical helpline.

Johnson Tiles cannot accept responsibility

for any tiles that have been fixed. Every effort has been made to ensure the accuracy of the information given.

Johnson Tiles reserves the right to change specifications and availability without prior notice.

Nothing in these statements does or will affect the statutory rights of the consumer

® Johnson Tiles, Johnson, Absolute and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R Johnson Tiles Limited and licensed to Norcros Group (Holdings)
Limited trading as Johnson Tiles.

© 202 | Johnson Tiles, All rights reserved

All product technical values quoted are supported by laboratory testing from our own and independent ceramic test houses. Johnson Tiles are British Standard registered and all products conform to the standards set in BS EN 14411 (formerly BS 6431).

For the reassurance of single source supply, Johnson Tiles offer a free of charge NBS M40 specification writing service featuring the Norcros Adhesives range of tile fixing products. To find out more or for any questions or queries relating to any of the tile related technical information featured in this brochure, please contact our Technical Support Helpline on +44 (0) 1782 524 III or email techadvice@johnson-tiles.com.

The colours shown in this brochure are as accurate as printing processes and/or screen calibration will allow. Please refer to actual product samples before specifying. Every effort has been made to ensure the accuracy of the information given in this brochure.

We hope this brochure has provided you with information and inspiration that will be of value in the planning of your next residential project. If you're seeking high quality products, excellence in design and industry leading service, Johnson Tiles is the right choice for you.

Please don't hesitate to get in touch if you'd like to know more about our product offering and achievements in any of the following sectors: Commercial, Hospitality, Care or Special Products.

#### WHERE TO FIND US.

Johnson Tiles Head Office Harewood Street, Tunstall,

Stoke on Trent, Staffordshire, ST6 5JZ, UK Tel: +44 (0) 1782 575 575





Tel: +44 (0)20 7436 8629 Email: info@material-lab.co.uk www.material-lab.co.uk



#### General Enquiries

Tel: +44 (0) 1782 575 575 Email: Info@johnson-tiles.com

#### Customer Services

Tel: +44 (0) I 782 524 000 Email: sales@johnson-tiles.com

#### Samples Ordering

Tel: +44 (0) I 782 524 043 Email: samples@johnson-tiles.com

#### Technical Advice

Tel: +44 (0) | 782 524 | | | | Email: ddunlop@johnson-tiles.com

